

RECEIVED
09 JUL -7 PM 4:52
HEARINGS CLERK
EPA--REGION 10

**BEFORE THE
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

IN THE MATTER OF:)
)
Firestone Pacific Foods, Inc.)
Vancouver, Washington)
)
Respondent.)
_____)

DOCKET NO. EPCRA-10-2007-0204
COMPLAINANT'S POST HEARING
BRIEF

TABLE OF CONTENTS

	<u>Page</u>
Table of Authorities	ii
I. INTRODUCTION	1
II. STATEMENT OF FACTS	1
III. STATUTORY AND REGULATORY BACKGROUND.....	3
IV. FACTUAL BACKGROUND.....	5
A. Order on Complainant's Motion for Accelerated Decision regarding Counts 1, 2, and 3 of the Complaint.....	5
B. Liability for Count 4-15 of the Complaint.....	5
1. Fact that are Not in Dispute.....	6
a. Respondent is a "Person" as Defined Under EPCRA.....	7
b. Respondent Owns and Operates a "Facility" as Defined Under EPCRA....	7
c. Respondent is Required Under OSHA to Prepare or Have Available an MSDS.....	8
d. Respondent Failed to Timely Prepare and Submit an Emergency and Hazardous Chemical Inventory Form to the SERC, LEPC, and Fire Department with Jurisdiction Over the Facility for the Calendar Years 2001, 2002, 2003, and 2004.....	8
2. At least 500 Pounds of Ammonia have Been Stored at the Facility Every Year from 2001 through 2004.....	10
a. Firestone's Ammonia Levels since the "2003-2004 Facility Expansion".....	10
b. Firestone's Refrigeration Contractors Confirm Ammonia Levels in Excess of 500 Pounds.....	11
c. Firestone's Ammonia Levels Prior to the "2003-2004 Facility Expansion".....	13
d. Credibility of the Witnesses.....	15