ANNEX W

IPCC Reference Approach for Estimating CO_2 Emissions from Fossil Fuel Combustion

It is possible to estimate carbon dioxide (CO_2) emissions from fossil fuel consumption using alternative methodologies and different data sources than those described in Annex A. For example, the UNFCCC reporting guidelines request that countries, in addition to their "bottom-up" sectoral methodology, to complete a "top-down" Reference Approach for estimating CO_2 emissions from fossil fuel combustion. Section 1.3 of the *Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories: Reporting Instructions* states, "If a detailed, Sectoral Approach for energy has been used for the estimation of CO_2 from fuel combustion you are still asked to complete…the Reference Approach…for verification purposes" (IPCC/UNEP/OECD/IEA 1997). This reference method estimates fossil fuel consumption by adjusting national aggregate fuel production data for imports, exports, and stock changes rather than relying on end-user consumption surveys. The basic principle is that once carbon-based fuels are brought into a national economy, they are either saved in some way (e.g., stored in products, kept in fuel stocks, or left unoxidized in ash) or combusted, and therefore the carbon in them is oxidized and released into the atmosphere. Accounting for actual consumption of fuels at the sectoral or sub-national level is not required. The following discussion provides the detailed calculations for estimating CO_2 emissions from fossil fuel combustion from the United States using the IPCC-recommended Reference Approach.

Step 1: Collect and Assemble Data in Proper Format

To ensure the comparability of national inventories, the IPCC has recommended that countries report energy data using the International Energy Agency (IEA) reporting convention. National energy statistics were collected in physical units from several EIA documents in order to obtain the necessary data on production, imports, exports, and stock changes (EIA 2002a).

It was necessary to make a number of modifications to these data to generate more accurate apparent consumption estimates of these fuels. The first modification adjusts for consumption of fossil fuel feedstocks accounted for in the Industrial Processes chapter, which include unspecified coal for coal coke used in iron and steel production, natural gas used for ammonia production, and petroleum coke used in the production of aluminum, ferroalloys, and titanium dioxide. The second modification adjusts for consumption of bunker fuels, which refer to quantities of fuels used for international transportation estimated separately from U.S. totals. The third modification consists of the addition of U.S. territories data that are typically excluded from the national aggregate energy statistics. The territories include Puerto Rico, U.S. Virgin Islands, Guam, American Samoa, Wake Island, and U.S. Pacific Islands. These data, as well as the production, import, export, and stock change statistics, are presented in Table W-1.

The carbon content of fuel varies with the fuel's heat content. Therefore, for an accurate estimation of CO_2 emissions, fuel statistics were provided on an energy content basis (e.g., BTUs or joules). Because detailed fuel production statistics are typically provided in physical units (as in Table W-1), they were converted to units of energy before CO_2 emissions were calculated. Fuel statistics were converted to their energy equivalents by using conversion factors provided by EIA. These factors and their data sources are displayed in Table W-2. The resulting fuel type-specific energy data are provided in Table W-3.

Step 2: Estimate Apparent Fuel Consumption

The next step of the IPCC Reference Approach is to estimate "apparent consumption" of fuels within the country. This requires a balance of primary fuels produced, plus imports, minus exports, and adjusting for stock changes. In this way, carbon enters an economy through energy production and imports (and decreases in fuel stocks) and is transferred out of the country through exports (and increases in fuel stocks). Thus, apparent consumption of primary fuels (including crude oil, natural gas liquids, anthracite, bituminous, subbituminous and lignite coal, and natural gas) can be calculated as follows:

Apparent Consumption = Production + Imports - Exports - Stock Change

Flows of secondary fuels (e.g., gasoline, residual fuel, coke) should be added to primary apparent consumption. The production of secondary fuels, however, should be ignored in the calculations of apparent consumption since the carbon contained in these fuels is already accounted for in the supply of primary fuels from which they were derived (e.g., the estimate for apparent consumption of crude oil already contains the carbon from which gasoline would be refined). Flows of secondary fuels should therefore be calculated as follows:

Secondary Consumption = Imports - Exports - Stock Change

Note that this calculation can result in negative numbers for apparent consumption of secondary fuels. This result is perfectly acceptable since it merely indicates a net export or stock increase in the country of that fuel when domestic production is not considered.

Next, the apparent consumption and secondary consumption need to be adjusted for feedstock uses of fuels accounted for in the Industrial Processes chapter, international bunker fuels, and U.S. territory fuel consumption. Bunker fuels and feedstocks accounted for in the Industrial Processes chapter are subtracted from these estimates, while fuel consumption in U.S. territories is added.

The IPCC Reference Approach calls for estimating apparent fuel consumption before converting to a common energy unit. However, certain primary fuels in the United States (e.g., natural gas and steam coal) have separate conversion factors for production, imports, exports, and stock changes. In these cases, it is not appropriate to multiply apparent consumption by a single conversion factor since each of its components has different heat contents. Therefore, United States fuel statistics were converted to their heat equivalents before estimating apparent consumption. Results are provided in Table W-3.

Step 3: Estimate Carbon Emissions

Once apparent consumption is estimated, the remaining calculations are virtually identical to those for the "bottom-up" Sectoral Approach (see Annex A). That is:

- Potential CO_2 emissions were estimated using fuel-specific carbon coefficients (see Table W-4).[1]
- The carbon in products from non-energy uses of fossil fuels (e.g., plastics or asphalt) was then estimated and subtracted (see Table W-5).
- Finally, to obtain actual CO_2 emissions, net emissions were adjusted for any carbon that remained unoxidized as a result of incomplete combustion (e.g., carbon contained in ash or soot).[2]

Step 4: Convert to CO_2 Emissions

Because the IPCC reporting guidelines recommend that countries report greenhouse gas emissions on a full molecular weight basis, the final step in estimating CO_2 emissions from fossil fuel consumption was converting from units of carbon to units of CO_2. Actual carbon emissions were multiplied by the molecular-to-atomic weight ratio of CO_2 to carbon (44/12) to obtain total carbon dioxide emitted from fossil fuel combustion in teragrams (Tg). The results are reported in Table W-6.

Comparison Between Sectoral and Reference Approaches

These two alternative approaches can both produce reliable estimates that are comparable within a few percent. The major difference between methodologies employed by each approach lies in the energy data used to derive carbon emissions (i.e., the actual surveyed consumption for the Sectoral Approach versus apparent

[1] Carbon coefficients from EIA were used wherever possible. Because EIA did not provide coefficients for coal, the IPCC-recommended emission factors were used in the top-down calculations for these fuels. See notes in Annex A.

[2] For the portion of carbon that is unoxidized during coal combustion, the IPCC suggests a global average value of 2 percent. However, because combustion technologies in the United States are more efficient, the United States inventory uses 1 percent in its calculations for petroleum and coal and 0.5 percent for natural gas.

consumption derived for the Reference Approach). In theory, both approaches should yield identical results. In practice, however, slight discrepancies occur. For the United States, these differences are discussed below.

Differences in Total Amount of Energy Consumed

Table W-7[3] summarizes the differences between the Reference and Sectoral approaches in estimating total energy consumption in the United States. Although theoretically the two methods should arrive at the same estimate for U.S. energy consumption, the Reference Approach provides an energy total that is 0.6 percent higher than the Sectoral Approach for 2001. The greatest difference lies primarily in the higher estimate of petroleum consumption using the Reference Approach (1.9 percent).

There are several potential sources for the discrepancies in consumption estimates:

- *Product Definitions.* The fuel categories in the Reference Approach are different from those used in the Sectoral Approach, particularly for petroleum. For example, the Reference Approach estimates apparent consumption for crude oil. Crude oil is not typically consumed directly, but refined into other products. As a result, the United States does not focus on estimating the energy content of the various grades of crude oil, but rather estimating the energy content of the various products resulting from crude oil refining. The United States does not believe that estimating apparent consumption for crude oil, and the resulting energy content of the crude oil, is the most reliable method for the United States to estimate its energy consumption. Other differences in product definitions include using sector-specific coal statistics in the Sectoral Approach (i.e., residential, commercial, industrial coking, industrial other, and transportation coal), while the Reference Approach characterizes coal by rank (i.e. anthracite, bituminous, etc.). Also, the liquefied petroleum gas (LPG) statistics used in the bottom-up calculations are actually a composite category composed of natural gas liquids (NGL) and LPG.
- *Heat Equivalents.* It can be difficult to obtain heat equivalents for certain fuel types, particularly for categories such as "crude oil" where the key statistics are derived from thousands of producers in the United States and abroad. For heat equivalents by coal rank, it was necessary to refer back to EIA's *State Energy Data Report 1992* (1994) because this information is no longer published.
- *Possible inconsistencies in U.S. Energy Data.* The United States has not focused its energy data collection efforts on obtaining the type of aggregated information used in the Reference Approach. Rather, the United States believes that its emphasis on collection of detailed energy consumption data is a more accurate methodology for the United States to obtain reliable energy data. Therefore, top-down statistics used in the Reference Approach may not be as accurately collected as bottom-up statistics applied to the Sectoral Approach.
- *Balancing Item.* The Reference Approach uses *apparent* consumption estimates while the Sectoral Approach uses *reported* consumption estimates. While these numbers should be equal, there always seems to be a slight difference that is often accounted for in energy statistics as a "balancing item."

Differences in Estimated CO_2 Emissions

Given these differences in energy consumption data, the next step for each methodology involved estimating emissions of CO_2. Table W-8 summarizes the differences between the two methods in estimated CO_2 emissions.

While the use of the Reference Approach resulted in a 0.6 percent higher estimate of energy consumption in the United States than the Sectoral Approach, the resulting emissions estimated was 1.0 percent higher. Potential reasons for these differences may include:

- *Product Definitions.* Coal data is aggregated differently in each methodology, as noted above. The format used for the Sectoral Approach likely results in more accurate estimates than in the Reference Approach. Also, the Reference Approach relies on a "crude oil" category for determining petroleum-related emissions. Given the many sources of crude oil in the United States, it is not an easy matter to track potential

[3] Although complete energy consumption data and calculations are not presented, comparison tables are also presented for 1990-2001.

differences in carbon content between many different sources of crude, particularly since information on the carbon content of crude oil is not regularly collected.

- *Carbon Coefficients.* The Reference Approach relies on several default carbon coefficients by rank provided by IPCC (IPCC/UNEP/OECD/IEA 1997), while the Sectoral Approach uses annually updated category-specific coefficients by sector that are likely to be more accurate. Also, as noted above, the carbon coefficient for crude oil is more uncertain than that for specific secondary petroleum products, given the many sources and grades of crude oil consumed in the United States.

Although the two approaches produce similar results, the United States believes that the "bottom-up" Sectoral Approach provides a more accurate assessment of CO_2 emissions at the fuel level. This improvement in accuracy is largely a result of the data collection techniques used in the United States, where there has been more emphasis on obtaining the detailed products-based information used in the Sectoral Approach than obtaining the aggregated energy flow data used in the Reference Approach. The United States believes that it is valuable to understand both methods.

References

EIA (2002a) *Annual Energy Review 2001* and other EIA data. Energy Information Administration, U.S. Department of Energy, Washington, DC. September, DOE/EIA-0384(01)-annual.

EIA (2002b) *Monthly Energy Review*, Energy Information Administration, U.S. Department of Energy, Washington, DC. November. DOE/EIA-0035-monthly.

EIA (2001) *Emissions of Greenhouse Gases in the United States 2000*. Energy Information Administration, U.S. Department of Energy, Washington, DC. Draft. October 5, 1999, DOE/EIA-0535(00)-annual.

EIA (1995-2002) *Petroleum Supply Annual*, Energy Information Administration, U.S. Department of Energy, Washington, DC, Volume I. DOE/EIA-0340.

EIA (1994*) State Energy Data Report 1992*, Energy Information Administration, U.S. Department of Energy, Washington, DC. DOE/EIA-0214(92)-annual.

IPCC/UNEP/OECD/IEA (1997) *Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories,* Paris: Intergovernmental Panel on Climate Change, United Nations Environment Programme, Organization for Economic Co-Operation and Development, International Energy Agency.

Table W-1: 2001 U.S. Energy Statistics (Physical Units)

Fuel Category (Units)	Fuel Type	Production	Imports	Exports	Stock Change	Adjustment	Bunkers	U.S. Territories
Solid Fuels (Thousand Short Tons)	Anthracite Coal	3,857	a	a	a			
	Bituminous Coal	620,226	a	a	a			
	Sub-bituminous Coal	413,329	a	a	a			
	Lignite	83,915	a	a	a			
	Coke		2,340	625	(91)			
	Unspecified Coal		19,787	48,666	30,676	24,604		441
Gas Fuels (Million Cubic Feet)	Natural Gas	20,156,010	4,028,904	394,248	1,155,344	250,986		22,248
Liquid Fuels (Thousand Barrels)	Crude Oil	2,117,511	3,404,894	7,386	36,036			
	Nat Gas Liquids and LRGs	681,964	91,374	16,492	40,550			2,559
	Other Liquids	34,498	275,838	13,523	7,337			
	Motor Gasoline	105,673	165,878	48,485	8,455			33,140
	Aviation Gasoline		598	0	199			
	Kerosene		1,773	768	1,281			705
	Jet Fuel		54,065	10,728	(2,565)		147,766	
	Distillate Fuel		125,586	43,543	26,486		12,429	17,436
	Residual Fuel		107,688	69,779	4,847		67,765	20,570
	Naphtha for petrochemical feedstocks		32,989	0	(359)			
	Petroleum Coke		2,016	122,746	(179)	11,264		
	Other Oil for petrochemical feedstocks		51,749	0	(300)			
	Special Naphthas		4,926	8,410	(106)			
	Lubricants		2,841	9,331	1,686			245
	Waxes		918	1,313	(435)			
	Asphalt/Road Oil		9,638	1,829	(4,403)			
	Still Gas		0	0	0			
	Misc. Products		267	88	272			44,450

[a] Included in “Unspecified Coal”.

Data Sources: Solid and gas fuels are from EIA (2002a); liquid fuels are from EIA (1995-2002).

Table W-2: Conversion Factors to Energy Units (Heat Equivalents)

Fuel Category (Units)	Fuel Type	Production	Imports	Exports	Stock Change	Adjustment	Bunkers	U.S. Territories
Solid Fuels (Million Btu/Short Ton)	Anthracite Coal	22.57						
	Bituminous Coal	23.89						
	Sub-bituminous Coal	17.14						
	Lignite	12.87						
	Coke		24.80	24.80	24.80			
	Unspecified		25.00	26.12	21.07	27.43		25.14
Natural Gas (BTU/Cubic Foot)		1,025	1,023	1,006	1,025	1,025		
Liquid Fuels (Million Btu/Barrel)	Crude Oil	5.80	5.98	5.80	5.80		5.80	5.80
	Nat Gas Liquids and LRGs	3.74	3.74	3.74	3.74		3.74	3.74
	Other Liquids	5.83	5.83	5.83	5.83		5.83	5.83
	Motor Gasoline	5.25	5.25	5.25	5.25		5.25	5.25
	Aviation Gasoline		5.05	5.05	5.05		5.05	5.05
	Kerosene		5.67	5.67	5.67		5.67	5.67
	Jet Fuel		5.67	5.67	5.67		5.67	5.67
	Distillate Fuel		5.83	5.83	5.83		5.83	5.83
	Residual Oil		6.29	6.29	6.29		6.29	6.29
	Naphtha for petrochemical feedstocks		5.25	5.25	5.25		5.25	5.25
	Petroleum Coke		6.02	6.02	6.02	6.02	6.02	6.02
	Other Oil for petrochemical feedstocks		5.83	5.83	5.83		5.83	5.83
	Special Naphthas		5.25	5.25	5.25		5.25	5.25
	Lubricants		6.07	6.07	6.07		6.07	6.07
	Waxes		5.54	5.54	5.54		5.54	5.54
	Asphalt/Road Oil		6.64	6.64	6.64		6.64	6.64
	Still Gas		6.00	6.00	6.00		6.00	6.00
	Misc. Products		5.80	5.80	5.80		5.80	5.80

Data Sources: Coal and lignite production are from EIA (1994); unspecified solid fuels are from EIA (2002b); coke, natural gas and petroleum products are from EIA (2002b).

Table W-3: 2001 Apparent Consumption of Fossil Fuels (TBtu)

Fuel Category	Fuel Type	Production	Imports	Exports	Stock Change	Adjustment	Bunkers	U.S. Territories	Apparent Consumption
Solid Fuels	Anthracite Coal	87.1							**87.1**
	Bituminous Coal	14,817.2							**14,817.2**
	Sub-bituminous Coal	7,084.5							**7,084.5**
	Lignite	1,079.6							**1,079.6**
	Coke		58.0	15.5	(2.3)				**44.8**
	Unspecified		494.7	1,271.0	646.4	674.8		11.1	**(2,086.4)**
Gas Fuels	Natural Gas	20,659.9	4,121.6	396.6	1,184.2	257.3			**22,943.4**
Liquid Fuels	Crude Oil	12,281.6	20,347.6	42.8	209.0				**32,377.4**
	Nat Gas Liquids and LRGs	2,547.1	341.3	61.6	151.5			9.6	**2,684.9**
	Other Liquids	201.0	1,606.8	78.8	42.7				**1,686.2**
	Motor Gasoline	555.1	871.4	254.7	44.4			174.1	**1,301.4**
	Aviation Gasoline		3.0	0.0	1.0				**2.0**
	Kerosene		10.1	4.4	7.3			4.0	**2.4**
	Jet Fuel		306.5	60.8	(14.5)		837.8		**(577.6)**
	Distillate Fuel		731.5	253.6	154.3		72.4	101.6	**352.8**
	Residual Oil		677.0	438.7	30.5		426.0	129.3	**(88.9)**
	Naphtha for petrochemical feedstocks		173.1	0.0	(1.9)				**175.0**
	Petroleum Coke		12.1	739.4	(1.1)	67.9			**(794.1)**
	Other Oil for petrochemical feedstocks		301.4	0.0	(1.7)				**303.2**
	Special Naphthas		25.9	44.1	(0.6)				**(17.7)**
	Lubricants		17.2	56.6	10.2			1.5	**(48.1)**
	Waxes		5.1	7.3	(2.4)				**0.2**
	Asphalt/Road Oil		64.0	12.1	(29.2)				**81.0**
	Still Gas		0.0	0.0	0.0				**0.0**
	Misc. Products		1.5	0.5	1.6			257.6	**257.1**
Total		59,313.0	30,169.9	3,738.6	2,429.4	999.9	1,336.3	688.7	**81,667.5**

Note: Totals may not sum due to independent rounding.

Table W-4: 2001 Potential Carbon Dioxide Emissions

Fuel Category	Fuel Type	Apparent Consumption (QBtu)	Carbon Coefficients (Tg Carbon/QBtu)	Potential Emissions (Tg CO_2 Eq.)
Solid Fuels	Anthracite Coal	0.087	26.86	**8.6**
	Bituminous Coal	14.817	25.86	**1,405.0**
	Sub-bituminous Coal	7.084	26.26	**682.1**
	Lignite	1.080	27.66	**109.5**
	Coke	0.045	25.63	**4.2**
	Unspecified	(2.086)	25.34	**(193.8)**
Gas Fuels	Natural Gas	22.943	14.47	**1,217.3**
Liquid Fuels	Crude Oil	32.377	20.29	**2,408.8**
	Nat Gas Liquids and LRGs	2.685	16.99	**167.2**
	Other Liquids	1.686	20.29	**125.4**
	Motor Gasoline	1.301	19.34	**92.3**
	Aviation Gasoline	0.002	18.87	**0.1**
	Kerosene	0.002	19.72	**0.2**
	Jet Fuel	(0.578)	19.33	**(40.9)**
	Distillate Fuel	0.353	19.95	**25.8**
	Residual Oil	(0.089)	21.49	**(7.0)**
	Naphtha for petrochemical feedstocks	0.175	18.14	**11.6**
	Petroleum Coke	(0.794)	27.85	**(81.1)**
	Other Oil for petrochemical feedstocks	0.303	19.95	**22.2**
	Special Naphthas	(0.018)	19.86	**(1.3)**
	Lubricants	(0.048)	20.24	**(3.6)**
	Waxes	0.000	19.81	**0.0**
	Asphalt/Road Oil	0.081	20.62	**6.1**
	Still Gas	0.000	17.51	**0.0**
	Misc. Products	0.257	20.29	**19.1**
Total				**5,977.9**

Data Sources for Carbon Coefficients: Coal and lignite are from IPCC (1997); unspecified solid fuels are from EIA (2002b); natural gas and liquid fuels are from EIA (2001).
Note: Totals may not sum due to independent rounding.

Table W-5: 2001 Non-Energy Carbon Stored in Products

Fuel Type	Consumption for Non-Energy Use (TBtu)	Carbon Coefficients (Tg Carbon/QBtu)	Carbon Content (Tg Carbon)	Fraction Sequestered	Carbon Stored (Tg CO_2 Eq.)
Coal	24.9	25.63	0.6	0.75	**1.8**
Natural Gas	333.9	14.47	4.8	0.61	**10.8**
Asphalt & Road Oil	1,257.6	20.62	25.9	1.00	**95.1**
LPG	1,690.4	16.88	28.5	0.61	**63.7**
Lubricants	340.4	20.24	6.9	0.09	**2.3**
Pentanes Plus	239.2	18.24	4.4	0.61	**9.7**
Petrochemical Feedstocks	a	a	a	a	**49.7**
Petroleum Coke	113.2	27.85	3.2	0.50	**5.8**
Special Naphtha	78.5	19.86	1.6	0.00	**0.0**
Waxes/Misc.	a	a	a	a	**14.6**
Misc. U.S. Territories Petroleum	a	a	a	a	**1.9**
Total					**255.3**

[a] Values for Misc. U.S. Territories Petroleum, Petrochemical Feedstocks and Waxes/Misc. are not shown because these categories are aggregates of numerous smaller components.
Note: Totals may not sum due to independent rounding.

Table W-6: 2001 Reference Approach CO_2 Emissions from Fossil Fuel Consumption (Tg CO_2 Eq. unless otherwise noted)

Fuel Category	Potential Emissions	Carbon Sequestered	Net Emissions	Fraction Oxidized	Total Emissions
Coal	2,015.6	1.8	2,013.8	99.0%	**1,993.7**
Petroleum	2,745.1	242.8	2,502.3	99.0%	**2,477.2**
Natural Gas	1,217.3	10.8	1,206.5	99.5%	**1,200.5**
Total	5,977.9	255.3	5,722.6	-	**5,671.4**

Note: Totals may not sum due to independent rounding.

Table W-7: Energy Consumption in the United States by Estimating Approach (TBtu)

Approach	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Sectoral	**66,518.1**	**66,278.1**	**67,598.4**	**69,008.3**	**70,179.1**	**71,167.6**	**73,525.9**	**74,432.9**	**74,514.4**	**75,259.6**	**78,045.2**	**77,133.7**
Coal	18,019.4	18,001.7	18,169.4	18,927.8	19,022.2	19,187.3	20,122.8	20,615.1	20,789.7	20,800.1	21,754.2	21,144.1
Natural Gas	19,045.7	19,475.1	20,190.9	20,700.6	21,101.5	22,066.4	22,469.8	22,575.4	22,113.9	22,267.2	23,335.7	22,633.3
Petroleum	29,453.0	28,801.3	29,238.0	29,379.9	30,055.4	29,913.9	30,933.3	31,242.4	31,610.9	32,192.3	32,955.3	33,356.3
Reference (Apparent)	**66,692.3**	**65,181.9**	**66,668.6**	**68,320.8**	**69,702.1**	**70,553.9**	**72,929.3**	**74,407.5**	**74,403.3**	**75,222.8**	**77,851.4**	**77,589.5**
Coal	18,387.5	17,480.5	17,777.7	18,310.6	18,763.1	18,571.4	19,551.4	20,263.8	20,093.2	20,201.2	20,938.9	21,001.9
Natural Gas	19,494.8	19,485.6	20,196.9	20,710.1	21,110.6	22,100.5	22,501.3	22,591.4	22,106.4	22,276.7	23,381.9	22,609.5
Petroleum	28,809.9	28,215.7	28,694.0	29,300.1	29,828.4	29,881.9	30,876.7	31,552.3	32,203.7	32,744.8	33,530.6	33,978.1
Difference	**0.3%**	**-1.7%**	**-1.4%**	**-1.0%**	**-0.7%**	**-0.9%**	**-0.8%**	**+**	**-0.1%**	**+**	**-0.2%**	**0.6%**
Coal	2.0%	-2.9%	-2.2%	-3.3%	-1.4%	-3.2%	-2.8%	-1.7%	-3.4%	-2.9%	-3.7%	-0.7%
Natural Gas	2.4%	0.1%	+	+	+	0.2%	0.1%	0.1%	+	+	0.2%	-0.1%
Petroleum	-2.2%	-2.0%	-1.9%	-0.3%	-0.8%	-0.1%	-0.2%	1.0%	1.9%	1.7%	1.7%	1.9%

* Includes U.S. territories

+ Does not exceed 0.05%

Note: Totals may not sum due to independent rounding.

Table W-8: CO_2 Emissions from Fossil Fuel Combustion by Estimating Approach (Tg CO_2 Eq.)

Approach	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Sectoral	**4,814.4**	**4,786.0**	**4,881.9**	**4,999.5**	**5,085.3**	**5,141.2**	**5,325.4**	**5,399.7**	**5,420.1**	**5,488.4**	**5,691.8**	**5,614.5**
Coal	1,697.3	1,697.2	1,714.9	1,777.9	1,787.6	1,805.8	1,893.4	1,939.1	1,957.3	1,961.1	2,051.5	1,993.8
Natural Gas	1,012.5	1,035.0	1,071.7	1,099.2	1,121.9	1,172.6	1,193.9	1,200.3	1,177.2	1,183.8	1,240.3	1,202.1
Petroleum	2,104.5	2,053.8	2,095.3	2,122.4	2,175.8	2,162.7	2,238.2	2,260.3	2,285.6	2,343.6	2,400.0	2,418.6
Reference (Apparent)	**4,864.4**	**4,727.3**	**4,839.6**	**4,963.1**	**5,067.2**	**5,109.4**	**5,298.2**	**5,411.0**	**5,425.3**	**5,494.0**	**5,670.1**	**5,671.4**
Coal	1,746.9	1,657.8	1,686.0	1,735.1	1,778.9	1,761.3	1,853.5	1,920.2	1,907.0	1,919.3	1,985.9	1,993.7
Natural Gas	1,035.6	1,034.9	1,071.6	1,099.1	1,121.8	1,173.7	1,194.9	1,200.1	1,175.8	1,183.5	1,242.0	1,200.5
Petroleum	2,081.9	2,034.6	2,081.9	2,128.9	2,166.5	2,174.3	2,249.8	2,290.6	2,342.6	2,391.2	2,442.2	2,477.2
Difference	**1.0%**	**-1.2%**	**-0.9%**	**-0.7%**	**-0.4%**	**-0.6%**	**-0.5%**	**0.2%**	**0.1%**	**0.1%**	**-0.4%**	**1.0%**
Coal	2.9%	-2.3%	-1.7%	-2.4%	-0.5%	-2.5%	-2.1%	-1.0%	-2.6%	-2.1%	-3.2%	+
Natural Gas	2.3%	+	+	+	+	0.1%	0.1%	+	-0.1%	+	0.1%	-0.1%
Petroleum	-1.1%	-0.9%	-0.6%	0.3%	-0.4%	0.5%	0.5%	1.3%	2.5%	2.0%	1.8%	2.4%

+ Does not exceed 0.05%

Note: Totals may not sum due to independent rounding. Includes U.S. territories.