

U. S. ENVIRONMENTAL PROTECTION AGENCY
REGION 7
11201 RENNER BOULEVARD
LENEXA, KANSAS 66219

2013 DEC 31 PM 1:33

BEFORE THE ADMINISTRATOR

In the Matter of:)
) **Docket No. TSCA-07-2014-0005**
)
PHILIP THORNTON)
AND STANLEY THORNTON)
1267 S. Salt Pond Avenue)
Marshall, MO 65340)
)
Respondents)

CONSENT AGREEMENT AND FINAL ORDER

The U.S. Environmental Protection Agency (EPA), Region 7 and PHILIP THORNTON AND STANLEY THORNTON (hereinafter Respondents) have agreed to a settlement of this action before filing of a Complaint, and thus this action is simultaneously commenced and concluded pursuant to Rules 22.13(b) and 22.18(b)(2) of the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, Issuance of Compliance or Corrective Action Orders, and the Renovation, Termination or Suspension of Permits (Consolidated Rules), 40 C.F.R. §§ 22.13(b) and 22.18(b)(2).

Section I
Jurisdiction

1. This proceeding is an administrative action for the assessment of civil penalties instituted pursuant to Section 16(a) of the Toxic Substances Control Act (TSCA), 15 U.S.C. § 2615(a).

2. This Consent Agreement and Final Order (CAFO) serves as notice that EPA has reason to believe that Respondents have violated Section 409 of TSCA, 15 U.S.C. § 2689, by failing to comply with the lead-based paint certification, information distribution and renovation requirements of 40 C.F.R. Part 745, Subpart E (Renovation Repair and Painting Rule a/k/a “RRP” Rule), which were authorized for promulgation by Sections 402 and 406 of TSCA, 15 U.S.C. §§ 2682 and 2686.

Section II
Parties

3. The Complainant, by delegation from the Administrator of EPA and the Regional Administrator, EPA, Region 7, is the Chief, Toxics and Pesticides Branch, EPA, Region 7.

4. The Respondents are Mr. Philip Thornton and Mr. Stanley Thornton, renovators offering work in Missouri. The Respondents meet the definition of a “Firm” and of a “Person”, as those terms are set forth in 40 C.F.R. § 745.83.

Section III
Statutory and Regulatory Background

5. Congress passed the Residential Lead-Based Paint Hazard Reduction Act of 1992 (the Act), 42 U.S.C. §§ 4851 to 4856, to address the need to control exposure to lead-based paint hazards. The Act amended TSCA by adding *Title IV - Lead Exposure Reduction*, TSCA Sections 401 to 412, 15 U.S.C. §§ 2681 to 2692.

6. 15 U.S.C. § 2681(17) defines *target housing* to mean any housing constructed prior to 1978, except housing for the elderly or persons with disabilities (unless any child who is less than six (6) years of age resides or is expected to reside in such housing) or any zero-bedroom dwelling.

7. Section 402 of TSCA, 15 U.S.C. § 2682, requires that the Administrator of EPA promulgate regulations regarding the activities of individuals and contractors engaged in lead-based paint activities, including renovation of residences built prior to 1978, and regulations for the certification of such individuals and contractors.

8. EPA has promulgated regulations regarding lead-based paint activities, including renovation of residences built prior to 1978, and regulations for the certification of individuals and firms who are involved in these activities. These regulations are found within 40 C.F.R. Part 745, Subpart E (RRP Rule), and were promulgated pursuant to Section 402 of TSCA, 15 U.S.C. § 2682.

9. Section 407 of TSCA, 15 U.S.C. § 2687, requires that the Administrator of EPA promulgate regulations with recordkeeping and reporting requirements necessary to insure the effective implementation of TSCA Title IV, TSCA Sections 401 to 412, 15 U.S.C. §§ 2681 to 2692.

10. EPA has promulgated regulations requiring each person who performs for compensation a renovation of target housing to retain all records necessary to demonstrate compliance with the RRP for 3 years following completion of the renovation activity. These regulations are found within 40 C.F.R. Part 745.86, and were promulgated pursuant to Section 407 of TSCA, 15 U.S.C. § 2687.

11. 40 C.F.R. § 745.83 defines *renovation* to mean the modification of any existing structure, or portion thereof, that results in the disturbance of painted surfaces, unless that activity is performed as part of an abatement as defined by this part (40 C.F.R. § 745.223). The term renovation includes (but is not limited to): the removal, modification or repair of painted surfaces or painted components (e.g., modification of painted doors, surface restoration, window

repair, surface preparation activity (such as sanding, scraping, or other such activities that may generate paint dust)); the removal of building components (e.g., walls, ceilings, plumbing, windows); weatherization projects (e.g., cutting holes in painted surfaces to install blown-in insulation or to gain access to attics, planing thresholds to install weather stripping), and interim controls that disturb painted surfaces.

12. 40 C.F.R. § 745.86(a) requires firms performing renovations to retain all records necessary to demonstrate compliance with the residential property renovation for a period of three (3) years following completion of the renovation activities. 40 C.F.R. § 745.86(b)(6) specifically requires firms performing renovations to retain documentation of compliance with the requirements of § 745.85 [Work Practice Standards], “including documentation that a certified renovator was assigned to the project, that the certified renovator provided on-the-job training for workers used on the project, that the certified renovator performed or directed workers who performed all of the tasks described in § 745.85(a), and that the certified renovator performed the post-renovation cleaning verification described in § 745.85(b).”

13. 40 C.F.R. § 745.85 sets forth the regulations for Work Practice Standards that must be followed by firms performing renovations on *target housing*. Among these are:

(a) 40 C.F.R. § 745.85(a)(1) Occupant Protection. Firms must post signs clearly defining the work area and warning occupants and other persons not involved in renovation activities to remain outside of the work area. To the extent practicable, these signs must be in the primary language of the occupants. These signs must be posted before beginning the renovation and must remain in place and readable until the renovation and the post-renovation cleaning verification have been completed.

(b) 40 C.F.R. § 745.85(a)(2)(i)(B) Interior Renovations. Firms must close and cover all ducts opening in the work area with taped-down plastic sheeting or other impermeable material.

(c) 40 C.F.R. § 745.85(a)(2)(i)(D) Interior Renovations. Firms must cover the floor surface, including installed carpet, with taped-down plastic sheeting or other impermeable material in the work area six (6) feet beyond the perimeter of surfaces undergoing renovation or a sufficient distance to contain the dust, whichever is greater.

(d) 40 C.F.R. § 745.85(a)(4)(i) Waste From Renovations. Firms must ensure that waste from renovation activities is contained to prevent releases of dust and debris before the waste is removed from the work area for storage or disposal. If a chute is used to remove waste from the work area, it must be covered.

(e) 40 C.F.R. § 745.85(a)(2)(ii)(B) Exterior Renovations. Firms must ensure that doors within the work area that will be used while the job is being performed are covered with plastic sheeting or other impermeable material in a manner that allows workers to pass through while confining dust and debris to the work area.

(f) 40 C.F.R. § 745.85(a)(2)(ii)(C) Exterior Renovations. Firms must cover the ground with plastic sheeting or other disposable impermeable material extending 10 feet beyond the perimeter of surfaces undergoing renovation or a sufficient distance to collect falling paint debris, whichever is greater, unless the property lien prevents 10 feet of such ground covering.

14. Failure to comply with any provision of 40 C.F.R. Part 745, Subpart E (RRP Rule) violates Section of TSCA, 15 U.S.C. § 2689, which may subject the violator to administrative penalties under Section 16(a) of TSCA, 15 U.S.C. § 2615(a) and 40 C.F.R. § 745.87(d).

15. Section 16(a) of TSCA, 42 U.S.C. § 2615, and 40 C.F.R. § 745.87(d), authorize the EPA Administrator to assess a civil penalty of up to \$25,000 for each violation of Section 409 of TSCA. Each day that such a violation continues constitutes a separate violation of Section 15 of TSCA, 15 U.S.C. § 2614. The Debt Collection Improvement Act of 1996, 31 U.S.C. § 3701, and its implementing regulations at 40 C.F.R. Part 19, increased these statutory maximum penalties to \$37,500 for violations that occurred after January 12, 2009.

Section IV
General Factual Allegations

16. The Respondents are and at all times referred to herein were each a “person” and a “firm” within the meaning of 40 C.F.R. § 745.83.

17. On July 13, 2012, pursuant to its authority under Section 11 of TSCA, 15 U.S.C. § 2610, representatives of the United States Environmental Protection Agency, Region 7 conducted an inspection of a residence located at 105 West Chestnut in Mount Leonard, Missouri (hereinafter Residence), where Respondents were in the process of conducting “renovations”, as defined by 40 C.F.R. § 745.83, for compensation.

18. The Residence, which was the subject of the EPA Inspection, is residential housing built prior to 1955 and meets the definition of *target housing* under 15 U.S.C. § 2681(17).

19. During the EPA Inspection, EPA representatives observed that, in the course of its renovation of the Residence, that each of the Respondents failed to perform the following requirements:

(a) Each Respondent failed to obtain initial certification as a renovation firm, as required by 40 C.F.R. § 745.81(a)(2)(ii).

(b) Each Respondent failed to assign a certified renovator to the project, failed to ensure that a certified renovator provided on-the-job training for workers used on the project, and failed to ensure that a certified renovator performed or directed workers who performed all of the tasks described in 40 C.F.R. § 745.85(a). Each Respondent also failed to ensure that a certified renovator performed the post-renovation cleaning verification described in § 745.85(b), as required by 40 C.F.R. § 745.89(d)(1).

(c) Each Respondent failed to provide the owner of the Residence with the EPA approved *Renovate Right* pamphlet, as required by 40 C.F.R. § 745.84(a)(1).

(d) Each Respondent failed to provide the occupant of the Residence with the EPA approved *Renovate Right* pamphlet, as required by 40 C.F.R. § 745.84(a)(2).

(e) Each Respondent failed to post signs clearly defining the work area and warning occupants and other persons not involved in renovation activities to remain outside of the work area, as required by 40 C.F.R. § 745.85(a)(1).

(f) Each Respondent failed to close doors within twenty (20) feet of the renovation, as required by 40 C.F.R. § 745.85(a)(2)(ii)(A).

(g) Each Respondent failed to cover the ground with plastic sheeting or other impermeable material in the work area ten (10) feet beyond the perimeter of surfaces undergoing renovation or a sufficient distance to contain the dust, whichever is greater, as required by 40 C.F.R. § 745.85(a)(2)(ii)(C).

(h) Each Respondent failed to ensure that waste from renovation activities is contained to prevent releases of dust and debris before the waste is removed from the work area for storage or disposal, as required by 40 C.F.R. § 745.85(a)(4)(i).

Section V
Violations

The Complainant hereby states and alleges that Respondents have violated TSCA and federal regulations promulgated thereunder, as follows:

Count I

20. Concerning their renovation performed at the Residence, Respondents failed to obtain initial certification as a renovation firm, as required by 40 C.F.R. § 745.81(a)(2)(ii).

21. Respondents' failure to perform the act indicated above is in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count II

22. Concerning their renovation performed at the Residence, at the time of the EPA Inspection, Respondents failed to assign a certified renovator to the project, and they failed to ensure that a certified renovator provided on-the-job training for workers used on the project, and they failed to ensure that a certified renovator performed or directed workers who performed all of the tasks described in 40 C.F.R. § 745.85(a). Respondents also failed to ensure that a certified renovator performed the post-renovation cleaning verification described in § 745.85(b), as required by 40 C.F.R. § 745.89(d)(1)

23. Respondents' failure to perform the act indicated above is in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count III

24. Concerning their renovation performed at the Residence, at the time of the EPA

Inspection, Respondents failed to provide the owner of the Residence with the EPA approved *Renovate Right* pamphlet, as required by 40 C.F.R. § 745.84(a)(1).

25. Respondents' failure to perform the acts indicated above is in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count IV

26. Concerning their renovation performed at the Residence, at the time of the EPA Inspection, Respondents failed to provide the occupant of the Residence with the EPA approved *Renovate Right* pamphlet, as required by 40 C.F.R. § 745.84(a)(2).

27. Respondents' failure to perform the acts indicated above are in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count V

28. Concerning their renovation performed at the Residence, Respondents failed to post signs clearly defining the work area and warning occupants and other persons not involved in renovation activities to remain outside of the work area, as required by 40 C.F.R. § 745.85(a)(1).

29. Respondents' failure to perform the acts indicated above are in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count VI

30. Concerning their renovation performed at the Residence, at the time of the EPA Inspection, Respondents failed to close doors within twenty (20) feet of the renovation, as

required by 40 C.F.R. § 745.85(a)(2)(ii)(A).

31. Respondents' failure to perform the acts indicated above are in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count VII

32. Concerning their renovation performed at the Residence, at the time of the EPA Inspection, Respondents failed to cover the ground with impermeable material extending ten (10) feet or more, which is a violation of 40 C.F.R. § 745.85(a)(2)(ii)(C).

33. Respondents' failure to perform the acts indicated in above is in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Count VIII

34. Concerning their renovation performed at the Residence, at the time of the EPA Inspection, Respondents failed to contain waste from renovation activities and to prevent the release of dust and debris before the waste is removed from the work area for storage or disposal, which is a violation of 40 C.F.R. § 745.85(a)(4)(i).

35. Respondents' failure to perform the acts indicated in above is in violation of Section 409 of TSCA, 15 U.S.C. § 2689, and thus Respondents are subject to civil penalties under Section 16 of TSCA, 15 U.S.C. § 2615.

Section VI
Consent Agreement

36. For purposes of this proceeding, Respondents admit the jurisdictional allegations set forth above.

37. Respondents neither admit nor deny the factual allegations set forth above.

38. Respondents waive any right to contest any allegations of fact or law set forth above, and waive their right to appeal the Final Order accompanying this Consent Agreement.

39. Respondents and EPA agree to conciliate this matter without the necessity of a formal hearing and to bear their respective costs and attorney's fees.

40. Respondents certify by the signing of this Consent Agreement and Final Order that it is presently in compliance with all requirements of 40 C.F.R. Part 745. Respondents agree that the effect of this settlement is conditioned upon the accuracy of this representation of Respondents to EPA.

41. Respondents consent to the issuance of the Final Order hereinafter recited and consent to the payment of a civil penalty and payment of any stipulated penalties as specified in the Final Order. Respondent agree that they are each jointly and severally liable for payment of the civil penalty and payment of any stipulated penalties as specified in the Final Order.

42. Payment of the mitigated civil penalty, set forth in the Final Order, is based on an ability to pay analysis and shall resolve all civil and administrative claims for all violations of Section 409 of TSCA, 15 U.S.C. 2689 and 40 C.F.R. Part 745 alleged in this document.

43. Respondents understand that the failure to timely pay any portion of the civil penalty described in Paragraph 1 of the Final Order below or any portion of a stipulated penalty described in this Consent Agreement and Final Order may result in the commencement of a civil action in Federal District Court to recover the full remaining balance, along with penalties and accumulated interest. In such case, interest shall accrue thereon at the applicable statutory rate on the unpaid balance until such civil or stipulated penalty and any accrued interest are paid in full. A late payment handling charge of \$15 will be imposed after thirty (30) days and an additional \$15 will be charge for each subsequent thirty (30) day period.

Additionally, as provided by 31 U.S.C. § 3717(e)(2), a six percent (6%) per annum penalty (late charge) may be assessed on any amount not paid within ninety (90) days of the due date.

Section VII
Final Order

Pursuant to the provisions of the Toxic Substances Control Act (TSCA), 15 U.S.C. §§ 2601-2692, and based upon the information set forth in the Consent Agreement accompanying this Final Order, **IT IS HEREBY ORDERED THAT:**

1. Respondents shall pay a mitigated civil penalty of Three Thousand Four Hundred Dollars (\$3,400). The payment shall be made at the address below. The payment shall identify Respondents by name and docket number and shall be by certified or cashier's check made payable to the "United States Treasury" and sent to:

U. S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
PO Box 979077
St. Louis, MO 63197-9000

Wire transfers should be directed to the Federal Reserve Bank of New York:

Federal Reserve Bank of New York
ABA = 021030004
Account = 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

2. A copy of the check or other information confirming payment shall simultaneously be sent to the following:

Regional Hearing Clerk
U.S. Environmental Protection Agency, Region 7
11201 Renner Boulevard
Lenexa, Kansas 66219;

and

Raymond C. Bosch, Attorney
Office of Regional Counsel
U.S. Environmental Protection Agency, Region 7
11201 Renner Boulevard
Lenexa, Kansas 66219

3. Respondents and Complainant shall each bear their own costs and attorneys' fees incurred as a result of this matter.

**RESPONDENT
PHILIP THORNTON**

Date: 12/26/13


Philip Thornton

**RESPONDENT
STANLEY THORNTON**

Date: 12/26/13


Stanley Thornton

COMPLAINANT
U. S. ENVIRONMENTAL PROTECTION AGENCY

Date: 12/30/13


By: Kath Howard for
Jamie Green, Chief
Toxics and Pesticides Branch
Water, Wetlands, and Pesticides Division

Date: 12/30/13

By: Raymond C. Bosch
Raymond C. Bosch
Attorney Advisor
Office of Regional Counsel

IT IS SO ORDERED. This Order shall become effective immediately.

Date: 12/31/13



KARL BROOKS
Regional Administrator
U.S. Environmental Protection Agency, Region 7

IN THE MATTER OF Philip Thornton and Stanley Thornton, Respondents
Docket No. TSCA-07-2014-0005

CERTIFICATE OF SERVICE

I certify that a true and correct copy of the foregoing Order was sent this day in the following manner to the addressees:

Copy by email to Attorney for Complainant:

bosch.raymond@epa.gov

Copy by First Class Mail to:

Mr. Philip Thornton
And Stanley Thornton
1267 S. Salt Pond Avenue
Marshall, Missouri 65340

Dated: 1/2/14



Kathy Robinson
Hearing Clerk, Region 7