

11.2

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

November 26, 1997

Mr. Phil Sudol
 Applied Environmental Systems, Inc.
 2 Clerico Lane
 P.O. Box 1079
 Belle Mead, New Jersey 08502-1079

Re: NPDES Application No. MA0039853 (Wayland Business Center,
 former Raytheon Wayland Site)

Dear Mr. Sudol:

Your client's application for a National Pollutant Discharge Elimination System (NPDES) permit has been reviewed and found to be deficient in the following areas:

Forms 1 and 2C

The applications must be signed and dated by a responsible corporate officer.

Form 2C

Although this will be considered a new discharger, we would like to have you provide us with at least estimated effluent concentrations.

Your client's application is being returned because the entire form should be appropriately filled out. If there are no pollutants then you should check box marked "Believed Absent".

Within 10 days of receipt of this letter, your client is required to submit the above mentioned information to this office.

Failure or refusal to correct ~~concurrent~~ deficiency noted may result in

SYMBOL	the denial of your client's permit request and the initiation of appropriate enforcement action under the Clean Water Act in the event that your client commences discharging without a permit.							CMU 11/26/97
SURNAME								
DATE								

EXHIBIT 21

If you have any questions relative to this submittal, do not hesitate to contact me at 617/565-3563.

Sincerely,

Olga Vergara, Environmental Protection Specialist
Municipal Assistance Unit

Enclosure

cc: MA Department of Environmental Protection