

October 25, 2023 @ 11:32 am

USEPA – Region II

Regional Hearing Clerk

**UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 2
290 Broadway
New York, NY 10007-1866**

IN THE MATTER OF:

Standard Printed Circuit, Inc.
44 South Main Street
Sherburne, New York 13460

Respondent

Proceeding pursuant to Section 309(g) of the
Clean Water Act, 33 U.S.C. § 1319(g)

**Administrative Complaint
Findings of Violation, Notice of Proposed
Assessment of a Civil Penalty, and Notice of
Opportunity to Request a Hearing**

**Proceeding to Assess Class I
Civil Penalty**

Docket No. CWA-02-2024-3304

CERTIFICATE OF SERVICE


I certify that, on the date noted below, I caused to be mailed, by certified mail, return receipt requested, a copy of the foregoing “ADMINISTRATIVE COMPLAINT” and a copy of the “Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits,” 40 C.F.R. Part 22 (July 1, 2011) to the following persons at the addresses listed below:

Alicia Bormann, President
Standard Printed Circuit, Inc.
44 South Main Street
Sherburne, New York 13460

Director
Bureau of Water Compliance Programs
Division of Water
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233-3506

I hand carried the original and a copy of the foregoing Complaint to the Office of the Regional Hearing Clerk, United States Environmental Protection Agency, Region 2.

Date: 10/25/2023
New York, New York


Alia Roufaeal, Environmental Engineer
Water Compliance Branch, SCWCPT