

FILED

Jun 15, 2026

12:01 pm

**U.S. EPA REGION 3
HEARING CLERK**

**BEFORE THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 3
Philadelphia, Pennsylvania 19103**

IN THE MATTER OF:

**Pottstown Borough Authority
100 East High Street
Pottstown, Pennsylvania 19464**

Respondent

**Pottstown Water Filtration Plant
668 Old Reading Pike
Stowe, Pennsylvania 19464**

Facility

DOCKET NO.: CAA-03-2026-0175

**EXPEDITED SETTLEMENT AGREEMENT
AND FINAL ORDER**

EXPEDITED SETTLEMENT AGREEMENT

1. Pottstown Borough Authority ("Respondent") and the Director, Enforcement and Compliance Assurance Division, U.S. Environmental Protection Agency, Region 3 ("Complainant") enter into this Expedited Settlement Agreement (the "Agreement") pursuant to Section 113(a)(3) and (d) of the Clean Air Act (the "Act" or "CAA"), 42 U.S.C. § 7413(a)(3), and (d), and Sections 22.13(b) and 22.18(b)(2) and (3) of the Consolidated Rules of Practice Governing the Administrative Assessment of Penalties and the Revocation/Termination of Suspension of Permits ("Consolidated Rules of Practice"), 40 C.F.R. § 22.13(b) and 22.18(b)(2) and (3). The Administrator has delegated the authority to enter into this Agreement to the Regional Administrator who, in turn, has delegated the authority to the Complainant.
2. The U.S. Environmental Protection Agency, Region 3 ("EPA") has jurisdiction over this matter pursuant to Section 113(a)(3) and (d) of the Act, 42 U.S.C. § 7413(a)(3) and (d), and 40 C.F.R. §§ 22.1(a)(2) and 22.4 of the Consolidated Rules of Practice.
3. Complainant alleges that, at all times relevant to the allegations described in this Agreement, Respondent was a "person" as defined in Section 302(e) of the CAA, 42

U.S.C. § 7602(e), and the owner and operator of a “stationary source,” as the term is defined in Section 112(r)(2)(C) of the CAA, 42 U.S.C. § 7412(r)(2)(C), and 40 C.F.R. § 68.3.

4. On December 3, 2024, an authorized representative of EPA conducted an inspection of Respondent’s facility known as Pottstown Water Filtration Plant (the “Facility”) located at 668 Old Reading Pike in Stowe, Pennsylvania, to determine compliance with Section 112(r) of the Act, 42 U.S.C. § 7412(r), and the Risk Management Program (“RMP”) regulations promulgated at 40 C.F.R. Part 68, and observed that during the violation period set forth in the ESA, Respondent was handling more than 2,500 pounds of chlorine at the Facility.
5. Chlorine is a regulated toxic substance for purposes of Section 112(r)(7) of the CAA, 42 U.S.C. § 7412(r)(7), because it is listed pursuant to Section 112(r)(3) of the CAA, at 40 C.F.R. § 68.130. The threshold quantity for the regulated toxic substance is 2,500 pounds for chlorine, pursuant to 40 C.F.R. § 68.130, Tables. Thus, more than a threshold quantity of a regulated substance is present in a process at the Facility.
6. Based on EPA’s inspection and subsequent investigation, Complainant has identified the following violations of the RMP regulations:
 - a. From at least 12/3/2023 until 12/3/2024, Respondent failed to define the lines of authority through an organization chart, as required by 40 C.F.R. § 68.15.
 - b. From at least 12/3/2023 until 12/3/2024, Respondent failed to use endpoints for offsite consequence analysis for a worst-case scenario provided in Appendix A of 40 CFR Part 68, as required by 40 C.F.R. § 68.22(a)(1);
 - c. From at least 12/3/2023 until 12/3/2024, Respondent failed to determine the worst-case scenario rate of release to air using the methodology in the RMP Offsite Consequence Analysis Guidance, or any other publicly available techniques, as required by 40 C.F.R. § 68.25(g);
 - d. From at least 12/3/2023 until 12/3/2024, Respondent failed to determine distance to the worst-case scenario endpoints using the parameters defined in 40 CFR part 68.22, as required by 40 C.F.R. § 68.28(c);
 - e. From at least 12/3/2023 until 12/3/2024, Respondent failed to provide a description of the vessel or pipeline and substance selected for the worst-case scenario, as required by 40 C.F.R. § 68.39(a);
 - f. From at least 12/3/2023 until 12/3/2024, Respondent failed to provide the

- maximum intended inventory of equipment in which the regulated substances are stored or processed, as required by 40 C.F.R. § 68.48(a)(2);
- g. From at least 12/3/2023 until 12/3/2024, Respondent failed to provide safe upper and lower temperatures, pressures, flows, and compositions, as required by 40 C.F.R. § 68.48(a)(3);
 - h. From at least 12/3/2023 until 12/4/2024, Respondent failed to provide written operating procedures for safely conducting activities associated with each covered process, as required by 40 C.F.R. § 68.52(a);
 - i. From at least 12/3/2021 until 12/4/2024, Respondent failed to provide refresher training to each employee every three years, as required by 40 C.F.R. § 68.54(b);
 - j. From at least 12/3/2021 until 12/4/2024, Respondent failed to provide the two most recent compliance audit reports, as required by 40 C.F.R. § 68.58(e).
7. Complainant and Respondent agree that settlement of this matter for a penalty of **\$2,760** (TWO THOUSAND SEVEN HUNDRED SIXTY DOLLARS) is in the public interest. In calculating this amount, Complainant considered the factors provided in CAA Section 113(e)(1), 42 U.S.C. Section 7413(e)(1).
8. Respondent agrees that, within 30 days of the effective date of this Agreement, Respondent shall make a payment of **\$2,760** (the Assessed Penalty). Respondent shall pay the Assessed Penalty and any interest, fees, and other charges due using one of the electronic payment options provided on the EPA website: <https://www.epa.gov/financial/makepayment>. For additional instructions relating to electronic payment options, see: <https://www.epa.gov/financial/additional-instructions-making-payments-epa>. Respondent acknowledges that EPA has provided adequate notification that, prior to the Effective Date, in accordance with Executive Order 14247: Modernizing Payments To and From America's Bank Account, EPA ceased accepting paper checks as a form of payment of civil penalties and EPA only accepts specific electronic methods of payments as provided on the above website.
9. Within 24 hours of payment, the Respondent shall also send proof of payment (confirmation of credit card or debit card payment, confirmation of wire or automated clearinghouse transfer), by electronic mail to:

Kyung Min
U.S. EPA, Region 3
Min.kyung@epa.gov

and

Regional Hearing Clerk
U.S. EPA, Region 3
R3_Hearing_Clerk@epa.gov

10. In signing this Agreement, the Respondent admits the jurisdictional allegations in this Agreement; neither admits nor denies the specific factual allegations in this Agreement; agrees not to contest EPA's jurisdiction with respect to the execution of this Agreement, the issuance of the attached Final Order, or the enforcement the Agreement; expressly waives its right to a hearing on any issue of law or fact in this Agreement and any right to appeal the accompanying Final Order; consents to the issuance of the Agreement and agrees to comply with its terms; agrees to bear its own costs and attorney's fees; and agrees not to deduct for federal tax purposes the civil penalty assessed in this Agreement.
11. By its signature below, the Respondent certifies, subject to civil and criminal penalties for making a false submission to the United States Government, that (1) he or she has corrected the violations alleged in this Agreement, and (2) any documentation or information that he or she provided to EPA was true and accurate.
12. This Agreement and the attached Final Order constitute a settlement by EPA of its claims for civil penalties for the violations alleged in this Agreement.
13. EPA reserves the right to commence action against any person, including Respondent, in response to any condition which EPA determines may present an imminent and substantial endangerment to the public health, public welfare, or the environment. In addition, this settlement is subject to all limitations on the scope of resolution and to the reservation of rights set forth in Section 22.18(c) and Section 22.31(a) of the Consolidated Rules of Practice. Further, EPA reserves any rights and remedies available to it under the Act, the regulations promulgated thereunder, and any other federal laws or regulations for which EPA has jurisdiction, to enforce the provisions of this Consent Agreement, following its filing with the Regional Hearing Clerk.
14. Late payment of the agreed upon penalty may subject Respondent to interest, administrative costs and late payment penalties in accordance with 40 C.F.R. § 13.11.
15. COST OF COMPLIANCE: Respondent certifies that it has expended \$ 21,592 to correct the alleged violation(s) and to come into compliance.


16. This Agreement is binding on the parties signing below and is effective upon filing of the ESA and Final Order by the Regional Hearing Clerk, in accordance with 40 C.F.R. § 22.31(b).
17. By signing this Agreement, Respondent waives any rights or defenses that Respondent has or may have for this matter to be resolved in federal court, including but not limited to any right to a jury trial, and waives any right to challenge the lawfulness of the final order accompanying the Agreement.
18. The undersigned representative certifies that she/he is fully authorized to execute this Agreement and to legally bind Pottstown Borough Authority.
19. As permitted under 40 C.F.R. § 22.6, the Regional Hearing Clerk will serve copies of this Agreement and Final Order by e-mail to the parties at the following valid e-mail addresses: min.kyung@epa.gov (for Complainant), and jkeller@pottsown.org (for Respondent).
20. By signing this Agreement, Respondent acknowledges that this Agreement and Final Order will be available to the public and represents that, to the best of Respondent's knowledge and belief, this Agreement and Final Order does not contain any confidential business information or personally identifiable information from Respondent.

For Respondent:

Pottstown Borough Authority

Date: 5/28/26

By:



Jeff Chomnuk

Chairman of the Pottstown Borough Authority

For Complainant: U.S. Environmental Protection Agency, Region 3

After reviewing the Agreement and other pertinent matters, I, the undersigned Acting Director of the Enforcement and Compliance Assurance Division of the United States Environmental Protection Agency, Region 3, agree to the terms and conditions of this Agreement and recommend that the Regional Administrator, or his/her designee, the Regional Judicial Officer, issue the attached Final Order.

[Digital Signature and Date]

Andrea Bain, Acting Director

Enforcement and Compliance Assurance Division

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 3
Philadelphia, Pennsylvania 19103

FILED

Jun 15, 2026

12:02 pm

U.S. EPA REGION 3
HEARING CLERK

In the Matter of:

Pottstown Borough Authority

:
:
:
:
:
:
:

U.S. EPA Docket No. CAA-03-2026-0175

Proceeding under [Section CAA 112(r)(1)(7),
Act, 42 U.S.C. § 7412(r)(7)]

FINAL ORDER

Pursuant to the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits ("Consolidated Rules of Practice"), 40 C.F.R. Part 22 (with specific reference to Sections 22.13(b) and 22.18(b)(2) and (3), the Consent Agreement resolving this matter is hereby ratified and incorporated by reference into this Final Order.

The Respondent is hereby **ORDERED** to comply with all of the terms of the Consent Agreement.

The effective date of the foregoing Consent Agreement and this Final Order is the date on which this Final Order is filed with the Regional Hearing Clerk.

By:

Regional Judicial and Presiding
Officer U.S. EPA, Region 3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 3
Philadelphia, Pennsylvania 19103

In the Matter of:	:	
	:	
Pottstown Borough Authority	:	
100 East High Street	:	U.S. EPA Docket No. CAA-03-2026-0175
Pottstown, Pennsylvania 19464	:	
	:	Proceeding under [Section CAA 112(r)(1)(7),
Respondent	:	Act, 42 U.S.C. § 7412(r)(7)]
	:	
Pottstown Water Filtration Plant	:	
668 Old Reading Pike	:	
Stowe, Pennsylvania 19464	:	
	:	
	:	
Facility	:	

CERTIFICATE OF SERVICE

I certify that the foregoing ***Expedited Settlement Agreement and Final Order*** was filed with the EPA Region 3 Regional Hearing Clerk on the date that has been electronically stamped on the ***Expedited Settlement Agreement and Final Order***. I further certify that on the date set forth below, I caused to be served a true and correct copy of the foregoing to each of the following persons, in the manner specified below, at the following addresses:

Copies served via email to:

Jeff Chomnuk
Pottstown Borough Authority
jchomnuk@pottstown.org
42 E. 4th Street
Pottstown, Pennsylvania 19464

Kyung Min
RMP Inspector
U.S. EPA, Region 3
min.kyung@epa.gov

[Digital Signature and Date]

Regional Hearing Clerk

U.S. Environmental Protection Agency, Region 3