



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 8

1595 Wynkoop Street  
DENVER, CO 80202-1129  
Phone 800-227-8917  
<http://www.epa.gov/region08>

2010 JUN -4 PM 2: 55

FILED  
EPA REGION VIII  
HEARING CLERK

Ref: 8ENF-W

CERTIFIED MAIL LETTER  
RETURN RECEIPT REQUESTED

John Ferris, President  
Sylvan Bay Homeowners Association  
144 Mazet Road  
Riverton, WY 82501

Re: Administrative Order Addendum #2  
Docket No. SDWA-08-2009-0037  
Sylvan Bay Homeowners Association  
PWS ID #WY5601111

Dear Mr. Ferris:

In this letter, which is the second Addendum to the Administrative Order (AO) that EPA issued on March 9, 2009, to the Sylvan Bay Homeowners Association (HOA), EPA is approving a revised schedule for improving the HOA's public water system to address total coliform bacteria. As you are aware, the AO required the HOA to submit a compliance plan and schedule for bringing the system into compliance with the Maximum Contaminant Level (MCL) for total coliform bacteria. After the HOA submitted an initial plan and schedule to EPA, EPA approved the schedule in a letter dated October 7, 2009.

The HOA now proposes to change some elements of the previously submitted compliance plan and schedule. The HOA no longer proposes to install a flow meter. Instead, it proposes to design and install a treatment system, to apply for and obtain appropriate permit authorizations from the Wyoming Department of Environmental Quality (DEQ) and the United States Forest Service, and to complete installing the new treatment system by September 1, 2011. EPA now approves the new schedule, as indicated in the table on the next page of this letter. The new schedule is now an enforceable component of the AO. Please also be advised that the HOA is under a continuing obligation to comply with the total coliform MCL established by 40 C.F.R. § 141.63. The HOA is also required to notify EPA within 10 days after all actions required by the plan have been completed, as indicated in paragraph 14 of the AO.



Please be advised that the HOA is required to comply with all provisions of the AO, including this schedule. Penalties for failing to comply are set forth in the AO. Please contact Shawn McCaffrey at (303) 312-6515 if you have any questions concerning this Addendum. If you are represented by an attorney, please ask your attorney to call Peggy Livingston at the above 800 number, extension 6858, or at (303) 312-6858.

Sincerely,



Darcy O'Connor, Acting Director  
Technical Enforcement Program  
Office of Compliance, Enforcement,  
and Environmental Justice



David Rochlin, Supervisory Attorney  
Legal Enforcement Program  
Office of Enforcement, Compliance  
and Environmental Justice

cc: Tina Artemis, EPA Regional Hearing Clerk  
Tom Barker, Operator  
Craig Turlock, District Ranger, Pinedale Ranger District  
WY DEQ and WYDOH (via email)