

**EPA ENFORCEMENT ACCOUNTS RECEIVABLE CONTROL NUMBER FORM**

**TO BE FILLED OUT BY ORIGINATING OFFICE:**

(Attach a copy of the final order and transmittal letter to Defendant/Respondent)

This form was originated by: Gary Morton March 11, 2011  
*Name of Contact person* *Date*

in the RCRA Land and Chemical Division(3LC70) at 215-814-3159  
*Office* *Phone number*

Non-SF Jud. Order/Consent Decree. DOJ COLLECTS  Administrative Order/Consent Agreement. FMD COLLECTS PAYMENT

SF Jud. Order/Consent Decree. FMD COLLECTS

This is an original debt  This is a modification

Name of Person and/or Company/Municipality making the payment  
Communications System Support Group

The Total Dollar Amount of Receivable \$210,00  
(If in installments, attach schedule of amounts and respective due dates)

The Case Docket Number RCRA-03-2011-0027FC

The Site-Specific Superfund Acct. Number N/A

The Designated Regional/HQ Program Office Office of Land Enforcement (3LC70)

**TO BE FILLED OUT BY LOCAL FINANCIAL MANAGEMENT OFFICE:**

The IFMS Accounts Receivable Control Number \_\_\_\_\_  
If you have any questions call: \_\_\_\_\_  
*Name of Contact* *Date*

in the Financial Management Office, phone number: \_\_\_\_\_

**JUDICIAL ORDERS:** Copies of this form with an attached copy of the front page of the final judicial order should be mailed to:

1. Bryson Lehman  
U.S. EPA  
MS-NWD  
26 W ML King Drive  
Cincinnati, OH 45268-0001

2. Originating Office (ORC)  
3. Designated Program Office

**ADMINISTRATIVE ORDERS:** Copies of this form with an attached copy of the front page of the administrative order should be sent to:

1. Originating Office  
3. Regional Hearing Clerk  
2. Designated Program Office  
3. Regional Counsel

03/11/2011

U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA), REGION III  
1650 Arch Street, Philadelphia PA 19103

UNDERGROUND STORAGE TANK (UST) FIELD CITATION FORM FOR EXPEDITED SETTLEMENT NO RCRA-03-2011-0027FC

PART I: INSPECTION SUMMARY

On: March 9 2010 Time: -----  
(Date of Inspection) (a.m. or p.m.)

At: Communication Systems Support Group (ID# 18893)  
(Facility Name and Identification Number)

Address: 11600 Springfield Road  
Laurel, Maryland 20708  
Jeff Snyder, Facility Manager  
(Name of On-site Representative if not the Owner or Operator)

Name and address of the UST Owner or Operator (Bold type applies).

Name: Communication Systems Support Group  
Address: 11600 Springfield Road  
Laurel, Maryland 20708

A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.).

1. Violation: Failure to ensure proper operation of cathodic protection system.

Cite: 40 COM AR 26.10.04.02 & C.F.R. §280.31 (b)

Proposed Penalty: \$ 1 UST systems @ \$210.00 each = \$210.00

PROPOSED PENALTY TOTAL: \$ 210.00

EPA finds the Owner or Operator in violation of the above referenced UST regulations.

Abraham Ferdel Date: 11/1/10  
(Signature of Authorized Officer or Employee of EPA)

PART II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER

**A. Settlement Agreement:** The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions:

The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of \$ 210.00 in payment of the full proposed penalty amount, as described in Part I of this Form.

The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA section 9006.

Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.

This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Compliance Order is in the sole discretion of the Regional Administrator, Region III, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below.

SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE

Name (print): JEFF SNYDER  
Title (print): FACILITY MANAGER  
Signature: Jeff Snyder Date: 3/4/11

**B. Compliance Order:** This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in Part I. The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.

SIGNATURE BY EPA APPROVING THE SETTLEMENT AGREEMENT AND COMPLIANCE ORDER

Name (print): Abraham Ferdel  
Title (print): Dir. LCD EPA R3  
Signature: Abraham Ferdel Date: 3/17/11

Notes: