

RUSSELL S. WARNER
DIRECT DIAL 814-870-7759
E-MAIL RWARNER@MIJB.COM

May 3, 2024

VIA E-MAIL - katz.natalie@epa.gov

Natalie Katz, Esquire
Senior Assistant Regional Counsel
USEPA Region 3

Re: City of Corry and Corry Municipal Authority
WWTP NPDES Permit No. PA 0028223

Dear Attorney Katz:

This law firm represents both the City of Corry and the Corry Municipal Authority (collectively "Corry") regarding its public Wastewater Treatment Plant facilities ("Corry WWTP") as referenced above. This letter is intended to constitute Corry's initial response to USEPA's Notice of Potential Violations letter received by Corry on April 29, 2004 ("NOV Letter").


Confirming our recent communications, please consider this letter Corry's formal request to confer with USEPA regarding the various matters set forth in USEPA's NOV letter. Corry would like to schedule a substantive conference with USEPA regarding these matters sometime during the week of May 27th or the week of June 3rd, or otherwise, at a mutually convenient date and time. By separate e-mail, we will send you several dates/times that are currently available for the Corry representatives for such a meeting. We will also send you additional information regarding the Corry WWTP, the potential violations raised by USEPA, and Corry's Act 537 Plan project as discussed.

We appreciate USEPA taking the time for our brief initial meeting yesterday. If there are any questions before you receive the above-referenced information from Corry, please contact me at any time.

May 3, 2024
Page -2-

Very truly yours,

MacDONALD, ILLIG, JONES & BRITTON LLP



By _____

Russell S. Warner

RSW/17559.0000/1866319

cc (via e-mail only): [Dominic Cotton \(cotton.dominic@epa.gov\)](mailto:cotton.dominic@epa.gov)
[Steven Maslowski \(maslowski.steven@epa.gov\)](mailto:maslowski.steven@epa.gov)
Joanne M. Smith, Corry City Administrator
Len P. Clark, Corry Municipal Authority Chairperson
Gus Maas, P.E.
Jeff Marnicio, P.E.
Emily Poach, EIT
Michael A. Micsky, Esquire