U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA), REGION 5 77 West Jackson Boulevard (LR-17J), Chicago, Illinois 60604-3590 UNDERGROUND STORAGE TANK (UST) FIELD CITATION FORM FOR EXPEDITED SETTLEMENT NO. R5-UST-22-004-AC

Part I: INSPECTION SUMMARY	Port II: SETTI EMENT ACDEEMENT/COMPLIANCE OPDER
06/13/2022	Part II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER A. Settlement Agreement: The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions:
On	
At Max Mini Store	
(Name of Facility)	
Address: 50758 St Hwy 46	The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of \$1,466 in payment of the full proposed penalty amount, as described in Part I of this Form.
Squaw Lake, MN 56681	
Debbie & Andy Michalek	
(Name of On site Representative if not the Owner or Operator)	
Name and address of the UST ☐ Owner or ☐ Operator	
May Mini Otana	The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations
	cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA section 9006.
Address: 50758 St Hwy 46	
Squaw Lake, MN 56681	
A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.).	Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.
Violation: Failure to meet the requirements for periodic testing and monitoring of spill prevention equipment.	This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement
Cite: 40 CFR §280.35(a)(1)	Agreement and Compliance Order is in the sole discretion of the Regional Administrator, Region 5, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below.
2. Violation: Failure to designate at least one Class A operator.	SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE:
Cite: 40 CFR §280.241(a) Proposed Penalty: \$733 x Tanks Multiplier: \$733 Subtotal: \$733	Name (Print): Debora Michalek Title (Print): Debora Michalek Signature Debora Michalek Open Michalek Title (Print): Debora Michalek Title (Print): Debora Michalek
3. Violation:	B. Compliance Order: This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in
Cite: 40 CFR Proposed Penalty: x Tanks Multiplier: Subtotal:	Part I. The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.
4. Violation:	SIGNATURE BY EPA APPROVING THE SETTLEMENT AGREEMENT AND COMPLIANCE ORDER:
Cite: 40 CFR Proposed Panelty	Name (Print): Julie Morris
Cite: 40 CFR Proposed Penalty: x Tanks Multiplier:	Title (Print): Branch Manager, LECAB
Subtotal:	Signature Date:
TOTAL PROPOSED PENALTY: \$1,466	Notes:
EPA finds the Owner or Operator in violation of the above referenced UST regulations. Arturo Cisneros Digitally signed by Arturo Cisneros Date: 2022.07.01 15:05:52 -05'00' Date:	Region 5 - Underground 77 West Jackson Chicago, Mil
, (Signature of EPA Inspector)	LUCAL ACERCIACI