

DIANE C. BELLANTONI
860.240.6126 DIRECT TELEPHONE
DBELLANTONI@MURTHALAW.COM

August 7, 2012

Wanda Santiago, Regional Hearing Clerk
United States Environmental Protection Agency
Region 1
Mail Code: ORA18-1
5 Post Office Square, Suite 100
Boston, MA 02109-3912

Re: In the Matter of The Miller Company, Inc.
Docket No. CWA-01-2012-0002

Dear Ms. Santiago:

Enclosed please find The Miller Company's Motion for Extension of Time to answer EPA's Administrative Complaint. EPA's Enforcement Counsel, Maximilian Boal, has assented to this extension up to and including September 17, 2012.

Sincerely,



Diane C. Bellantoni

Enclosure

cc: Maximilian Boal (w/enc.)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION I

| | | |
|----------------------------|---|---|
| IN THE MATTER OF: |) | |
| |) | MOTION FOR EXTENSION OF TIME |
| |) | |
| The Miller Company, Inc. |) | Proceeding to Assess Class II Civil Penalty |
| 275 Pratt Street |) | Under Clean Water Act Section 311 for SPCC |
| Meriden, Connecticut 06450 |) | and Oil Spill Violations |
| |) | |
| Respondent. |) | Docket No. CWA-01-2012-0002 |

The Respondent, The Miller Company, Inc., hereby moves for an additional extension of time of 30 days, up to and including September 17, 2012, to respond the EPA's Administrative Complaint dated May 29, 2012. In accordance with an order issued on June 18, 2012, the Answer is currently due on August 16, 2012. EPA's Enforcement Counsel, Maximilian Boal, has assented to this extension.

RESPONDENT – THE MILLER COMPANY, INC.



Diane C. Bellantoni

Murtha Cullina LLP
CityPlace I - 185 Asylum Street
Hartford, Connecticut 06103-3469
Telephone: (860) 240-6126
dbellantoni@murthalaw.com

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing Motion for Extension of Time was mailed first-class, postage prepaid, on this 7th day of August, 2012 to:

Maximilian Boal
Enforcement Counsel
US Environmental Protection Agency
Region 1
Mail Code: OES04-02
5 Post Office Square, Suite 100
Boston, MA 02109



Diane C. Bellantoni