



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 1
5 Post Office Square, Suite 100
Boston, Massachusetts 02109-3912

DELIVERED BY HAND

August 23, 2011

Wanda I. Santiago
Regional Hearing Clerk
U.S. EPA, Region 1
5 Post Office Square - Suite 100
Mail Code: ORA18-1
Boston, MA 02109-3912



Re: In the Matter of: Speedwagon Partners, LLC
Docket No. CWA-01-2011-0050

Dear Ms. Santiago:

In accordance with 40 C.F.R. § 22.13(b), enclosed please find a partially-executed proposed Consent Agreement and Final Order (“CAFO”) that will simultaneously commence and settle the above-referenced action. The proposed Consent Agreement has been signed by the parties but the Final Order has not been yet approved by the Regional Judicial Officer due to the public notice requirements of the Clean Water Act and 40 C.F.R. § 22.45.

This partially-executed proposed CAFO is being filed in the event that you receive requests seeking copies of this document in response to the public notice. The notice will announce a thirty (30) day public comment period regarding the proposed settlement. The original of the proposed CAFO will be maintained in my personal files until the public notice period expires. Following the close of the comment period, the original CAFO will be submitted to the Regional Judicial Officer for approval. In accordance with 40 C.F.R. § 22.45(c)(3), the fully-executed document will not be filed before 10 days after the close of the comment period.

Sincerely,

Andrew Spejewski
Environmental Engineer
Office of Environmental Stewardship, Water Technical Unit

Enclosure

Office of Regional Hearing Clerk
EPA OHC

JUN 5 4 50 PM

RECEIVED

In the Matter of: Speedwagon Partners, LLC
Docket No. CWA-01-2011-0050


CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing, partially-executed Consent Agreement and Final Order and a copy of the public notice for this action have been filed (for public notice purposes) on the date noted below.


One copy,
hand-delivered to:

Wanda I. Santiago
Regional Hearing Clerk
U.S. EPA, Region 1
5 Post Office Square - Suite 100
Mail Code: ORA18-1
Boston, MA 02109-3912

Dated: Aug 23, 2011



Andrew Spejewski
U.S. EPA, Region 1
5 Post Office Square - Suite 100
Mail Code: OES04-1
Boston, MA 02109-3912
617-918-1014





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 1, 5 Post Office Square, Suite 100
Boston, Massachusetts 02109-3912

EXPEDITED SETTLEMENT AGREEMENT

Docket Number: CWA-01-2011-0050

Speedwagon Partners, LLC ("Respondent") is a "person," within the meaning of Section 502(5) of the Clean Water Act ("Act"), 33 U.S.C. § 1362(5), and 40 C.F.R. § 122.2.

In the Matter of: Speedwagon Partners, LLC, Docket No. CWA-01-2011-0050, Cincinnati Finance Center, P.O. Box 979077, St. Louis, MO 63197-9000

Attached is an "Expedited Settlement Offer Deficiencies Form" ("Form"), which is incorporated by reference. By its signature, Complainant ("EPA") finds that Respondent is responsible for the deficiencies specified in the Form.

This Agreement settles EPA's civil penalty claims against Respondent for the Clean Water Act violation(s) specified in this Agreement. EPA does not waive its rights to take any enforcement action against Respondent for any other past, present, or future civil or criminal violation of the Act or of any other federal statute or regulation. EPA does not waive its right to issue a compliance order for any uncorrected deficiencies or violation(s) described in the Form. EPA has determined this Agreement to be appropriate.

Respondent had an unauthorized discharge of storm water in violation of Section 301(a) of the Clean Water Act, 33 U.S.C. § 1311, and/or failed to comply with its National Pollutant Discharge Elimination System ("NPDES") storm water permit issued under Section 402 of the Act, 33 U.S.C. § 1342.

This Agreement is binding on the parties signing below and effective thirty (30) days from the date it is signed by the Presiding Officer unless a petition to set aside the Order is filed by a commenter pursuant to Section 309(g)(4)(C) of the Act, 33 U.S.C. § 1319(g)(4)(C), and 40 C.F.R. Part 22.

EPA finds, and Respondent admits, that Respondent is subject to Section 301(a) of the Act, 33 U.S.C. § 1311, and that EPA has jurisdiction over any "person" who "discharges pollutants" from a "point source" to "waters of the United States." Respondent neither admits nor denies the deficiencies specified in the Form.

APPROVED BY EPA:

EPA is authorized to enter into this Consent Agreement and Final Order ("Agreement") under the authority vested in the Administrator of EPA by Section 309(g)(2)(A) of the Act, 33 U.S.C. § 1319(g)(2)(A), and by 40 C.F.R. § 22.13(b). The parties enter into this Agreement in order to settle the civil violation(s) alleged in this Agreement for a penalty of \$12,150. Respondent consents to the assessment of this penalty, and waives the right to: (1) contest the finding(s) specified in the Form; (2) a hearing pursuant to Section 309(g)(2) of the Act, 33 U.S.C. § 1319(g)(2); and (3) appeal pursuant to Section 309(g)(8), 33 U.S.C. § 1319(g)(8).

Susan Studlien Date: 08/17/11
Susan Studlien
Director
Office of Environmental Stewardship

APPROVED BY RESPONDENT:

Additionally, Respondent certifies, subject to civil and criminal penalties for making a false statement to the United States Government, that any deficiencies identified in the Form have been corrected. Respondent shall submit a written report with this Agreement detailing the specific actions taken to correct the violations cited herein.

Name (print): DAVID SUKOFF
Title (print): PRINCIPAL
Signature: [Signature] Date: 8/11/11

Within 10 days of the effective date of this Agreement, Respondent shall submit a bank, cashiers, or certified check, with case name and docket number noted, for the amount specified above, payable to the "Treasurer, United States of America," via certified mail, to: U.S. EPA, Fines and Penalties,

More than 40 days have elapsed since the issuance of public notice pursuant to Section 309(g)(4)(A) of the Act, 33 U.S.C. § 1319(g)(4)(A), and EPA has received no comments concerning this matter.

Having determined that this Agreement is authorized by law,

IT IS SO ORDERED:

Date:
Jill T. Metcalf
Acting Regional Judicial Officer

Vertical line on the left side of the page.

Expedited Settlement Offer Worksheet

Deficiencies Form

Consult instructions regarding eligibility criteria and procedures prior to use

version 10.3.4



LEGAL NAME AND MAILING ADDRESS OF OPERATOR		Telephone Number	NPDES Permit Number
1	Speedwagon Partners LLC 1762 Massachusetts Ave, Suite 201 Lexington, MA 02420		
LOCATION AND ADDRESS OF SITE		Inspector Name: Andrew Spejewski	
2	Abbot Lane 100 Concord Road Bedford, MA 01730	Inspector Agency: US EPA	
		Entrance Interview Conducted:	
		Exit Interview Conducted:	
		Exit Interview given to:	
		Exit Interview time: _____ Date: _____	

FACILITY DESCRIPTION / CONTACT NAMES	
Name of Site Contact (ESO Worksheet recipient): _____	
Name of Authorized Official (40 CFR 122.22): _____	
Inspection Date: 04/14/2011	
Start Construction Date: 10/01/2010	
Estimated Completion Construction Date: 12/31/2011	
If Unpermitted, Number of Months Unpermitted: 7	
Name of Receiving Water Body (Indicate whether 303(d) listed): Elm Brook	
Acres Currently Disturbed Acres to be Disturbed in Whole Common Plan: 4.75 4.75	
Has Operator Requested Rainfall Erosivity or TMDL Waiver per 44 CFR 122.26(b)(15)? No	

PERMIT COVERAGE	Findings	Citation Reference**	R C A*	No. of Deficien- cies	Dollar Amount	Total
3 Operator unpermitted for _____ months (# months unpermitted equals number of violations)	No NOI submitted until day before inspection	CWA 301		7 X	\$500.00 =	\$3,500
SWPPP REVIEW						
4 SWPPP not prepared (If no SWPPP, leave elements 5 - 30 blank)	SWPPP is merely engineering plan	CGP 3.1.A			\$5,000.00 =	
5 SWPPP prepared but prepared after construction start (# of months = # of violations)		CGP 3.1.A		0 X	\$75.00 =	
6 SWPPP does not identify all potential sources of pollution to include: porta-pottys, fuel tanks, staging areas, waste containers, chemical storage areas, concrete cure, paints, solvents, etc...		CGP 3.1.B		1	\$250.00 =	\$250
7 SWPPP does not identify all operators for the project site and the areas of the site over which each operator has control		CGP 3.3.A		1	\$500.00 =	\$500
8 SWPPP does not have site description, as follows:						
A Nature of activity in description		CGP 3.3.B.1			\$100.00 =	
B Intended sequence of major activities		CGP 3.3.B.2			\$100.00 =	
C Total disturbed acreage		CGP 3.3.B.3			\$100.00 =	
D General location map		CGP 3.3.B.4		1	\$100.00 =	\$100
E Site map		CGP 3.3.C			\$500.00 =	
F Site map does not show drainage patterns, slopes, areas of disturbance, locations of major controls, structural practices shown, stabilization practices, offsite materials, waste, borrow or equipment storage areas, surface waters, discharge points, areas of final stabilization (count each omission under 8F as 1 violation)		CGP 3.3.C.1-8		1 X	\$50.00 =	\$50
G Location/description industrial activities, like concrete or asphalt batch plants		CGP 3.3.D			\$500.00 =	
9 SWPPP does not:						
A Describe all pollution control measures (e.g. BMPs)		CGP 3.4.A			\$750.00 =	

	B Describe sequence for implementation		CGP 3.4.A		1		\$250.00	=	\$250
	C Detail operator(s) responsible for implementation		CGP 3.4.A		1		\$250.00	=	\$250
10	SWPPP does not describe interim stabilization practices		CGP 3.4.B				\$250.00	=	
11	SWPPP does not describe permanent stabilization practices		CGP 3.4.B				\$250.00	=	
12	SWPPP does not describe a schedule to implement stabilization practices		CGP 3.4.B		1		\$250.00	=	\$250
13	Following dates are not recorded: major grading activities; construction temporarily or permanently ceased; stabilization measures initiated (count each omission under 13 as 1 violation)		CGP 3.4.C.1-3			X	\$250.00	=	
14	SWPPP does not have description of structural practices to divert flows from exposed soils, retain flows, or limit runoff from exposed areas		CGP 3.4.D				\$500.00	=	
15	SWPPP does not have a description of measures that will be installed during the construction process to control pollutants in storm water discharges that will occur AFTER construction operations have been completed		CGP 3.4.E				\$500.00	=	
16	SWPPP does not describe measures to prevent discharge of solid materials to waters of the US, except as authorized by 404 permit		CGP 3.4.F				\$500.00	=	
17	SWPPP does not describe measures to minimize off-site vehicle tracking and generation of dust		CGP 3.4.G				\$500.00	=	
18	SWPPP does not include description of construction or waste materials expected to be stored on site w/updates re: controls used to reduce pollutants from these materials		CGP 3.4.H		1		\$250.00	=	\$250
19	SWPPP does not have description of pollutant sources from areas other than construction (asphalt or concrete plants) w/ updates re: controls to reduce pollutants from these materials		CGP 3.4.I				\$500.00	=	
20	SWPPP does not identify allowable sources of non-storm water discharges listed in subpart 1.3.B of the CGP		CGP 3.5				\$500.00	=	
21	SWPPP does not identify/ensure implementation of pollution prevention measures for non-storm water discharges		CGP 3.5				\$500.00	=	
22	Endangered Species Act documentation is not in SWPPP		CGP 3.7				\$500.00	=	
23	Historic Properties (Reserved)								
24	Copy of permit and/or NOI not in SWPPP (count each omission under 24 as 1 violation)		CGP 3.8		2	X	\$250.00	=	\$500
25	SWPPP is not consistent with requirements specified in applicable sediment and erosion site plans or site permits, or storm water management plans or site permits approved by State, Tribal or local officials (e.g., MS4 requirements)		CGP 3.9				\$750.00	=	
26	SWPPP has not been updated to remain consistent with changes applicable to protecting surface waters in State, Tribal or local erosion plans		CGP 3.9				\$250.00	=	
27	Copies of inspection reports have not been retained as part of the SWPPP for 3 years from date permit coverage terminates		CGP 3.10.G				\$500.00	=	
28	SWPPP has not been updated/modified to reflect change at site effecting discharge, or where inspections identify SWPPP/BMPs as ineffective, updates to SWPPP regarding modifications to BMPs not made within 7 days of such inspection (count each omission under under 28 as 1 violation)		CGP 3.11.C			X	\$50.00	=	
29	Copy of SWPPP not retained on site		CGP 3.12.A				\$500.00	=	
	A SWPPP not made available upon request		CGP 3.12.C				\$500.00	=	
30	SWPPP not signed/certified		CGP 3.12.D		1		\$500.00	=	\$500
Subtotal SWPPP Deficiencies									\$2,900

INSPECTIONS									
31	Inspections not performed and documented either once every 7 days, or once every 14 days and within 24 hours after storm event greater than 0.5 inches or greater (not required if: temp stabilization; runoff unlikely due to winter conditions; construction during arid periods in arid areas) (Count each failure to inspect and document as one violation).	Inspections not documented	CGP 3.10.A, 3.10.B		14	X	\$250.00	=	\$3,500
	No inspections conducted and documented (if True, then leave elements 32-39 blank)							True or False	
	Number of Inspections expected if performed every 7 days:	27							
	Number of Inspections expected if performed bi-weekly:	13							
	If known, number of days of rainfall of >0.5"								
32	Inspections not conducted by qualified personnel		CGP 3.10.D				\$50.00	=	
33	All areas disturbed by construction activity or used for storage of materials and which exposed to precipitation not inspected		CGP 3.10.E.				\$50.00	=	
34	All pollution control measures not inspected to ensure proper operation		CGP 3.10.E.				\$50.00	=	
35	Discharge locations are not observed and inspected		CGP 3.10.E.				\$50.00	=	
36	For discharge locations that are not accessible, nearby locations are not inspected		CGP 3.10.E.				\$50.00	=	
37	Entrance/exit not inspected for off-site tracking		CGP 3.10.E.				\$50.00	=	
38	Site inspection report does not include: date, name and qualifications of inspector, weather information, location of sediment/pollutant discharge, BMP(s) requiring maintenance, BMP(s) that have failed, BMP(s) that are needed, corrective action required including changes/updates to SWPPP and schedule/dates (count each omission under 38 as 1 violation)		CGP 3.10.G			X	\$50.00	=	
39	Inspection reports not properly signed/certified (count each failure to to sign/certify as 1 violation)		CGP 3.10.G			X	\$50.00	=	
Subtotal Inspections Deficiencies									\$3,500
AVAILABILITY OF RECORDS									
40	Sign/notice not posted		CGP 3.12.B				\$250.00	=	
	A Does not contain copy of complete NOI		CGP 3.12.B				\$50.00	=	
	B Location of SWPPP or contact person for scheduling viewing times where on-site location for SWPPP unavailable not noted on sign		CGP 3.12.B				\$50.00	=	
Subtotal Records Deficiencies									\$0
BEST MANAGEMENT PRACTICES									
41	No velocity dissipation devices located at discharge locations or outfall channels to ensure non-erosive flow to receiving water		CGP 3.13.F				\$500.00	=	
42	Control measures are not properly:	Significant sediment escaping site; due to poorly maintained controls at several locations							
	A Selected, installed and maintained		CGP 3.13.A		3		\$500.00	=	\$1,500
	B Maintenance not performed prior to next anticipated storm event (count each failure to select, install, maintain each BMP as one violation)		CGP 3.6.B		3		\$250.00	=	\$750
43	When sediment escapes the site, it is not removed at a frequency necessary to minimize off-site impacts		CGP 3.13.B				\$500.00	=	
44	Litter, construction debris, and construction chemicals exposed to storm water are not prevented from becoming a pollutant source (e.g. screening outfalls, pickup daily, etc.)		CGP 3.13.C				\$500.00	=	

45	Stabilization measures are not initiated as soon as practicable on portions of the site where construction activities have temporarily or permanently ceased within 14 days after such cessation		CGP 3.13.D			\$500.00	=	
	*Exceptions:							
	(a) Snow or frozen ground conditions							
	(b) Activities will be resumed within 14 days							
	(c) Arid or Semi-arid areas (<20 inches per							
46	Common Drainage of 10+ acres does not have a sedimentation basin for the 2 year, 24 hour storm, or 3600 cubic ft. storage per acre drained		CGP 3.13.E.1			\$1,000.00	=	
	A Where sedimentation basin not attainable, smaller sediment basins, sediment traps, or erosion controls not implemented for downslope		CGP 3.13.E.2			\$1,000.00	=	
	B Sediment not removed from sediment basin or traps when design capacity reduced by 50% or more		CGP 3.6.C			\$500.00	=	
47	Common Drainage less than 10 acres does not have sediment traps, silt fences, vegetative buffer strips, or equivalent sediment controls for all down slope boundaries (not required if sedimentation sediment basin meeting criteria in 46 above)		CGP 3.13.E.3			\$500.00	=	
	A Sediment not removed from sediment trap when design capacity reduced by 50% or more		CGP 3.6.C		X	\$500.00	=	

Subtotal BMP Deficiencies **\$2,250**

SMALL BUSINESS EVALUATION

48	Is the Owner/Operator a Small Business?							
	A <i>small business</i> : is defined by EPA's Small Business Compliance Policy as: "a person, corporation, partnership, or other entity that employs 100 or fewer individuals (across all facilities and operations owned by the small business)." The number of employees should be considered as full-time equivalents on an annual basis, including contract employees (see 40 CFR 372.3). A full time employee unit is 2000 hours worked per year.							

Total Expedited Settlement: **\$12,150**

* Requires Corrective Action

** NPDES General Permit, 68 FR 39087, issued by EPA on July 1, 2003, <http://cfpub.epa.gov/npdes/stormwater/cgp.cfm>