



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8

1595 Wynkoop Street
DENVER, CO 80202-1129
Phone 800-227-8917
<http://www.epa.gov/region08>

2007 FEB 20 PM 1:48

EPA REGION VIII
HEARING CLERK

FEB 20 2007

Ref: ENF-W

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Craig Bobzien
USDA Forest Service Black Hills National Forest
1019 N. 5th Street
Custer, SD 57730

Re: Administrative Order Addendum
Cook Lake Campground
Docket No. SDWA-08-2007-0008
PWS ID# WY5680010

Dear Mr. Bobzien:

This addendum to the Administrative Order (AO) issued November 14, 2006 to the US Department of Agriculture (USDA) Forest Service incorporates the schedule for completing system modifications outlined in your January 17, 2007 letter. This letter constitutes the written approval by EPA of the USDA Forest Service's actions that have been or will be completed.

The USDA Forest Service shall not provide public water from the Cook Lake Campground Loop B well (the location of the total coliform positive samples) until the source of coliform bacteria contamination has been identified and eliminated and subsequent total coliform samples are negative. The following schedule lists the actions to be taken, and if applicable, the start and completion dates of the actions:

<u>Action</u>	<u>Completion Deadline</u>
1) Perform an investigative review of all available well records, sampling records, and reports. Conduct interviews with personnel associated with the operation of the Cook Lake Campground water system to determine trends in the water quality of the Loop B well.	Complete
2) Perform a site investigation to identify potential sources of coliform bacteria contamination in the vicinity of the Loop B well. The investigation will include:	May 2007
a. visual inspection of the well location to include the concrete pad, pump jack, flange gasket, and surrounding area to identify potential sources of the coliform bacteria contamination and avenues of entry	

into the water system; and

b. visual inspection of the hand pump and pump components to include pulling the hand pump and performing a visual inspection and replacement (as necessary) of all pump components, including the drop pipe, pump rod and pump cylinder.

3) After investigations are complete, submit a plan of action to EPA May 2007 describing corrective measures to be taken.

4) Completion of investigations and system modifications. June 2007

Please be advised that the USDA Forest Service must continue to meet the total coliform maximum contaminant level (MCL) requirements for wells providing drinking water to the public and must additionally submit a progress report by May 13, 2007 to EPA outlining progress made in completing these activities as required in Item Number 3 of the Order section, on page 4 of the AO.

EPA's Region 8 office has recently moved and reporting requirements shall now be provided by certified mail to:

Jeff McPherson
U.S. EPA Region 8 (8ENF-W)
1595 Wynkoop Street
Denver, Colorado 80202-1129

Please contact Jeff McPherson, at (303) 312-6362 if you have any questions concerning this Addendum.

Sincerely,



Diane L. Sipe, Director
Technical Enforcement Program
Office of Compliance, Enforcement,
and Environmental Justice



David J. Janik, Acting Director
Legal Enforcement Program
Office of Enforcement, Compliance
and Environmental Justice

cc: WY DEQ (via email)
WY DOH (via email)
Brian Beam, Civil Engineer

bcc: Tina Artemis, 8RC
Brenda Cazier, 8ENF-PT
Jack Rychecky, 8P-W-DW
Amy Swanson, 8ENF-L
John Gillis, 8P-W-DW (via e-mail)
Lisa Kahn, 8ENF-W
Jeff McPherson, 8ENF-W
Reading File

cc addresses:

Brian Beam
USDA Forest Service
Black Hills National Forest
1019 N. 5th Street
Custer, SD 57730

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: *Doc # SDWA-08-2007-0008*

Craig Bobzien
USDA Forest Service
Black Hills National Forest
1019 N. 5th Street
Custer, SD 57730

FEB 21 2007

FEB 20 2007

SENF-W

2. Article Number
(Transfer from service label)

7005 0390 0000 4848 9120

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

- A. Signature  Agent
 Addressee
- B. Received by (Printed Name) _____ C. Date of Delivery *2-23-07*
- D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes