



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

77 WEST JACKSON BOULEVARD

CHICAGO, IL 60604-3590

JUL 23 2018

REPLY TO THE ATTENTION OF:

CERTIFIED MAIL #:7001 0320 0005 8917 6393
RETURN RECEIPT REQUESTED

Mr. Nick Prajapata
Chan Petroleum
2560 Detroit Road
Niles, Michigan 49120

Re: Compliance Order/Settlement Agreement (Field Citation) for Chan Petroleum **RUST-05-2018-0012**

Dear Mr. Prajapata:

On May 2, 2018, the U.S. Environmental Protection Agency issued a Notice of Violation and Compliance Order/Settlement Agreement (Field Citation) concerning violations found during a compliance inspection conducted at the Chan Petroleum facility located at 2560 Detroit Road, Niles, Michigan 49120.

We received your signed original copy of the Settlement Agreement, dated June 11, 2018, and the check for \$250 in penalties. We have reviewed the original copy of the Settlement Agreement where you have indicated that you have corrected the cited violations of the underground storage tanks regulations.

The Settlement Agreement states that it is effective upon EPA's final approval. I have enclosed a signed and dated copy of the approved Settlement Agreement. The original Settlement Agreement will remain in EPA files. We have accepted and processed your check as part of the settlement process.

If you have any further questions, please feel free to contact Sandy Karner, of my staff, at (312) 886-0429.

Sincerely,

A handwritten signature in black ink, appearing to read "Julie", is placed above the typed name of the sender.

Julie Morris, Acting Chief
RCRA Branch

Enclosure

U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA) REGION 5
77 West Jackson Boulevard (LR-8J), Chicago, Illinois 60604-3590
UNDERGROUND STORAGE TANK (UST) FIELD CITATION FORM FOR EXPEDITED SETTLEMENT NO. R5-UST-18-009-SK

PART I: INSPECTION SUMMARY

PART II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER

On: 03/22/2018 Time: 11:45 AM

At: Chan Petroleum
Address: 2560 Detroit Road
Niles, MI 49120

Nick Prajapata
(Name of Site Representative if not the Owner or Operator)

Name and address of the UST Owner

Name: Nick Prajapata
Address: 2560 Detroit Road
Niles, MI 49120

A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq).

1. Violation: Failure to inspect impressed current systems every 60 days

Cite: 40 CFR 280.31(c)

Proposed Penalty: \$250

2. Violation:

Cite: 40 CFR

Proposed Penalty:

3. Violation:

Cite: 40 CFR

Proposed Penalty:

4. Violation:

Cite: 40 CFR

Proposed Penalty:

TOTAL PROPOSED PENALTY: \$250

EPA finds the Owner or Operator in violation of the above referenced UST regulations.

Stephen L. Pomeroy 5/2/2018
(Signature of EPA Inspector) (Date)



A. Settlement Agreement: The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions:

The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of \$250 in payment of the full proposed penalty amount, as described in Part I of this Form.

The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA section 9006.

Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.

This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Compliance Order is in the sole discretion of the Regional Administrator, Region 5, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below.

SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE:

Name (Print): Nick Prajapata
Title (Print): Manager
Signature: *Nick Prajapata* Date: *5/2/2018*

B. Compliance Order: This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in Part I. The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.

Name (Print): Julie Morris
Title (Print): Acting Chief, RCRA Branch
Signature: *Julie Morris* Date: 7/20/18

Notes:

RUST-05-2018-0012