



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 10

1200 Sixth Avenue, Suite 900  
Seattle, WA 98101-3140

SEP 23 2014

OFFICE OF  
REGIONAL COUNSEL

**CERTIFIED MAIL, RETURN RECEIPT REQUESTED**

David Brose, President  
Gly-Tek, Inc.  
P.O. Box 1506  
Twin Falls, Idaho 83303-1506

Re: *In the Matter of Gly-Tek, Inc.*,  
First Amended Complaint and Notice of Opportunity for Hearing  
Docket No. EPCRA-10-2014-0162

Dear Mr. Brose:

Enclosed is a copy of the First Amended Complaint and Notice of Opportunity for Hearing that was filed with the Regional Hearing Clerk. This Complaint amends the previous Complaint issued on September 9, 2014, concerning the Emergency Planning and Community Right-to-Know Act (EPCRA) and Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) violations that occurred at the Gly-Tek, Inc. facility in Twin Falls, Idaho.

The complaint has been amended to include the provisions at 40 C.F.R. § 22.18(a), which allow Gly-Tek to resolve the complaint at any time by paying the \$30,000 penalty proposed in the complaint in full. See Paragraph 7.1. The complaint has also been revised to differentiate the portion of the penalty for the EPCRA violations and for the CERCLA violations. See Paragraphs 5.1 and 7.1.

Kris Leefers, Assistant Regional Counsel, is out of the office on a work assignment until September 29, 2014. If, prior to September 29, you have any questions regarding this Complaint, or if you would like to make an offer of settlement in this matter, please contact me at (206) 553-1497.

Sincerely,

A handwritten signature in blue ink that reads "Julie Vergeront".

Julie Vergeront  
Assistant Regional Counsel

Enclosure  
40 C.F.R. Part 22 rules

Cc: Kristin Leefers