

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1

10/11/23

10:34 AM

Date of Notice: 10/6/23

Public Notice Number: PN2024-000002

Received by
EPA Region 1
Hearing Clerk

Comment Period: 10/6/23 – 11/6/23

Action: Notice of Proposed Assessment of Class I Clean Water Act Section 309(g)(2)(A) Administrative Penalties and Opportunity to Comment

Under Section 309(g) of the Clean Water Act, 33 U.S.C. § 1319(g), EPA is authorized to assess a civil penalty after providing the person subject to the penalty, notice of the proposed penalty and the opportunity for a hearing, and after providing interested persons public notice of the proposed penalty and a reasonable opportunity to comment on its issuance. In Class I proceedings under Section 309(g)(2)(A), any person who violates certain provisions of the Clean Water Act may be administratively assessed a civil penalty of up to \$25,847 per day per violation for each day during which the violation continued, up to a maximum penalty of \$64,618. Proceedings are conducted in accordance with the “Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation or Suspension of Permits,” at 40 C.F.R. Part 22 (“Part 22”).

The procedures by which the public may submit written comments on a proposed penalty order or participate in a penalty proceeding are set forth in Part 22. The deadline for submitting public comment on a proposed penalty order is thirty (30) days after issuance of public notice.

Pursuant to Section 309(g), EPA is providing public notice of the following proposed administrative penalty assessment:

Name of Case: *In the Matter of: Eastland Partners, Inc.*

Name and Mailing Address of Respondent:

Eastland Partners, Inc.
997 Milbury St
Worcester, Mass. 01607

Name and Address of Facility or Site Addressed by Agreement:

The Reserve
Albert St.
Auburn, Mass. 01051

Description of Business or Activity Conducted by Respondent:

Respondent is a residential home developer. The Reserve is a residential development under construction in Auburn, MA.

Description of Violation(s) Alleged in Agreement:

The operator failed to stabilize slopes and implement and maintain appropriate perimeter controls resulting in discharge of sediment off-site; the operator failed to accurately document regular inspections of erosion controls for the site; and, there was no Stormwater Pollution Prevention Plan (SWPP) on site available for the inspector to view on the day of the EPA inspection.

Proposed Settlement Penalty: \$2,640

Docket Number: CWA-01-2024-0003

Date Filed with Regional Hearing Clerk: N/A

Name, Mailing Address, and Telephone Number of Regional Hearing Clerk:

Wanda I. Santiago
Regional Hearing Clerk
U.S. EPA, Region 1
5 Post Office Square - Suite 100
Mail Code: 4-OM
Boston, Mass. 02109-3912
(617) 918-1113
R1_Hearing_Clerk_Filings@epa.gov or Santiago.Wanda@epa.gov

We strongly encourage you to contact the Regional Hearing Clerk using either email address provided above or by calling her at (617) 918-1113. Please reference Docket No. CWA-01-2024-0003 in any comments submitted.

FOR FURTHER INFORMATION: Copies of Part 22 can be found at:

<https://ecfr.io/Title-40/Part-22>. Persons wishing to receive a copy of Part 22, review the proposed agreement or other documents filed by the parties in this proceeding, comment upon the proposed penalty assessment, or participate in any hearing that may be held, should contact the Regional Hearing Clerk identified above. Documents in the public record for the proceeding will be provided electronically upon request.

Because this matter involves a CWA Section 309(g) proceeding that is proposed to be simultaneously commenced and settled under 40 C.F.R. § 22.13(b), this matter will not be resolved or settled until ten (10) days after the close of the public comment period in accordance with 40 C.F.R. § 22.45(b) and (c).