



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
Four Penn Center
1600 John F. Kennedy Boulevard
Philadelphia, Pennsylvania 19103-2852

VIA ELECTRONIC TRANSMITTAL

Mr. Gregory Hope, Esquire
Deputy General Counsel
Department of Government and Legal Affairs
District of Columbia Water and Sewer Authority
1385 Canal Street, SE
Washington, DC 20003

Re: **In the Matter of: Blue Plains Advanced Wastewater Treatment Plant
5000 Overlook Ave., SW
Washington, DC 20032
U.S. EPA Docket RCRA-03-2022-0102**

Dear Mr. Hope:

Enclosed please find a time-stamped Consent Agreement and Final Order (“Consent Agreement”), the original and one copy of which were filed with the Regional Hearing Clerk on _____.

To avoid interest, the District of Columbia Water and Sewer Authority must timely pay the agreed civil penalty within 30 days of _____. The case name and case docket number should be noted on the payment, and a copy of each associated check or electronic transfer instrument or receipt should be sent simultaneously to the EPA attorney and the Regional Hearing Clerk.

For your file, I am also enclosing a copy of the supporting memorandum from Environmental Protection Agency management to the Regional Judicial Officer. Please do not hesitate to contact Daniel T. Gallo, Assistant Regional Counsel at 215-814-2091, or by email at gallo.dan@epa.gov, if you have any questions regarding this matter.

Sincerely,

Regional Hearing Clerk, Region III

Enclosures

cc: Daniel T. Gallo, EPA
Jeremy Dearden, EPA