



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
Four Penn Center 1600 John F. Kennedy Boulevard.
Philadelphia, Pennsylvania 19103-2852**

ELECTRONIC DELIVERY
RETURN RECEIPT REQUESTED

John Wilson, Project Manager
Downingtown Regional Water Authority (DARA)
550 South Brandywine Avenue
Downingtown, PA 19335
Email: John.wilson@inframark.com

Re: **In the Matter of: Expedited Settlement Agreement and Final Order - Docket
No. CAA-03-2023-0066**

Dear Mr. Wilson,

Enclosed please find a time-stamped Expedited Settlement Agreement (ESA) and Final Order which resolves the above-referenced matter. This ESA and Final Order were filed with the Regional Hearing Clerk on 6/20/23. Downingtown Regional Water Authority must timely pay the agreed civil penalty within **30 calendar days** of receipt of the enclosed ESA and Final Order.

The payment of the penalty amount of **\$1,440** must be in one of the following forms: 1) Electronic Funds Transfer (EFT), 2) Automated Clearinghouse, 3) Pay.Gov, or 4) a cashier's check or certified check payable to the "US Environmental Protection Agency", with the Docket Number, located at the top right-hand corner of the ESA, and "Chemical Accident Prevention Provisions - 112(r)" referenced on the check. Please see the ESA for additional payment instructions.

For your file, I am also enclosing a copy of supporting memorandum from Environmental Protection Agency management to the Regional Judicial Officer. Please do not hesitate to contact Zoe Longenecker-Wright at (215) 814-2924 if you have any questions regarding this matter.

Sincerely,

Regional Hearing Clerk
U.S. Environmental Protection Agency, Region III

Enclosures

cc: Zoe Longenecker-Wright (US EPA)