

October 25, 2023 @ 11:31 am

USEPA – Region II

Regional Hearing Clerk

**UNITED STATES  
ENVIRONMENTAL PROTECTION AGENCY**

**REGION 2**

290 Broadway  
New York, NY 10007-1866

**IN THE MATTER OF:**

Standard Printed Circuit, Inc.  
44 South Main Street  
Sherburne, New York 13460

**Respondent**

Proceeding pursuant to Section 309(g) of the  
Clean Water Act, 33 U.S.C. § 1319(g)

**Administrative Complaint  
Findings of Violation, Notice of Proposed  
Assessment of a Civil Penalty, and Notice of  
Opportunity to Request a Hearing**

**Proceeding to Assess Class I  
Civil Penalty**

**Docket No. CWA-02-2024-3304**

**CERTIFICATE OF SERVICE**


I certify that, on the date noted below, I caused to be mailed, by certified mail, return receipt requested, a copy of the foregoing “ADMINISTRATIVE COMPLAINT” and a copy of the “Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits,” 40 C.F.R. Part 22 (July 1, 2011) to the following persons at the addresses listed below:

Alicia Bormann, President  
Standard Printed Circuit, Inc.  
44 South Main Street  
Sherburne, New York 13460

Director  
Bureau of Water Compliance Programs  
Division of Water  
New York State Department of Environmental Conservation  
625 Broadway  
Albany, New York 12233-3506

I hand carried the original and a copy of the foregoing Complaint to the Office of the Regional Hearing Clerk, United States Environmental Protection Agency, Region 2.

Date: 10/25/2023  
New York, New York

  
Alia Roufaeal, Environmental Engineer  
Water Compliance Branch, SCWCPT