

Expedited Settlement Offer Worksheet Violations Form For Wastewater

Version 1 (updated April 2019)

Consult instructions regarding eligibility criteria and procedures prior to use.



FILED

October 10, 2024

10:46 A.M. PST

**U.S. EPA REGION 10
HEARING CLERK**

LEGAL NAME AND MAILING ADDRESS OF RESPONSIBLE ENTITY		NPDES Permit Number			
1	Christine Frizzell Mayor, City of Lynnwood 19100 44th Avenue West Lynnwood, Washington 98046	WA0024031			
		Permit Effective Date:	March 1, 2019		
		Permit Expiration Date:	February 29, 2024 (admin ext)		
LOCATION AND ADDRESS OF FACILITY		EPA Contact Name:	Vanessa Oquendo		
2	City of Lynnwood Wastewater Treatment Plant 17000 76th Avenue West Edmonds, Washington 98026	EPA Contact Title:	Compliance Officer		
		EPA Office:	Region 10 - Seattle, WA		
FACILITY DESCRIPTION / CONTACT NAMES					
	Name of Facility Contact (ESO Worksheet recipient):		Mayor Christine Frizzell with Jared Bond and Tanner Boyle cc'd		
	Name of Authorized Official (40 CFR 122.22):		Mayor Christine Frizzell		
	Are any findings a result of an inspection?		No		
	Inspection Date(s) (if applicable):				
3	Name of Receiving Water Body (Indicate whether 303(d) listed):		Browns Bay - Puget Sound		
PRIVATE ENTITY ADJUSTMENT FACTOR					
4	Is the entity privately owned?	If yes, adjustment factor of 2.0 is applied.	No		1.0
FLOW ADJUSTMENT FACTOR					
5	Select the appropriate average volume of flow on a day of discharge in millions of gallons per day (MGD). If a facility discharges only on a periodic basis, do <u>not</u> include days with zero flow when calculating the average flow:				
	A	<0.050 mgd (no adjustment is applied)	No adjustment factor is applied.		
	B	≥0.050 mgd and <0.250 mgd	Adjustment factor of 1.5 is applied.		
	C	≥0.250 mgd and <1 mgd	Adjustment factor of 3.0 is applied.		
	D	≥1 mgd and <5 mgd	Adjustment factor of 6.0 is applied.	X	6.0
	E	≥5 mgd and <10 mgd	Adjustment factor of 10.0 is applied.		
	F	≥10 mgd and <50 mgd	Adjustment factor of 15.0 is applied.		
	G	≥50 mgd	Adjustment factor of 20.0 is applied.		
REPEAT VIOLATOR ADJUSTMENT FACTOR					
6	A	How many other state and federal formal enforcement actions has the responsible entity been subject to in the last three years? Include enforcement actions at this facility and any other facilities.	For each enforcement action, adjustment factor is increased 50%.	0	1.0
				TOTAL ADJUSTMENT FACTOR	6.00

Notes: * RCA = Requires Corrective Action

		Violation(s) / Corrective Action(s)	CWA / Permit Citation	R C A*	No. of Viol- actions	Dollar Amount w/ Adjust. Factor	Total
MONITORING / REPORTING		ESA eligible if violations occurred within the 24 months immediately prior to the ESA offer.					
7		Failure to submit compliance schedule report:	S8.C.3 and S9.A.2				
	A	Late but less than 30 days late			3	\$300 =	\$900
	B	Submitted more than 30 days late			1	\$450 =	\$450
	C	Not submitted				\$900 =	
8		Failure to submit timely discharge monitoring report (DMR) and/or DMR submitted with failure to conduct self-monitoring:					
	A	DMR late but less than 30 days late				\$300 =	
	B	DMR submitted more than 30 days late				\$450 =	
	C	DMR not submitted or DMR submitted with a failure to sample pollutants - conventional pollutants (count each conventional pollutant not reported or not sampled as a violation; BOD, TSS, pH, oil and grease, e. coli, fecal coliform)				\$450 =	
	D	DMR not submitted or DMR submitted with a failure to sample pollutants - toxic pollutants (count each toxic pollutant not reported or not sampled as a violation)				\$450 =	
9		Failure to conduct self-monitoring in accordance with permit requirements, including but no limited to required sample type, sample location, representative sampling, meeting 40 CFR 136 or other permit requirements (count each pollutant with one or more failures)				\$150 =	

EFFLUENT LIMITATIONS			ESA eligible if violations occurred within the 12 months immediately prior to the ESA offer.						
19		Failure to meet effluent limitations:	5/1/24 with reported value of 35.7 mg/L and limit of 30 mg/L; 12/1/23 with reported value of 38.5 mg/L and limit of 30 mg/L. Weekly TSS exceedances: 4/1/24 with reported value of 61.6 mg/L and limit of 45 mg/L; 2/1/24 with reported value of 60.3 mg/L and limit of 45 mg/L; 12/1/23 with reported value of 135.5 mg/L and limit of 45 mg/L. Did not meet monthly 85% average influent TSS removal: 12/1/23 with reported value of 77.8%. 12/1/23 - Did not meet weekly average TSS load of 2777 lbs/day with reported value of 10013 lbs/day. Did not meet monthly average TSS of 1851lbs/day with reported value of 2649 lbs/day. Did not meet weekly average CBOD5 of 2469 lbs/day with reported value of 2675.4 lbs/day.						
	A	Months with effluent exceedance less than 40% above the limit - conventional pollutants (count each conventional pollutant separately as a violation; BOD, TSS, pH, oil and grease, e. coli, fecal coliform)		S1.A		7	\$300	=	\$2,100
	B	Months with effluent exceedance 40% or more above the limit - conventional pollutants (count each conventional pollutant separately as a violation; BOD, TSS, pH, oil and grease, e. coli, fecal coliform)		S1.A		2	\$450	=	\$900
	C	Months with effluent exceedance less than 20% above the limit - toxic pollutants (count each toxic pollutant separately as a violation)					\$600	=	
	E	Months with effluent exceedance 20% or more above the limit - toxic pollutants (count each toxic pollutant separately as a violation)					\$1,200	=	
			Subtotal Effluent Limitations Violations						\$3,000
RECORDS			ESA eligible if violations occurred within the 24 months immediately prior to the ESA offer.						
20		Failure to create/maintain sampling and/or analysis records (count each month with one or more failure)				\$240	=		
21		Failure to maintain other records required by the permit (count each month with one or more failure excluding records not maintained in #22)				\$150	=		
			Subtotal Records Violations						\$0
INDUSTRIAL WASTE			ESA eligible if violations occurred within the 60 months immediately prior to the ESA offer.						
22		Failure to meet industrial waste management/pretreatment requirement for POTWs without approved pretreatment programs (excluding failure to provide notice counted in #11)				\$600	=		
ECONOMIC BENEFIT ESTIMATE			ESA eligible if estimated economic benefit of noncompliance is less than total ESA offer.						
23		Enter total estimate economic benefit calculated rounded up to the nearest \$50	\$	3,875	ESA eligible				
			Total Expedited Settlement						\$4,350