

**UNITED STATES  
ENVIRONMENTAL PROTECTION AGENCY  
REGION 2**

**April 7, 2025 12:10 pm  
USEPA – Region II  
Regional Hearing Clerk**

**IN THE MATTER OF:**

Optimum Window Manufacturing Corp.  
28 Canal Street  
Ellenville, New York 12428

NPDES Nos. NYR00H093, NYU065642

Respondent  
Proceeding to Assess Class I Civil Penalty Under  
Section 309(g) of the Clean Water Act

**Expedited Settlement Agreement/Consent  
Agreement and Final Order**

**DOCKET No. CWA-02-2025-3302**

**CERTIFICATION OF SERVICE**

I certify that on **April 7, 2025**, I e-mailed the foregoing fully executed Expedited Settlement Agreement/ Consent Agreement and Final Order (CA/FO) bearing the above referenced docket number, on the persons listed below, in the following manner:

Original by E-Mail

Office of Regional Hearing Clerk  
U.S. Environmental Protection Agency - Region 2  
290 Broadway, 16th floor  
New York, New York 10007-1866  
[Maples.Karen@epa.gov](mailto:Maples.Karen@epa.gov) and  
[region2\\_regionalhearingclerk@epa.gov](mailto:region2_regionalhearingclerk@epa.gov)

Copy by E-Mail

Candido (CJ) Perez, Manager  
Optimum Window Manufacturing Corp.  
28 Canal Street  
Ellenville, New York 12428  
Email: [CJPerez@optimumwindow.com](mailto:CJPerez@optimumwindow.com)

Copy by Email

Ed Hampston, P.E., Director  
Bureau of Water Compliance Programs  
NYSDEC  
625 Broadway  
Albany, New York 12233-4500  
[edward.hampston@dec.ny.gov](mailto:edward.hampston@dec.ny.gov)

Dated: \_\_\_\_\_

Murray Lantner, P.E., Env. Eng.  
New York, New York