



## REGION 3

PHILADELPHIA, PA 19103

### VIA Electronic Mail

Ruthie Hurd-Dooley  
Idlewood Shores  
P. O. Box 672  
Moneta, VA 24121  
westlakecrazy@gmail.com

**Re: Administrative Order**  
**U.S. EPA Docket No. SDWA-03-2025-0156DS**

Dear Ruthie Hurd-Dooley:

Enclosed please find the Administrative Order that the United States Environmental Protection Agency Region 3 ("EPA") is issuing to the Idlewood Shores public water system for failure to submit a service line inventory by October 16, 2024, as required by the Safe Drinking Water Act's Lead and Copper Rule Revisions, 40 C.F.R. § 141.84.

The Idlewood Shores is invited to confer with the EPA about the findings and conclusions reflected in the Order; **please request a conference within five (5) calendar days of receipt of this Order if you would like an opportunity to confer.**

The effective date of this Order shall be five (5) calendar days from the date of your receipt of this Order, or, if a conference is requested, this Order shall become effective five (5) calendar days after the conference is held.

The EPA has not determined whether the Idlewood Shores constitutes a "small entity" under the Small Business Regulatory Enforcement and Fairness Act ("SBREFA") (see Title II of Public Law No. 104-121). The Small Business Resources and the Small Business Regulatory Enforcement and Fairness Act ("SBREFA") information link<sup>1</sup> provides information on contacting the SBREFA Ombudsman to comment on federal enforcement and compliance activities and provides information on compliance assistance. Participating in the SBREFA program creates no new legal rights or defenses and will not affect the EPA's decision to pursue this enforcement action. The Ombudsman does not participate in resolving the EPA's enforcement actions.

---

<sup>1</sup><https://www.epa.gov/sites/default/files/2017-06/documents/smallbusinessinfo.pdf>

Please note that failure to comply with the provisions of the attached Order may subject the Idlewood Shores to further enforcement action.

If you have any questions pertaining to this matter, please contact Sara Calcinore of my staff at 215-814-2043 or [calcinore.sara@epa.gov](mailto:calcinore.sara@epa.gov).

Sincerely,

Andrea Bain  
Acting Director  
Enforcement and Compliance Assurance Division