



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5  
77 WEST JACKSON BOULEVARD  
CHICAGO, IL 60604-3590

MAY 22 2017

REPLY TO THE ATTENTION OF:

SC-5J

**ELECTRONIC SERVICE**  
**VIA EMAIL**

Andy Jennings  
Director – Health, Safety & Environmental  
3700 Park East Drive, Suite 300  
Beachwood, Ohio 44122  
andy.jennings@realalloy.com

---

RE: Complaint and Expedited Settlement Agreement  
ESA Docket No. RMP-16-ESA-010  
Docket No. **CAA-05-2017-0023**

Dear Mr. Jennings:

Enclosed please find a copy of the fully executed Expedited Settlement Agreement (ESA). The ESA is binding on EPA and Respondent. EPA will take no further action against Respondent for the violations cited in the ESA. The ESA requires no further action on your part.

Please feel free to contact Monika Chrzaszcz at (312) 886-0181, or chrzaszcz.monika@epa.gov, if you have any questions regarding the enclosed document or if you have any other question about the program. Thank you for your assistance in resolving this matter.

Sincerely,

A handwritten signature in cursive script that reads "Silvia Palomo for".

Michael E. Hans, Chief  
Chemical Emergency  
Preparedness & Prevention Section

Enclosure



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5  
77 WEST JACKSON BOULEVARD  
CHICAGO, ILLINOIS 60604-3590

CAA-05-2017-0023



**DOCKET NO:** RMP-16-ESA-010

**This ESA is issued to:** Real Alloy Specification, Inc.  
**at:** 368 Garfield Avenue, Coldwater, Michigan 49306  
**for violations of Section 112(r)(7) of the Clean Air Act.**

**EXPEDITED SETTLEMENT AGREEMENT**

The United States Environmental Protection Agency, Region 5, and Real Alloy Specification, Inc. (“Respondent”), have agreed to the settlement of this action before the filing of a Complaint. EPA and Respondent (jointly “the Parties”) have agreed that settling this action without the filing of a complaint or the adjudication of any issue of fact or law is in their interest and in the public interest. This action is thus simultaneously commenced and concluded by this Expedited Settlement Agreement (“ESA”) and Final Order. *See* 40 C.F.R. §§ 22.13(b) and 22.18(b)(2)-(3).

This is an administrative action for the assessment of civil penalties instituted pursuant to EPA’s authority under Sections 113(a)(3) and (d) of the Clean Air Act (“Act”), 42 U.S.C. § 7413(a)(3) and (d). The Director of the Superfund Division, Region 5, EPA (“Complainant”) has been delegated the authority to issue an administrative complaint seeking the assessment of civil penalties for violations of Section 112(r) of the Act, 42 U.S.C. § 7412(r). The Regional Administrator for Region 5 of EPA is authorized by Sections 113(a)(3) and (d)(1) of the Act, 42 U.S.C. §§ 7413(a)(3), and (d)(1), to issue a Final Order ratifying this ESA. The Regional Administrator has delegated the authority to issue Final Orders Ratifying settlements pursuant to 40 C.F.R. §§ 22.13(b) and 22.18(b)(3) to the Regional Judicial Officer, Office of Regional Counsel, EPA Region 5.

**ALLEGED VIOLATIONS**

On June 25, 2016, an authorized EPA representative conducted a compliance inspection of Real Alloy Specification, Inc., 368 Garfield Avenue, Coldwater, Michigan 49306 (“Facility”) to determine its compliance with the Risk Management Plan (“RMP”) regulations promulgated pursuant to Section 112(r) of the Act, and set forth at 40 C.F.R. Part 68. Based on the June 25, 2016 inspection and documents submitted by Respondent, EPA has determined that Respondent violated the following regulations:

1. 40 C.F.R. § 68.39(e) Respondent failed to maintain records on the offsite consequence analyses that included data used to estimate population and environmental receptors potentially affected.

2. 40 C.F.R. § 68.65(d)(1)(v) Respondent failed to compile process safety information pertaining to the technology of the process that included ventilation system design.
3. 40 C.F.R. § 68.67(c)(3) Respondent failed to identify engineering and administrative controls applicable to the hazards and their interrelationships, specifically the scrubber system in their 2013 PHA.
4. 40 C.F.R. § 68.67(c)(4) Respondent failed to identify consequences of failure of engineering and administrative controls, specifically the scrubber system in their 2013 PHA.
5. 40 C.F.R. § 68.73(d)(4) Respondent failed to document each inspection and test that has been performed on process equipment. The documentation shall identify the date of the inspection or test, the name of the person who performed the inspection or test, the serial number or other identifier of the equipment on which the inspection or test was performed, description of the inspection or test performed, and the results of the inspection or test.
6. 40 C.F.R. § 68.79(d) Respondent failed to promptly determine and document an appropriate response to each of the findings of the 2013 compliance audit and document that deficiencies have been corrected.

#### **SETTLEMENT**

In consideration of Respondent's full compliance history, its good faith efforts to comply, other factors as justice may require, and upon consideration of the entire record, the parties enter into this ESA in order to resolve any civil penalties for these alleged violations for the total penalty amount of **\$3,300**.

This settlement is subject to the following terms and conditions:

By signing below, Respondent consents to, and is bound by, the terms and conditions of this ESA, including the assessment of the civil penalty set forth above. Respondent admits the jurisdictional allegations in the ESA, and waives any objections that it may have regarding jurisdiction. Respondent waives its right to contest the specific factual allegations contained herein, and neither admits nor denies these specific factual allegations. Respondent acknowledges that pursuant to 40 C.F.R. § 22.15(c), and Section 113(d)(2)(A) of the Act, 42 U.S.C. § 7413(d)(2)(A), it has the right to request a hearing on any material fact, or on the appropriateness of the penalty, but Respondent waives its rights to such a hearing. Respondent also waives its right to appeal this ESA and the accompanying Final Order.

Respondent certifies, subject to civil and criminal penalties for making a false submission to the United States Government, that Respondent has corrected the violations set forth in this ESA, and has sent a cashier's check or certified check (payable to the "Treasurer, United States of America") in the amount of **\$3,300** in payment of the full penalty amount to the following address:

U.S. Environmental Protection Agency  
Fines and Penalties  
Cincinnati Finance Center  
PO Box 979077  
St. Louis, MO 63197-9000

The **Docket Number of this ESA must be included on the check.** (The Docket Number is RMP-16-ESA-010.)

This signed original ESA and a **copy of the check must be sent by certified mail to:**

Monika Chrzaszcz  
Chemical Emergency  
Preparedness and Prevention Section (SC-5J)  
U.S. Environmental Protection Agency  
77 West Jackson Boulevard  
Chicago, Illinois 60604-3590

Upon Respondent's submission of the signed original ESA and the issuance of the Final Order, Respondent's liability is resolved only for any federal civil penalties due as a result of the facts and violations alleged in this ESA. This ESA, the Final Order, and Respondent's full payment of the civil penalty set forth herein, do not affect the right of EPA to pursue appropriate injunctive, other equitable relief, or criminal sanctions for any violations of law. EPA also does not waive any enforcement authority for any other violation of the Act or any other statute. The issuance of the Final Order does not waive, extinguish, or otherwise affect Respondent's duty to comply with the Act, the regulations promulgated there under, or any other applicable law or requirement.

If the signed original ESA **with an attached copy of the check** is not returned to the **EPA Region 5 office** at the above address in correct form by Respondent within 45 days of the date of Respondent's receipt of this ESA (90 days if an extension is granted), the proposed ESA is withdrawn, without prejudice to EPA's ability to file an enforcement action for the violations identified in this ESA.

This ESA is binding on the Parties signing below.

Each Party to this action shall bear its own costs and fees, if any.

This ESA is effective upon filing with the Regional Hearing Clerk.

**FOR RESPONDENT:**

Signature: AMJIS Date: 4-4-17  
Name (print): Andy Jennings  
Title (print): Director, Health-Safety & Environment  
Respondent


**FOR COMPLAINANT:**

M. M. Guerriero Date: 5/18/2017  
Margaret M. Guerriero, Acting Director  
Superfund Division

**FINAL ORDER**

The foregoing Expedited Settlement Agreement is hereby ratified and incorporated by reference into this Final Order. Respondent is hereby ORDERED to comply with all of the terms of the foregoing Expedited Settlement Agreement, which upon its filing with the Regional Hearing Clerk shall become immediately effective. This Final Order concludes this proceeding pursuant to 40 C.F.R. §§ 22.18 and 22.31.

**IT IS SO ORDERED.**

  
\_\_\_\_\_  
Ann L. Coyle,  
Regional Judicial Officer

Date: May 19, 2014

Expedited Settlement Agreement

In the matter of: Real Alloy Specification, Inc., Coldwater, Michigan

Docket Number: CAA-05-2017-0023

**CERTIFICATE OF SERVICE**

I certify that I served a true and correct copy of the foregoing **Expedited Settlement Agreement**, docket number CAA-05-2017-0023 which was filed on May 22, 2017 in the following manner to the following addresses:

Copy by E-Mail to  
Respondent:

Andy Jennings  
Director – Health, Safety & Environmental  
andy.jennings@realalloy.com

Copy by E-mail to  
Attorney for Complainant:

Steven Kaiser  
kaiser.steven@epa.gov

Copy by e-mail to  
Regional Judicial Officer:

Ann Coyle  
coyle.ann@epa.gov

Dated:

May 22, 2017

L Whitehead

LaDawn Whitehead  
Regional Hearing Clerk  
U.S. Environmental Protection Agency, Region 5