



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10**

1200 Sixth Avenue, Suite 155
Seattle, WA 98101

ENFORCEMENT & COMPLIANCE
ASSURANCE DIVISION

Reply To: 20-C04

RETURN RECEIPT REQUESTED

Ms. Mary Anne Nelson
Surface and Wastewater Division Administrator
Idaho Department of Environmental Quality
1410 North Hilton Street
Boise, Idaho 83706

Re: Andersen Construction Company, Ten Mile Creek Apartments Phase 2
Docket No. CWA-10-2022-0199

Dear Ms. Nelson:

This letter is to advise you of a penalty action which Region 10 of the U.S. Environmental Protection Agency (EPA) plans to initiate in the State of Idaho. The proposed action is in response to alleged violations of the Clean Water Act (CWA) by Andersen Construction Company at its construction site Ten Mile Creek Apartments Phase 2, located in Meridian, Idaho.

EPA is providing notice of this action to the State of Idaho pursuant to Section 309(g)(1) of the CWA, 33 U.S.C. § 1319(g)(1). Please consider this an opportunity to provide EPA Region 10 with any comments the Idaho Department of Environmental Quality may have regarding this action. You may find the proposed action at:

[Public Notices at U.S. EPA](#)

Any comments or questions you may have regarding this action may be directed to Steven Potokar, of my staff, at (206) 553-6354. Thank you for your assistance in this matter.

Sincerely,

Edward J. Kowalski
Director

cc: Ms. Brynn Lacabanne
IPDES Compliance and Enforcement Supervisor, Idaho Department of Environmental Quality

Mr. Aaron Scheff
Regional Administrator, Idaho Department of Environmental Quality