



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8

1595 Wynkoop Street
DENVER, CO 80202-1129
Phone 800-227-8917
<http://www.epa.gov/region08>

2011 SEP 13 AM 8:55

FILED
EPA REGION VIII
HEARING CLERK

Ref: 8 ENF-W

SEP 13 2011

Ron Hein, District Chairman
Cambria Improvement and Service District
P.O. Box 884
Newcastle, WY 82701

RE: Closure of Administrative Order
Docket No. SDWA-08-2010-0025
PWS ID #WY5601028

Dear Mr. Hein:

This letter is to inform you of the United States Environmental Protection Agency's (EPA) decision to close the Administrative Order, Docket No. SDWA-08-2010-0025, issued to the Cambria Improvement and Service District (the District) on March 25, 2010. The EPA has determined that the District has complied with the requirements of the Order and therefore, will close it at this time.

Please be aware that the District is still required to comply with the National Primary Drinking Water Regulations (drinking water regulations), 40 C.F.R. part 141. Violation of the drinking water regulations may result in a court-imposed injunction and/or penalties.

If you have any questions about this matter, please call Kimberly Pardue Welch at (800) 227-8917 extension 6983 or 303-312-6983. Thank you for resolving these issues.

Sincerely,

Lisa Kahn, Team Leader
Drinking Water Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice

cc: Tina Artemis, EPA Regional Hearing Clerk
Greg Stumpff, Operator
Cambria Improvement and Service District