



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP - 1 2015

REPLY TO THE ATTENTION OF:

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Michael Reitermann
President
Siemens Health Diagnostics
511 Benedict Avenue
Tarrytown, New York 10591

RE: Expedited Settlement Agreement and Finding of Violation at Siemens Health Diagnostics –
Mishawaka, Mishawaka, Indiana
ESA Docket No: ESA-15-RMP-027
Docket No.: **CAA-05-2015-0056**

Dear Mr. Reitermann:

Enclosed please find a copy of the fully executed Expedited Settlement Agreement (ESA) in resolution of the above case. The ESA is binding on the U.S. Environmental Protection Agency and Siemens Health Diagnostics. EPA will take no further action for the violations cited in the ESA. The ESA requires no further action on your part.

Please feel free to contact Greg Chomycia at (312) 353-8217, or chomycia.greg@epa.gov if you have any questions regarding the enclosed document or if you have any other questions about the Risk Management Program. Thank you for your assistance in resolving this matter.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael E. Hans".

Michael E. Hans, Chief
Chemical Emergency
Preparedness & Prevention Section

Enclosure



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

77 WEST JACKSON BOULEVARD
CHICAGO, ILLINOIS 60604-3590

CAA-05-2015-0056



DOCKET NO: RMP-15-ESA-027

This ESA is issued to: Siemens Healthcare Diagnostics Inc.
at: 430 South Beiger Street, Mishawaka, Indiana
for violations of Section 112(r)(7) of the Clean Air Act.

EXPEDITED SETTLEMENT AGREEMENT

The United States Environmental Protection Agency, Region 5, and Siemens Healthcare Diagnostics Inc. ("Respondent"), have agreed to the settlement of this action before the filing of a Complaint. EPA and Respondent (jointly "the Parties") have agreed that settling this action without the filing of a Complaint, or the adjudication of any issue of fact or law, is in their interest and in the public interest. This action is thus simultaneously commenced and concluded by this Expedited Settlement Agreement ("ESA") and Final Order. *See* 40 C.F.R. §§ 22.13(b) and 22.18(b)(2)-(3).

This is an administrative action for the assessment of civil penalties instituted pursuant to EPA's authority under Sections 113(a)(3) and (d) of the Clean Air Act ("Act"), 42 U.S.C. § 7413(a)(3) and (d). The Director of the Superfund Division, Region 5, EPA ("Complainant") has been delegated the authority to issue an administrative complaint seeking the assessment of civil penalties for violations of Section 112(r) of the Act, 42 U.S.C. § 7412(r). The Regional Administrator for Region 5 of EPA is authorized by Sections 113(a)(3) and (d)(1) of the Act, 42 U.S.C. §§ 7413(a)(3), and (d)(1), to issue a Final Order ratifying this ESA.

ALLEGED VIOLATIONS

On June 12, 2009, an RMP was submitted by the facility by the owner of the facility. On March 11, 2012, a correction to the RMP was submitted to change, among other things, the name of the owner to Siemens Healthcare Diagnostics Inc. – Mishawaka.

On September 11, 2014, EPA sent a Request of Information Pursuant to Section 114(a) of the Clean Air Act to Siemens Healthcare Diagnostics Inc., 430 South Beiger Street, Mishawaka, Indiana ("Facility") to determine its compliance with the Risk Management Program ("RMP") regulations promulgated pursuant to Section 112(r) of the Act, and set forth at 40 C.F.R. Part 68. EPA has determined that Respondent violated 40 C.F.R. §68.190(b)(1), the requirement to resubmit its RMP five years from the last submission.

SETTLEMENT

In consideration of Respondent's size of business, its full compliance history, its good faith efforts to comply, other factors as justice may require, and upon consideration of the entire record, the parties enter into this ESA in order to resolve any civil penalties for these alleged violations for the total penalty amount of **\$2,000.00**.

This settlement is subject to the following terms and conditions:

By signing below, Respondent consents to, and is bound by, the terms and conditions of this ESA, including the assessment of the civil penalty set forth above. Respondent admits the jurisdictional allegations in the ESA, and waives any objections that it may have regarding jurisdiction. Respondent waives its right to contest the specific factual allegations contained herein, and neither admits nor denies these specific factual allegations. Respondent acknowledges that pursuant to 40 C.F.R. § 22.15(c), and Section 113(d)(2)(A) of the Act, 42 U.S.C § 7413(d)(2)(A), it has the right to request a hearing on any material fact, or on the appropriateness of the penalty, but Respondent waives its rights to such a hearing. Respondent also waives its right to appeal this ESA and the accompanying Final Order.

Respondent certifies, subject to civil and criminal penalties for making a false submission to the United States Government, that Respondent has corrected the violations set forth in this ESA, and has sent a cashier's check or certified check (payable to the "Treasurer, United States of America") in the amount of **\$2,000.00** in payment of the full penalty amount to the following address:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
PO Box 979077
St. Louis, MO 63197-9000

The Docket Number of this ESA must be included on the check. (The Docket Number is RMP-15-ESA-027.)

This signed original ESA and a copy of the check must be sent by certified mail to:

Greg Chomycia
Chemical Emergency
Preparedness and Prevention Section (SC-5J)
U.S. Environmental Protection Agency
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

Upon Respondent's submission of the signed original ESA, and the issuance of the Final Order, Respondent's liability is resolved only for any federal civil penalties due as a result of the facts and violations alleged in this ESA. This ESA, the Final Order, and Respondent's full payment of the civil penalty set forth herein, do not affect the right of EPA to pursue appropriate injunctive, other equitable relief, or criminal sanctions for any violations of law. EPA also does not waive any enforcement authority for any other violation of the Act or any other statute. The issuance of the Final Order does not waive, extinguish, or otherwise affect Respondent's duty to comply with the Act, the regulations promulgated thereunder, or any other applicable law or requirement.


If the signed original ESA **with an attached copy of the check** is not returned to the **EPA Region 5 office** at the above address in correct form by Respondent within 45 days of the date of Respondent's receipt of this ESA (90 days if an extension is granted), the proposed ESA is withdrawn, without prejudice to EPA's ability to file an enforcement action for the violations identified in this ESA.

This ESA is binding on the Parties signing below.

Each Party to this action shall bear its own costs and fees, if any.


This ESA is effective upon filing with the Regional Hearing Clerk.

FOR RESPONDENT:

Signature: 
Name (print): JAMES J VANCE
Title (print): FACILITY MAINTENANCE MANAGER
Respondent

Date: 5/13/15

FOR COMPLAINANT:


Richard C. Karl, Director
Superfund Division

Date: 8-24-15

FINAL ORDER

The foregoing Expedited Settlement Agreement is hereby ratified and incorporated by reference into this Final Order. Respondent is hereby ORDERED to comply with all of the terms of the foregoing Expedited Settlement Agreement, which upon its filing with the Regional Hearing Clerk shall become immediately effective. This Final Order concludes this proceeding pursuant to 40 C.F.R. §§ 22.18 and 22.31.

IT IS SO ORDERED.



Date: 28 August 2015

Susan Hedman
Regional Administrator
U.S. Environmental Protection Agency
Region 5

In the matter of: Siemens Healthcare Diagnostics Inc.
Docket Number: CAA-05-2015-0056

CERTIFICATE OF SERVICE

I certify that I served a true and correct copy of the foregoing *Expedited Settlement Agreement*, which was filed on September 1, 2015, in the following manner to the addressees:

Copy by Certified Mail
Return-receipt:

Michael Reitermann, President
Siemens Health Diagnostics Inc.
511 Benedict Avenue
Tarrytown, New York 10591

Copy by E-mail to
Attorney for Complainant:

Steven Kaiser
kaiser.steven@epa.gov

Copy by E-mail to
Regional Judicial Officer:

Ann Coyle
coyle.ann@epa.gov

Dated:

September 1, 2015 
LaDawn Whitehead
Regional Hearing Clerk
U.S. Environmental Protection Agency, Region 5

CERTIFIED MAIL RECEIPT NUMBER(S). 7011 1150 0000 2640 4826