Mar 06, 2025 10:20 am U.S. EPA REGION 5 HEARING CLERK

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION 5 77 West Jackson Boulevard (ECR-17J), Chicago, Illinois 60604 UNDERGROUND STORAGE TANK (UST) FIELD CITATION FOR EXPEDITED SETTI EMENTING. PROTECT OF SECOND

Part I: INSPECTION SUMMARY	ON FOR EXPEDITED SETTLEMENT NO. RUST-05-2025-0006
	Part II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER
On12/03/2024 Time12:15 pm (a.m. or p.m.)	A. Settlement Agreement: The Owner or Operator by signing
At National Block Compnay	this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the
(Name of Facility)	following terms and conditions:
Address: 39000 Ford Road	The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the
Westland, MI 48185	
James Gilletly (Name of On site Representative if not the Owner or Operator)	U.S. Treasury for the amount of \$1,630 in payment of the full proposed penalty amount, as described in Part I of this Form.
Name and address of the UST 🗷 Owner or 🗌 Operator	The Owner or Operator agrees to comply with the terms of
Name: National Block Company	the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement Agreement without further
Address: 3900 Ford Road	
Westland, MI 48185	notice. The Owner or Operator waives the opportunity for a public
A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.).	hearing pursuant to RCRA section 9006. By signing this Settlement Agreement, the Owner or Operator waives any rights or defenses that the Owner or Operator has or may have for this matter to be resolved in federal court, including but not limited to any right to a jury trial, and waives any right to challenge the lawfulness of the Compliance Order. Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been
Violation: Failure to meet the requirements for periodic testing and monitoring of spill prevention equipment.	timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.
Cite: 40 CFR §280.35(a)(1) Proposed Penalty: \$815	T
Multiplier:	This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the
Subtotal:\$ 815	Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Compliance Order
2. Violation: Failure to operate and maintain release detection method and annually test components in accordance with manufacturer instructions, acceptable code of practice or other requirements.	is in the sole discretion of the Regional Administrator, Region 5, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below.
Cite: 40 CFR §280.40(a)(3) Proposed Penalty:\$ 815	mail a copy of this document to the owner of operator signing below.
Multiplier:	SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE:
3. Violation:	Name (Print:) James Gillety Title (Print): GENERAL MANAGER
Cite: 40 CFR Proposed Penalty:	Signature Date: 2/21/2025
Multiplier: Subtotal:	B. Compliance Order. The Compliance Order is issued under the
	B. Compliance Order: This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in Part
4. Violation:	 The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay
	the total penalty amount listed in Part I of this Form. This
Cite: 40 CFR Proposed Penalty:	Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.
Multiplier:	
Subtotal:	SIGNATURE BY EPA APPROVING THE SETTLEMENT AGREEMENT AND COMPLIANCE ORDER:
TOTAL PROPOSED PENALTY: \$1,630	
EPA finds the Owner or Operator in violation of the above referenced UST regulations.	Name (Print): Julie Morris
DEDDICK Digitally signed by DERRICK	Title (Print): Branch Manager, LECAB
SAMARANSKI SAMARANSKI Date: 2/7/25	Signature Date:
(Signature of EPA Inspector)	Date