

R8 Hearing Clerk

From: Carballal-Broome, Christina
Sent: Friday, June 13, 2025 3:11 PM
To: rick@lvenergy.com; Jon Hougland; jim@lvenergy.com; ahelm@lvenergy.com; cnethercott@lvenergy.com
Cc: Alan Huston; Ellis, Bradley; Clay Vanhouten; Dan Chamberlain; Doug Evans; Gary Hickman; Brough, James; R8 Hearing Clerk; Jon Cecil; teri.bowers@lincolncountywy.gov; Karen Farley; Kevin Schwaiger; Kim Parker; Linda Stratton; Lorraine Werner; Baron, Mark; markp; Paul Lohman; rich.cripe; Ruth Heald; Sarah Geffre; stanley.miller@wyo.gov; william.tillman@wyo.gov; Tyrel Owens; clearwateroperations@gmail.com; Cantor, Tiffany; Rathbone, Colleen; Bearley, Mia; Wells, Ellen; Detty, Joan; Brough, James; lily.barkau@wyo.gov; cnethercott@lvenergy.com; Hendon2, Keenan
Subject: Closure of Administrative Order - Lower Valley Energy Public Water System (WY5601403), Docket No. SDWA-08-2025-0011

The EPA has decided to close the Administrative Order (Order) regarding the public water system specified in the subject line. The EPA has determined that there are no remaining requirements of the Order.

Thank you for resolving these issues. If you have any questions regarding this matter, please contact me.

Christina Carballal

U.S. EPA – Region 8 | SDWA Enforcement | 8ECA-W-S |
1595 Wynkoop Street, Denver, CO 80202 | Phone: 303.312.6046 |

