



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 6  
1445 ROSS AVENUE, SUITE 1200  
DALLAS TX 75202-2733

FILED

2013 JUN 11 AM 8:21

CERTIFIED MAIL—RETURN RECEIPT REQUESTED: 7010 2780 0002 4356 9387  
REGIONAL HEARING CLERK  
EPA REGION VI

Mr. Greg Sparks  
GKM Oil and Gas, Inc.  
P.O. Box 985  
Vinita, OK 74301

Re: Transmittal of Final Administrative Order  
Docket Number: SDWA-06-2013-1109

Dear Mr. Sparks:

Enclosed is a Final Administrative Order (Order) issued to you for violations of the Safe Drinking Water Act (SDWA). These violations were identified based on review of our files for the referenced well. The violation was for maintaining Well No. 1 in a manner which could allow fluids to move through the well bore into underground sources of drinking water.

We issued a proposed order on January 7, 2013, for review and comment by you and the public. We did not receive any comments on the proposed order from the public and you did not request a hearing. The proposed Order is hereby made final.

The SDWA provides that you, or any person who commented on the proposed order, may file an appeal of the final order with the United States District Court for the District of Columbia or the district in which the violations occurred. Such appeal must be filed within 30 days after the final order is issued. If you file an appeal, you must simultaneously send a copy of the appeal by certified mail to the Administrator of the Environmental Protection Agency and to the U. S. Attorney General.

If you have any questions concerning this order, please contact Mr. David Aguinaga, of my staff, at 214-665-6439.

Sincerely yours,

Jerry Saunders  
Associate Director  
Water Enforcement Branch

Enclosure

cc w/enclosure:

Osage Nation Department of Environmental  
and Natural Resources  
BIA, Minerals Branch