Charles - Charles

## U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA), REGION 8 1595 WYNKOOP STREET DENVER, CO 80202-1129

UNDERGROUND STORAGE TANK (UST) FIELD CITATION F	FORM FOR EXPEDITED SETTLEMENT NO. RCRA-08-2024-0007
PART I: INSPECTION SUMMARY On: May 1, 2024 (Date of Inspection) Time: 9:45 a.m. MST (a.m. or p.m.) At: Our Lady of Lourdes 4070029	PART II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER A. Settlement Agreement: The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions: The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of s <u>1630</u> in payment of the full proposed penalty amount, as described in Part I of this Form.
(Facility Name and Identification Number ) Address: 500 Lourdes Lane Porcupine, South Dakota 57772	
Name of On-site Representative if not the Owner or Operator: Boyd Ferguson	The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA section 9006.
Name and address of the UST Owner or Operator (circle which applies):           Red Cloud Indian School, Inc. (Mahpiya Luta Owayawa)           Address:         100 Mission Drive	Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements
Pine Ridge, South Dakota 57770 A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by	listed in Part I that were not corrected in a timely manner. This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Compliance Order is in the sole discretion of the Regional Administrator, Region 8, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to
EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.). 1. Violation: Failure to operate and maintain release detection method and annually test components	the Owner or Operator signing below. SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE: Name (print): Monica Macele
Cite: <u>40 C.F.R. §280.40(a)(3)</u> 2. Violation: Failure to conduct annual walkthrough inspections.	Title (print): Vice President of Facilities Signature: <u>Monica March</u> Date: <u>7/16/20</u> B. Compliance Order: This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in Part I. The Owner or Operator is ordered to correct the violations,
Cite:     40 C.F.R. §280.36(a)     Proposed Penalty: \$ 815       3. Violation:     Proposed Penalty: \$ 815	submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.
Cite:Proposed Penalty: \$	Name (print):
4. Violation: Cite: Proposed Penalty: \$	Signature: Date:
5. Violation:	FILED
Cite: Proposed Penalty: \$ PROPOSED PENALTY TOTAL: \$	7/31/2024 2:18 PM
EPA finds the Owner or Operator in violation of the above referenced UST regulations.           MARTA GRABOWSKI         Digitally signed by MARTA GRABOWSKI           Date:         2024.07.01 16:34:30 -06'00'           Object         Operator of Employee of EPA)	U.S. EPA REGION 8 HEARING CLERK