



NSF International / Nonfood Compounds Registration Program

March 04, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX POLY-GUARD FG-2
Category Code: H1
NSF Registration No. 122699

Dear Patty Riek:

NSF has processed the application for Registration of **JAX POLY-GUARD FG-2** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



NSF International / Nonfood Compounds Registration Program

March 25, 2002

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX POLY-GUARD FG-LT
Category Code: H1
NSF Registration No. 125341

Dear Patty Riek:

NSF has processed the application for Registration of **JAX POLY-GUARD FG-LT** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FFA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use on and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred, to food being processed.

This product is NSF Registered when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF approved product label. The NSF Registration Mark can be downloaded from the NSF web site, at http://www.nsf.org/mark/download_marks.html.

Registration of this compound by NSF International is in no way to be construed as an endorsement of the compound, appropriate selection for use, or any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in cursive script that reads "Kenji Yano".

Kenji Yano
NSF Nonfood Compounds Registration and listing program



June 9, 2005

Ms. Patty Riek
BEHNKE LUBRICANTS, INC. JAX
W134 N5373 CAMPBELL DRIVE
MENOMONEE FALLS, WI 53051
UNITED STATES

RE: JAX HALO-GUARD FG-2
Category Code: H1
NSF Registration No. 126100

Dear Ms. Patty Riek:

NSF has processed the application for Registration of **JAX HALO-GUARD FG-2** to the NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2004), which are available at <http://www.nsf.org>. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/business/about_NSF/nsf_marks_download.asp.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration Program

Company No: N01723



June 13, 2005

Ms. Patty Riek
BEHNKE LUBRICANTS, INC. JAX
W134 N5373 CAMPBELL DRIVE
MENOMONEE FALLS, WI 53051
UNITED STATES

RE: JAX HALO-GUARD FG-LT
Category Code: H1
NSF Registration No. 128352

Dear Ms. Patty Riek:

NSF has processed the application for Registration of **JAX HALO-GUARD FG-LT** to the NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2004), which are available at <http://www.nsf.org>. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/business/about_NSF/nsf_marks_download.asp.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of these compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration Program

Company No: N01723



NSF International / Nonfood Compounds Registration Program

March 04, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX MAGNA-PLATE 74
Category Code: H1
NSF Registration No. 124536

Dear Patty Riek:

NSF has processed the application for Registration of **JAX MAGNA-PLATE 74** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



NSF International / Nonfood Compounds Registration Program

January 25, 2002

Behnke Lubricants, Inc.
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX MAGNA-PLATE 78
Category Code: H1
NSF Registration No. 124534

Dear Patty Riek:

NSF has processed the application for Registration of **JAX MAGNA-PLATE 78** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2000)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements for appropriate use ingredient review and labeling verification.

This product is acceptable as a **lubricant with incidental food contact (H1)** for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred, to food being processed.

This product is NSF Registered when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF approved product label. The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

Registration of compounds by NSF International is in no way to be construed as an endorsement of the compounds, appropriate selection for use, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <http://www.nsf.org/usda>. Changes in the formulation or label, without prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely

A handwritten signature in cursive script that reads 'Kenji Yano'.

Kenji Yano, Ph.D.
NSF Nonfood Compounds Registration and Listing Program