

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 2
290 Broadway
New York, NY 10007-1866

May 11, 2023 @ 5:00 pm
USEPA – Region II
Regional Hearing Clerk

IN THE MATTER OF:

Southco, Inc.
250 East Street
Honeoye Falls, NY 14472

Respondent

Proceeding pursuant to Section 309(g) of the
Clean Water Act, 33 U.S.C. § 1319(g)

**Administrative Complaint
Findings of Violation, Notice of Proposed
Assessment of a Civil Penalty, and Notice of
Opportunity to Request a Hearing**

**Proceeding to Assess Class I
Civil Penalty**

Docket No. CWA-02-2023-3310

CERTIFICATE OF SERVICE

I certify that, on the date noted below, I caused to be mailed, by certified mail, return receipt requested, and e-mailed a copy of the foregoing “ADMINISTRATIVE COMPLAINT” and a copy of the “Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits,” 40 C.F.R. Part 22 to the following persons at the addresses listed below:

Original by E-Mail

Office of Regional Hearing Clerk
U.S. Environmental Protection Agency - Region 2
290 Broadway, 16th floor
New York, New York 10007-1866
Maples.Karen@epa.gov


Copy by E-Mail

Ronald W. Aikin
EHS and Maintenance Manager
Southco, Inc.
250 East Street
Honeoye Falls, NY 14472
raikin@southco.com

Copy by Email

Ed Hampston, P.E., Director
Bureau of Water Compliance Programs
NYSDEC
625 Broadway
Albany, New York 12233-4500
edward.hampston@dec.ny.gov

Date: 5/11/2023
New York, New York


Alia Roufaeal, Environmental Engineer
Water Compliance Branch, SCWCPT