DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action
Current Human Exposures Under Control

Facility Name: **Energy Northwest Columbia Generating Station** _____
Facility Address: **PO Box 968, Richland, WA 99352-3172**_____
Facility EPA ID #: **WAD980738488**_____

1. Has **all** available relevant/significant information on known and reasonably suspected releases to soil, groundwater, surface water/sediments, and air, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

__X__ If yes - check here and continue with #2 below.

_____ If no - re-evaluate existing data, or

_____ if data are not available skip to #6 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Current Human Exposures Under Control" EI

A positive "Current Human Exposures Under Control" EI determination ("YE" status code) indicates that there are no "unacceptable" human exposures to "contamination" (i.e., contaminants in concentrations in excess of appropriate risk-based levels) that can be reasonably expected under current land- and groundwater-use conditions (for all "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993 (GPRA). The "Current Human Exposures Under Control" EI are for reasonably expected human exposures under current land- and groundwater-use conditions ONLY, and do not consider potential future land- or groundwater-use conditions or ecological receptors. The RCRA Corrective Action program's overall mission to protect human health and the environment requires that Final remedies address these issues (i.e., potential future human exposure scenarios, future land and groundwater uses, and ecological receptors).

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRA Info national database ONLY as long as they remain true (i.e., RCRA Info status codes must be changed when the regulatory authorities become aware of contrary information).

2. Are groundwater, soil, surface water, sediments, or air **media** known or reasonably suspected to be **"contaminated"**[1] above appropriately protective risk-based "levels" (applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action (from SWMUs, RUs or AOCs)?

Media	Yes	No	?	Rationale / Key Contaminants
Groundwater	x			Tritium (not related to any Columbia Generating Station past or present activities). See notes below.
Air (indoors)[2]		x		
Surface soil (e.g., <2 feet)		x		
Surface water		x		
Sediment		x		
Subsurface soil (e.g., >2 feet)		x		
Air (outdoors)		x		

_____ If no (for all media) - skip to #6, and enter "YE," status code after providing or citing appropriate "levels," and referencing sufficient supporting documentation demonstrating that these "levels" are not exceeded.

__X___ If yes (for any media) - continue after identifying key contaminants in each "contaminated" medium, citing appropriate "levels" (or provide an explanation for the determination that the medium could pose an unacceptable risk), and referencing supporting documentation.

_____ If unknown (for any media) - skip to #6 and enter "IN" status code.

Rationale and Reference(s): Energy Northwest Columbia Generating Station is a nuclear power plant. They operated a RCRA Mixed waste storage facility (MWSF) under interim status to store select mixed waste in the 1990's through 2007. The MWSF was clean closed on 12-29-08 and their Interim Status was terminated on 7/14/09. There have been no spills or releases to the environment from Energy Northwest that have not been cleaned and remediated.

Note: The Energy Northwest, Columbia Generating Station is situated on Hanford land leased from the U.S. Department of Energy (EPA ID # WA 90008967). Adjacent to the west part of the Energy Northwest property is a Department of Energy Hanford Burial Ground (618-11 Burial Ground) that has released contamination to the groundwater. The contamination is in not related to Energy Northwest or its operations, past or present. The 618-11 Burial Ground is physically located directly adjacent to the western boundary of the Energy Northwest, Columbia Generating Station facility. The burial ground is part of the U.S. Department of Energy 300-FF-5 Operable Unit. Tritium is considered the potential contaminant of concern at the 618-11 Burial Ground where it forms a small but high-concentration plume. The plume extends under the western portion of the Energy Northwest plant. Tritium concentrations ranged between

[1] "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriately protective risk-based "levels" (for the media, that identify risks within the acceptable risk range).

[2] Recent evidence (from the Colorado Dept. of Public Health and Environment, and others) suggests that unacceptable indoor air concentrations are more common in structures above groundwater with volatile contaminants than previously believed. This is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration necessary to be reasonably certain that indoor air (in structures located above (and adjacent to) groundwater with volatile contaminants) does not present unacceptable risks.

610,000 and 818,000 PCi/L in 2008. Concentrations are declining near the burial ground. It is well defined and has been managed and monitored for years. Currently, 6 monitoring wells are sampled and monitored on a quarterly basis. Tritium levels exceed MTCA cleanup standards. An update to the initial qualitative human health and ecological risk assessment for the 300-FF-5 Operable Unit was performed in FY 2007 and a report describing the results of the assessment was published in FY 2007.

References:

Hanford Site Groundwater Monitoring for Fiscal Year 2008, DOE/RL-2008-66, Rev 0

Operation and Maintenance Plan for the 300-FF-5 Operable Unit, DOE/RL-95-73

300-FF-5Operable Unit Sampling and Analysis Plan, DOE/RL-2002-11

Current Conditions Risk Assessment for the 300-FF05 Groundwater Operable Unit, PNNL-16454

---

3. Are there **complete pathways** between "contamination" and human receptors such that exposures can be reasonably expected under the current (land- and groundwater-use) conditions?

Summary Exposure Pathway Evaluation Table

Potential **Human Receptors** (Under Current Conditions)

"Contaminated" media	Residents	Workers	Daycare	Construction	Trespassers	Recreation	Food[3]
Groundwater	No	No	No	No	No	No	No
Air (indoors)							
Surface soil (e.g., <2 feet)							
Surface water							
Sediment							
Subsurface soil (e.g., >2 feet)							
Air (outdoors)							

Instructions for Summary Exposure Pathway Evaluation Table:

1. Strike-out specific Media including Human Receptors' spaces for Media which are not "contaminated") as identified in #2 above.

2. Enter "yes" or "no" for potential "completeness" under each "Contaminated" Media – Potential Human Receptor combination (Pathway).

Note: In order to focus the evaluation to the most probable combinations some potential "Contaminated" Media - Human Receptor combinations (Pathways) do not have check spaces ("___"). While these combinations may not be probable in most situations they may be possible in some settings and should be added as necessary.

_X____ If no (pathways are not complete for any contaminated media-receptor combination) - skip to #6, and enter "YE" status code, after explaining and/or referencing condition(s) in-place, whether natural or man-made, preventing a complete exposure pathway from

[3] Indirect pathway/receptor (e.g., vegetables, fruits, crops, meat and dairy products, fish, shellfish, etc.)

each contaminated medium (e.g., use optional Pathway Evaluation Work Sheet to analyze major pathways).

_____ If yes (pathways are complete for any "Contaminated" Media - Human Receptor combination) - continue after providing supporting explanation.

_____ If unknown (for any "Contaminated" Media - Human Receptor combination) - skip to #6 and enter "IN" status code

Rationale and Reference(s): The existing contamination plume is from a Department of Energy source (618-11 Burial Ground) and is not related to any Columbia Generating Station activity, past or present. The Burial Ground is managed by DOE and monitored (sampled) on a quarterly basis. The Columbia Generating Station is not directly affected by the contaminated groundwater. The contamination does not directly affect any media-receptor combination for the facility.

_____

_____

4. Can the **exposures** from any of the complete pathways identified in #3 be reasonably expected to be **"significant"**[4] (i.e., potentially "unacceptable" because exposures can be reasonably expected to be: 1) greater in magnitude (intensity, frequency and/or duration) than assumed in the derivation of the acceptable "levels" (used to identify the "contamination"); or 2) the combination of exposure magnitude (perhaps even though low) and contaminant concentrations (which may be substantially above the acceptable "levels") could result in greater than acceptable risks)?

_____ If no (exposures cannot be reasonably expected to be significant (i.e., potentially "unacceptable") for any complete exposure pathway) - skip to #6 and enter "YE" status code after explaining and/or referencing documentation justifying why the exposures (from each of the complete pathways) to "contamination" (identified in #3) are not expected to be "significant."

_____ If yes (exposures could be reasonably expected to be "significant" (i.e., potentially "unacceptable") for any complete exposure pathway) - continue after providing a description (of each potentially "unacceptable" exposure pathway) and explaining and/or referencing documentation justifying why the exposures (from each of the remaining complete pathways) to "contamination" (identified in #3) are not expected to be "significant."

_____ If unknown (for any complete pathway) - skip to #6 and enter "IN" status code

Rationale and Reference(s):_____

5 Can the "significant" **exposures** (identified in #4) be shown to be within **acceptable** limits?

_____ If yes (all "significant" exposures have been shown to be within acceptable limits) - continue and enter "YE" after summarizing and referencing documentation justifying

[4] If there is any question on whether the identified exposures are "significant" (i.e., potentially "unacceptable") consult a human health Risk Assessment specialist with appropriate education, training and experience.

why all "significant" exposures to "contamination" are within acceptable limits (e.g., a site-specific Human Health Risk Assessment).

_____ If no (there are current exposures that can be reasonably expected to be "unacceptable") - continue and enter "NO" status code after providing a description of each potentially "unacceptable" exposure.

_____ If unknown (for any potentially "unacceptable" exposure) - continue and enter "IN" status code

Rationale and Reference(s):_____

_____

6. Check the appropriate RCRAInfo status codes for the Current Human Exposures Under Control EI event code (CA725), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (and attach appropriate supporting documentation as well as a map of the facility):

_YE___ YE - Yes, "Current Human Exposures Under Control" has been verified. Based on a review of the information contained in this EI Determination, "Current Human Exposures" are expected to be "Under Control" at the Energy Northwest facility, EPA ID # **WAD980738488** , located at Richland, WA under current and reasonably expected conditions. This determination will be re-evaluated when the Agency/State becomes aware of significant changes at the facility.

____ NO - "Current Human Exposures" are NOT "Under Control."

____ IN - More information is needed to make a determination.

Completed by (signature) _____ Date 8/31/09
(print) Jeff Ayres
(title) Energy Northwest Project Lead

Supervisor (signature) _____ Date 8/31/09
(print) Ron Skinnarland
(title) Waste Management Section Manager
WA Dept of Ecology, Nuclear Waste Program, Richland, WA 99354

Locations where References may be found:

US Department of Energy, Richland, WA
WA Dept of Ecology, Richland, WA

Contact telephone and e-mail numbers

(name)_Jeff Ayres_____
(phone #)__509-372-7881_____
(e-mail)__jayr461@ecy.wa.gov_____

FINAL NOTE: THE HUMAN EXPOSURES EI IS A QUALITATIVE SCREENING OF EXPOSURES AND THE DETERMINATIONS WITHIN THIS DOCUMENT SHOULD NOT BE USED AS THE SOLE BASIS FOR RESTRICTING THE SCOPE OF MORE DETAILED (E.G., SITE-SPECIFIC) ASSESSMENTS OF RISK.

DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action
Migration of Contaminated Groundwater Under Control

Facility Name: Energy Northwest Columbia Generating Station
Facility Address: PO Box 968, Richland, WA 99352-3172
Facility EPA ID #: WAD980738488

1. Has all available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?

   __x__ If yes - check here and continue with #2 below.

   _____ If no - re-evaluate existing data, or

   _____ If data are not available, skip to #8 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993 (GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRA Info national database ONLY as long as they remain true (i.e., RCRAInfo status codes must be changed when the regulatory authorities become aware of contrary information).

2. Is **groundwater** known or reasonably suspected to be **"contaminated"**[1] above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

   _X____ If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.

   _____ If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."

   _____ If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

Note: The Energy Northwest, Columbia Generating Station is situated on Hanford land leased from the U.S. Department of Energy (EPA ID # WA7890008967). Adjacent to the west part of the Energy Northwest property is a Department of Energy Hanford Burial Ground (618-11 Burial Ground) that has released contamination to the groundwater. The burial ground is part of the U.S. Department of Energy 300-FF-5 Operable Unit. The contamination is in not related to Energy Northwest or its operations, past or present. The 618-11 Burial Ground is physically located directly adjacent to the western boundary of the Energy Northwest, Columbia Generating Station facility. Tritium is considered the potential contaminant of concern at the 618-11 Burial Ground where it forms a small but high-concentration plume. The plume extends under the western portion of the Energy Northwest plant. Tritium concentrations ranged between 610,000 and 818,000 PCi/L in 2008. Concentrations are declining near the burial ground. It is well defined and has been managed and monitored for years. Currently, 6 monitoring wells are sampled and monitored on a quarterly basis. Tritium levels exceed MTCA cleanup standards. An update to the initial qualitative human health and ecological risk assessment for the 300-FF-5 Operable Unit was performed in FY 2007 and a report describing the results of the assessment was published in FY 2007.

References:

Hanford Site Groundwater Monitoring for Fiscal Year 2008, DOE/RL-2008-66, Rev 0

Operation and Maintenance Plan for the 300-FF-5 Operable Unit, DOE/RL-95-73

300-FF-5Operable Unit Sampling and Analysis Plan, DOE/RL-2002-11

Current Conditions Risk Assessment for the 300-FF05 Groundwater Operable Unit, PNNL-16454

[1] "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater"[2] as defined by the monitoring locations designated at the time of this determination)?

__X___ If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination").

_____ If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination") - skip to #8 and enter "NO" status code, after providing an explanation.

_____ If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

The contamination plume is from the Department of Energy 618-11 Burial Ground waste site and is not related to Energy Northwest Columbia Generating Station. This plume has been monitored and managed for years and is currently sampled and monitored on a quarterly basis by the Department of Energy. The tritium concentrations are declining near the burial ground.

4. Does "contaminated" groundwater **discharge** into **surface water** bodies?

__X___ If yes - continue after identifying potentially affected surface water bodies.

___ If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.

_____ If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):
Contamination from this plume is reported to discharge to the Columbia River through the riverbed. This discharge is fully documented in the referenced reports. The plume and discharge is not related to any Energy Northwest Columbia Generating Station activities, past or present.

[2] "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

5. Is the **discharge** of "contaminated" groundwater into surface water likely to be **"insignificant"** (i.e., the maximum concentration[3] of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?

_X____ If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration[3] of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgment/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

_____ If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration[3] of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations[3] greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

_____ If unknown - enter "IN" status code in #8.

Rationale and Reference(s):_____

_____

6. Can the **discharge** of "contaminated" groundwater into surface water be shown to be **"currently acceptable"** (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented)?[4]

_____ If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,[5] appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow,

---

[3] As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

[4] Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

[5] The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

_____ If no - (the discharge of "contaminated" groundwater cannot be shown to be "**currently acceptable**") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.

_____ If unknown - skip to 8 and enter "IN" status code.

Rationale and Reference(s):_____

_____

7. Will groundwater **monitoring**/measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"

_X-Yes If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."

_____ If no - enter "NO" status code in #8.

_____ If unknown - enter "IN" status code in #8.

Rationale and Reference(s):

The contamination plume is from the Department of Energy 618-11 Burial Ground waste site and is not related to Energy Northwest Columbia Generating Station. This plume has been monitored and managed for years and is currently sampled and monitored on a quarterly basis by the Department of Energy.

_____

8. Check the appropriate RCRAInfo status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

_YE___ YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Energy Northwest facility , EPA ID # **WAD980738488** , located at Richland, WA. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

_____ NO - Unacceptable migration of contaminated groundwater is observed or expected.

_____ IN - More information is needed to make a determination.

Completed by (signature) _____ Date 8/31/09
(print) Jeff Ayres
(title) Energy Northwest Project Lead

Supervisor (signature) _____ Date 8/31/09
(print) Ron Skinnarland
(title) Waste Management Section Manager
WA Dept of Ecology, Nuclear Waste Program, Richland, WA 99354

Locations where References may be found:

US Department of Energy, Richland, WA
WA Dept of Ecology, Richland, WA

Contact telephone and e-mail numbers

(name)__Jeff Ayres_____
(phone #)_509-372-7881_____
(e-mail)__jayr461@ecy.wa.gov_____