

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID:	45938	Company Name:	EME, Inc.
Equipment Location:	431 East Oaks Street, Compton, CA 90224		SIC Code: 3471
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	547289	Application Submittal Date(s):	02/12/13
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:
		(909) 396-3275	hmandilawi@aqmd.gov
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the business of aerospace coating. The facility operates spray booths, ovens, an aluminum etch line, a passivation line, a sulfuric acid anodizing line, a chromic acid anodizing line, abrasive blasting equipment, air pollution control equipment baghouses, a scrubber, and HEPA filters, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2012		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	
		Ammonia	Emissions (lbs/yr): 145
		Benzene	0.064
		Hexavalent Chromium	1.39
		Formaldehyde	0.136
		Naphthalene	0.002
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) <u>2001</u> Cancer Risk = <u>0.04 in one million</u> Acute Hazard Index = <u>0</u> Chronic Hazard Index = <u>&lt;0.01</u>			
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2012		<input checked="" type="checkbox"/> NOx <u>0.402</u> <input checked="" type="checkbox"/> PM <u>1.398</u> <input checked="" type="checkbox"/> CO <u>0.337</u> <input checked="" type="checkbox"/> SOx <u>0.002</u> <input checked="" type="checkbox"/> VOC <u>8.655</u> <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)			
Comments:			