



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

March 9, 2012

via electronic submittal

Mr. Gerardo Rios
USEPA Region IX, Mail Stop AIR-3
75 Hawthorne Street
San Francisco, CA 94105

SUBJECT: DeMinimis Significant Permit Revision to Title V Facility Permit
Ultramar, Inc.
2402 E. Anaheim Street
Wilmington, CA 90744

REFERENCE: SCAQMD Facility ID: 800026
SCAQMD Application # 529463

Dear Mr. Rios:

The South Coast Air Quality Management District (AQMD) has received and reviewed a Title V DeMinimis Significant Permit Revision application to the Ultramar, Inc. Facility Permit. The proposed permit changes qualify as a DeMinimis Significant Permit Revision and are subject to a 45-day EPA review (AQMD Rule 3003). The application is listed in the table below:

| | A/N | Equipment | Device ID | Permit Action | Section | Process | System |
|---|--------|-----------------------|-----------|---|---------|---------|--------|
| 1 | 529463 | Selenium Removal Unit | Various | Construct new selenium removal unit consisting of two prefilters and carbon adsorber system | H | 10 | 15 |

The AQMD is required under Rule 3003(j) to provide a copy of the proposed permit to the EPA administrator for a 45-day review. A copy of the proposed permit along with our analysis is attached for your review. As agreed with your staff, we are submitting the required documents to the email address R9AirPermits_SC@epa.gov.

If you have any questions or wish to provide comments regarding this proposed permit, please contact Ms. Connie Yee (909) 396-2619 (cye@aqmd.gov) or Mr. Paul Park at (909) 396-2568 (ppark@aqmd.gov).

Sincerely,



Jay Chen, P.E.
Senior Manager
Refinery and Waste Management Permitting
Engineering and Compliance

Enclosures: Proposed Section H
Evaluation for A/N # 529463

cc: with proposed Section H only
Sharon Stewart, Ultramar, Inc.