

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID: 59225	Company Name: Americh Corp.		
Equipment Location: 13152 Saticoy, North Hollywood, CA 91605			SIC Code: 3842
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 574925	Application Submittal Date(s): 05/07/2015		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in fiberglass tub manufacturing. The facility operates spray booths and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2015		<input checked="" type="checkbox"/> No TACs Reported <input type="checkbox"/> <u>The Following TACs Were Reported:</u> <span style="float: right;"><u>Emissions (lbs/yr):</u></span>	
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = <u>in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____			
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2015		<input checked="" type="checkbox"/> NOx <u>0</u> <input checked="" type="checkbox"/> PM <u>0</u> <input checked="" type="checkbox"/> CO <u>0</u> <input checked="" type="checkbox"/> SOx <u>0</u> <input checked="" type="checkbox"/> VOC <u>8.69</u> <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (1)			
Comments:			