



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

February 25, 2014

Mr. Gerardo Rios
Chief – Permits Office
U. S. EPA, Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Dear Mr. Rios:

Veolia Energy Los Angeles, Inc (I.D. 11034) has proposed to revise their Title V permit by updating the permit wording to include existing air fuel ratio controllers and updating permit conditions for Rule 1110.2 (applications 486731, 486735, 486736, 486737, 486738, 486739, 486740, 486741, and 486742). This facility uses engines to power fans and pumps that are used to run chillers to provide air conditioning to various office buildings and is located at 2052 Century Park East, Century City, CA 90067. This proposed permit revision as requested under application 500607 is considered as a “minor permit revision” to their Title V permit. Enclosed for your review is the permit evaluation and draft permit for the proposed permit revision. With your receipt of the proposed Title V permit revision today, we will note that the EPA 45-day review period will begin on February 25, 2014.

If you have any questions or need additional information regarding the proposed permit revision, please call Merrill Hickman at (909) 396-2676.

Very truly yours,

A handwritten signature in black ink that reads "Will Thompson".

William C. Thompson, P.E.
Senior Manager/Web Deputy
Engineering and Compliance

Attachments