

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 5723	Company Name: Ducommun AeroStructures, Inc.		
Equipment Location: 1885 N. Batavia Street, Orange, CA 92865	SIC Code: 3721		
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 529342	Application Submittal Date(s): 11/08/2011		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the business of chemical milling of aerospace components. The facility operates chemical milling systems, deoxidation tanks, a surface preparation line, scrubbers, an oven, a spray booth, a maskant dip tank, a storage tank, a paint burn-off furnace, and other supporting equipment. Emissions from the maskant dip tank are vented to an air pollution control system consisting of a condenser and carbon adsorbers.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for 2010	<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>		<u>Emissions (lbs/yr):</u> Ammonia 518 Benzene 0.23 Formaldehyde 0.5 Naphthalene 0.008 PAHs 0.002 Perchloroethylene 1925
Health Risk From Toxic Air Contaminants:	<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) 1999 Cancer Risk = 6.7 in one million Acute Hazard Index = 0.02 Chronic Hazard Index = 0.1		
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010	<input checked="" type="checkbox"/> NOx 1.438 <input checked="" type="checkbox"/> CO 1.208 <input checked="" type="checkbox"/> VOC 1.215	<input checked="" type="checkbox"/> PM 0.109 <input checked="" type="checkbox"/> SOx 0.008 <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)			
Comments:			