



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

July 11, 2013

Mr. Gerardo Rios
Chief – Permits Office
U. S. EPA, Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Dear Mr. Rios:

Attached please find the amendment to the proposed Title V permit for Weber Metals, Inc., ID 10966. The initial proposed version was sent to your office for 45-day review on June 27, 2013 and is still under EPA's review. This amendment includes:

- Correction of description equipment under application no. 544934 which was mistakenly described equipment under application no. 544940.
- Renumbering of permit conditions in application 544934
- Correcting the wording of permit condition no. 8 of applications 544934 and condition no. 7 of applications 544939 through 544945 to read "...to demonstrate compliance with conditions 3 and 5...", rather than "... to demonstrate compliance with conditions 3, 5 and 7..."

If you have any questions or need additional information regarding the proposed amended permit revision, please call Thai Tran at (909) 396-2562.

Very truly yours,

A handwritten signature in blue ink that reads "T. Tran".

Thai Tran
Air Quality Engineer I
Chemical, Mechanical, and Ports Permitting

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

**Facility Equipment and Requirements
(Section D)**

This section consists of a table listing all permitted equipment at the facility, facility wide requirements, all individual Permits to Construct and Permits to Operate issued to various equipment at the facility, and Rule 219-exempt equipment subject to source-specific requirements. Each permit and Rule 219-exempt equipment will list operating conditions including periodic monitoring requirements, and applicable emission limits and requirements that the equipment is subject to. Also included is the rule origin and authority of each emission limit and permit condition.

**FACILITY PERMIT TO OPERATE
 WEBER METALS INC.**

PERMITTED EQUIPMENT LIST

THE FOLLOWING IS A LIST OF ALL PERMITS TO CONSTRUCT AND PERMITS TO OPERATE AT THIS FACILITY:

Application number	Permit to Operate number	Equipment description
159525	D60661	SCRUBBER, OTHER VENTING S.S.
544936		TANK, OTHER AQUEOUS SOLUTION
418058	D79100	TANK, OTHER AQUEOUS SOLUTION
544938		SCRUBBER, OTHER VENTING S.S.
544942		A & A PRE-HEAT FURNACE
544943		LINDBERG CHAIN PRE-HEAT FURNACE
544944		NO. 2 CAR BOTTOM PRE-HEAT FURNACE
544945		AOV PEDESTAL PRE-HEAT FURNACE
544934		THORPE TECHNOLOGY PRE-HEAT FURNACE (OVE-339)
544939		NO. 1 BOX PRE-HEAT FURNACE
544940		NO. 2 PRE-HEAT FURNACE
544941		ROTARY HEARTH PRE-HEAT FURNACE
437120	F73290	SLUDGE DRYER
C38230	M39199	SCRUBBER, OTHER VENTING S.S.
510789	G11858	STORAGE TANK, LPG

NOTE: EQUIPMENT LISTED ABOVE THAT HAVE NO CORRESPONDING PERMITS TO OPERATE NUMBER ARE ISSUED PERMITS TO CONSTRUCT. THE ISSUANCE OR DENIAL OF THEIR PERMITS TO OPERATE IS SUBJECT TO ENGINEERING FINAL REVIEW. ANY OTHER APPLICATIONS THAT ARE STILL BEING PROCESSED AND HAVE NOT BEEN ISSUED PERMITS TO CONSTRUCT OR PERMITS TO OPERATE WILL NOT BE FOUND IN THIS TITLE V PERMIT.

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

FACILITY WIDE CONDITION(S)

Condition(s):

1. EXCEPT FOR OPEN ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMINANT FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
 - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGELMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
 - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOES SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION.
[RULE 401]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No. D60661
A/N 159525

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. SCRUBBER, L.W. LEFORD, CROSS-FLOW PACKED TYPE, MODEL NO. 546WZ-ZX, 12'-6" W. x 13'-6" L. x 10'-0" H., WITH TWIN-STAGE PACKINGS, AND FOUR 1½-H.P. RECIRCULATION PUMPS.
2. EXHAUST SYSTEM WITH A 60-H.P. BLOWER VENTING TWO ACID TANKS OF AN ETCHING LINE AND A SLUDGE DRYER.
3. VENTURI SCRUBBER, 2" DIA. x 36" L., WITH A CYCLONE SEPARATOR, 10" DIA. x 26" H.
4. EXHAUST SYSTEM WITH A 1-HP BLOWER VENTING A SLUDGE DRYER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE pH LEVEL OF THE RECIRCULATING WATER SHALL NOT BE LESS THAN 2.
[RULE 1303 (b) (2)-OFFSETS]
4. NOT LESS THAN 3 GALLONS PER MINUTE OF WATER AT A MINIMUM PRESSURE OF 35 PSIG SHALL BE SUPPLIED TO THE VENTURI SCRUBBER WHEN THE EQUIPMENT IT SERVES IS IN OPERATION.
[RULE 1303 (b) (2)-OFFSETS]
5. METERS INDICATING GPM AND PSIG SHALL BE INSTALLED IN THE LIQUID SUPPLY LINE TO THE VENTURI SCRUBBER.
[RULE 1303 (b) (2)-OFFSETS; RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

Periodic Monitoring:

6. THE OPERATOR SHALL DETERMINE AND RECORD THE pH OF THE RECIRCULATING WATER ONCE EVERY DAY.
[RULE 3004(a)(4)-PERIODIC MONITORING]
7. THE OPERATOR SHALL DETERMINE AND RECORD THE FLOW RATE AND PRESSURE OF WATER TO THE VETURI SCRUBBER ONCE EVERY DAY.
[RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO OPERATE

**Permit No.
A/N 544936**

Equipment Description:

AQUEOUS SOLUTION LINE CONSISTING OF:

1. ETCHING TANK, NO. 6, NITRIC ACID, 8'-4" L. x 3'-10" W. x 4'-4" H., UNHEATED.
2. NITRIC ACID RINSE TANK, NO. 5, 8'-4" L. x 3'-10" W. x 4'-4" H, UNHEATED.
3. ETCHING TANK NO. 8, SODIUM HYDROXIDE, 8'-4" L. x 3'-10" W. x 4'-4" H., STEAM HEATED.
4. CAUSTIC RINSE TANK, NO. 7, 8'-4" L. x 3'-10" W. x 4'-4" H, UNHEATED.
5. ETCHING TANK, NO. 4, NITRIC ACID, 8'-4" L. x 3'-10" W. x 4'-4" H., UNHEATED.
6. NITRIC ACID RINSE TANK, NO. 3, 8'-4" L. x 3'-10" W. x 4'-4" H, UNHEATED.
7. RINSE TANK, NO. 2, 8'-4" L. x 3'-10" W. x 4'-4" H, UNHEATED.
8. RINSE TANK, NO. 1, 8'-4" L. x 3'-10" W. x 4'-4" H, HEATED.

ALL TANKS, EXCEPT TANKS NO. 2 AND 7, ARE VENTED TO THE SCRUBBER UNDER PERMIT APPLICATION 544938

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE FOLLOWING ETCHING TANKS SHALL NOT BE HEATED:
ETCHING TANK NO. 4
ETCHING TANK NO. 6
[RULE 1303 (b) (2)-OFFSETS]

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO OPERATE

**Permit No. D79100
A/N 418058**

Equipment Description:

SURFACE PREPARATION AND METAL CLEANING SYSTEM CONSISTING OF:

1. TANKS 1 AND 2, HEATED WATER, 5'-0" W. x 20'-0" L. x 6'-0" D. EACH.
2. TANKS 3 AND 4, UNHEATED WATER, 5'-0" W. x 20'-0" L. x 6'-0" D. EACH.
3. TANK 5, UNHEATED NITRIC ACID, 5'-0" W. x 20'-0" L. x 6'-0" D.
4. TANKS 6 AND 7, UNHEATED WATER, 5'-0" W. x 20'-0" L. x 6'-0" D. EACH.
5. TANK 8, UNHEATED NITRIC ACID, 5'-0" W. x 20'-0" L. x 6'-0" D.
6. TANKS 9 AND 10, UNHEATED WATER, 5'-0" W. x 20'-0" L. x 6'-0" D. EACH.
7. TANKS 11 AND 12, HEATED SODIUM HYDROXIDE, 5'-0" W. x 20'-0" L. x 6'-0" D. EACH.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE FOLLOWING NITRIC ACID TANKS SHALL NOT BE HEATED:
NITRIC ACID TANK NO. 5
NITRIC ACID TANK NO. 8
[RULE 1303 (b) (2)-OFFSETS]
4. THE TEMPERATURE OF THE FOLLOWING TANKS SHALL NOT EXCEED 145 DEGREES FAHRENHEIT:
CLEANING TANK NO. 11
CLEANING TANK NO. 12
[RULE 1303 (b) (2)-OFFSETS]

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

5. MATERIALS USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY COMPOUNDS IDENTIFIED AS TOXIC AIR CONTAMINANTS IN AQMD RULE 1401, AS AMENDED ON MAY 2, 2003 OR EARLIER, EXCEPT NITRIC ACID AND SODIUM HYDROXIDE.

[RULE 1401]

6. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS TANKS NO. 1, 2, 5, 8, 11, AND 12 ARE VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No.
A/N 544938

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. SCRUBBER, LEFORT, HORIZONTAL PACKED TYPE, MODEL 244W-2R, 4'-7" W. x 11'-8" L. x 6'-6" H., WITH TWO ONE-FOOT PACKING SECTIONS AND TWO ¾-H.P. RECIRCULATION PUMPS.
2. EXHAUST SYSTEM WITH A 15-H.P. BLOWER

VENTING AQUEOUS SOLUTION LINE UNDER PERMIT APPLICATION 544936.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. A FLOW METER, INDICATING GALLONS PER MINUTE (GPM), SHALL BE MAINTAINED IN EACH RECIRCULATING WATER LINE TO THE SCRUBBER.
[RULE 1303 (b) (2)-OFFSETS; RULE 3004(a)(4)-PERIODIC MONITORING]
4. NOT LESS THAN 30 GPM OF WATER SHALL BE SUPPLIED TO EACH PACKED SECTION OF THE SCRUBBER WHENEVER THE EQUIPMENT IT SERVES IS IN OPERATION.
[RULE 1303 (b) (2)-OFFSETS]

Periodic Monitoring:

5. THE OPERATOR SHALL DETERMINE AND RECORD THE FLOW RATE OF THE SCRUBBING SOLUTION ONCE EVERY DAY.
[RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

Emissions And Requirements:

6. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No.
A/N 544942

Equipment Description:

PRE-HEAT FURNACE, TITANIUM BILLETS, A & A, 16'-0" W. x 23'-0" L. x 10'-0" H., WITH EIGHT MAXON MODEL 0.5M KINEDIZER LOW NOX NATURAL GAS-FIRED BURNERS, 4,000,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 30 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTING TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544943, 544944 AND 544945 SHALL NOT EXCEED 5,500,000 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]
6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]
7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- CO: 2000 PPMV, RULE 407
 - PM: 0.1 GR/SCF, RULE 409
 - PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO OPERATE

**Permit No.
A/N 544943**

Equipment Description:

PRE-HEAT FURNACE (CHAIN), ALUMINUM BILLETS, LINDBERG, 26'-0" W. x 53'-0" L. x 11'-6" H., WITH EIGHT MAXON MODEL 0.5M KINEDIZER LOW NOX NATURAL GAS-FIRED BURNERS, 4,000,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 30 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTABLE TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544942, 544944 AND 544945 SHALL NOT EXCEED 5,500,000 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]

7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CO: 2000 PPMV, RULE 407
PM: 0.1 GR/SCF, RULE 409
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO OPERATE

**Permit No.
A/N 544944**

Equipment Description:

PRE-HEAT FURNACE (CAR BOTTOM NO. 2), STEEL DIES, LINDBERG, 16'-0" W. x 29'-0" L. x 14'-6" H., WITH FOUR MAXON MODEL 2.5M KINEDIZER LOW NOX NATURAL GAS-FIRED BURNERS, 10,000,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 30 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTABLE TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544942, 544943 AND 544945 SHALL NOT EXCEED 5,500,000 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]

7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CO: 2000 PPMV, RULE 407
PM: 0.1 GR/SCF, RULE 409
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO OPERATE

**Permit No.
A/N 544945**

Equipment Description:

PRE-HEAT FURNACE (PEDESTAL), STEEL DIES, AOV INDUSTRIES, 15'-0" W. x 26'-0" L. x 10'-8" H., WITH ONE MAXON MODEL IEI XF STR LOW NOX NATURAL GAS-FIRED BURNERS, 4,000,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 30 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTING TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544942, 544943 AND 544944 SHALL NOT EXCEED 5,500,000 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]

7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CO: 2000 PPMV, RULE 407
PM: 0.1 GR/SCF, RULE 409
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO CONSTRUCT

Permit No.
A/N 544934

Equipment Description:

PRE-HEAT FURNACE NO. 3, BOX TYPE, ALUMINUM AND TITANIUM BILLETS, THORPE TECHNOLOGIES, INC., CUSTOM, 34'-0" W. x 23'-0" L. x 18'-0" H., WITH TWO BLOOM ENGINEERING MODEL 1480-030 BURNERS AND FOUR BLOOM ENGINEERING MODEL 1480-035 BURNERS, NATURAL GAS-FIRED, 8,540,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 40 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTABLE TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544939, 544940 AND 544941 SHALL NOT EXCEED 8,531,100 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]
6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

7. THE OWNER OR OPERATOR OF THIS EQUIPMENT SHALL CONDUCT SOURCE TEST(S), FOR NATURAL GAS FIRING, UNDER THE FOLLOWING CONDITIONS:
- A. A TEST PLAN SHALL BE SUBMITTED TO THE MECHANICAL, CHEMICAL AND PUBLIC SERVICES TEAM PRIOR TO INITIAL START-UP AND SHALL BE APPROVED BEFORE THE TEST COMMENCES. THE PLAN SHALL INCLUDE PROPOSED OPERATING CONDITIONS OF THE EQUIPMENT DURING THE TEST, THE IDENTITY OF THE TESTING LABORATORY, A STATEMENT FROM THE TESTING LABORATORY CERTIFYING IT MEETS THE CRITERIA IN DISTRICT RULE 304(k), AND A DESCRIPTION OF ALL SAMPLING AND ANALYTICAL PROCEDURES TO BE USED.
 - B. EMISSION TESTING SHALL BE CONDUCTED WITHIN 45 DAYS AFTER APPROVAL OF THE TEST PLAN. A COMPLETE TEST REPORT SHALL BE SUBMITTED TO THE MECHANICAL, CHEMICAL AND PUBLIC SERVICES TEAM WITHIN 45 DAYS OF COMPLETION OF THE TEST.
 - C. THE TEST(S) SHALL BE CONDUCTED AT MAXIMUM FIRING RATE, AND SHALL DETERMINE:
 - 1. THE CONCENTRATIONS, IN PPMV, ON A DRY BASIS CORRECTED TO 3% OXYGEN, OF NOX AND CO IN THE EXHAUST.
 - 2. THE EXHAUST FLOW RATE, IN ACTUAL CUBIC FEET PER MINUTE (ACFM).
 - 3. THE TEMPERATURE OF EXHAUST GASES, IN DEGREES FAHRENHEIT.
 - 4. THE FIRING RATE, IN BTU PER HOUR.
 - 5. BATCH LOAD, IN POUNDS.
 - 6. THE OXYGEN CONTENT OF EXHAUST GASES, IN PERCENT.
 - 7. THE MOISTURE CONTENT OF EXHAUST GASES, IN PERCENT.
 - D. THE DISTRICT ENGINEER SHALL BE NOTIFIED OF THE DATE AND TIME OF THE TEST AT LEAST 10 DAYS PRIOR TO THE TEST DATE, OR WITHIN A TIME PERIOD AGREED UPON BY THE DISTRICT ENGINEER.
 - E. SAMPLING FACILITIES SHALL COMPLY WITH THE DISTRICT GUIDELINES FOR CONSTRUCTION OF SAMPLING AND TESTING FACILITIES, PURSUANT TO RULE 217.
[RULE 217; RULE 304(k); RULE 1303 (a) (1)-BACT; RULE 1303 (b) (2)-OFFSETS; RULE 3004(a)(4)-PERIODIC MONITORING]
8. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- CO: 2000 PPMV, RULE 407
 - PM: 0.1 GR/SCF, RULE 409
 - PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No.
A/N 544939

Equipment Description:

PRE-HEAT FURNACE NO. 1, BOX TYPE, ALUMINUM AND TITANIUM BILLETS, CUSTOM MADE, 22'-0" W. x 23'-0" L. x 12'-0" H., WITH SIX BLOOM ENGINEERING MODEL 1480-030 NATURAL GAS-FIRED BURNERS, 6,400,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 40 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTABLE TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544934, 544940 AND 544941 SHALL NOT EXCEED 8,531,100 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]
6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]
7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CO: 2000 PPMV, RULE 407
PM: 0.1 GR/SCF, RULE 409
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No.
A/N 544940

Equipment Description:

PRE-HEAT FURNACE NO. 2, BOX TYPE, ALUMINUM AND TITANIUM BILLETS, CUSTOM MADE, 22'-0" W. x 23'-0" L. x 12'-0" H., WITH SIX BLOOM ENGINEERING MODEL 1480-030 NATURAL GAS-FIRED BURNERS, 6,400,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 40 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTABLE TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544934, 544939 AND 544941 SHALL NOT EXCEED 8,531,100 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]
6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]
7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

CO: 2000 PPMV, RULE 407

PM: 0.1 GR/SCF, RULE 409

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No.
A/N 544941

Equipment Description:

PRE-HEAT FURNACE, ROTARY HEARTH TYPE, TITANIUM BILLETS, CUSTOM MADE, 26'-0" DIA. x 7'-0" H., WITH EIGHT BLOOM ENGINEERING MODEL 1480-035 NATURAL GAS-FIRED BURNERS, 12,000,000 BTU PER HOUR TOTAL.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE NOX CONCENTRATION, ON A DRY BASIS CORRECTED TO 3% OXYGEN, SHALL NOT EXCEED 40 PARTS PER MILLION BY VOLUME (PPMV).
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. A NON-RESETTABLE TOTALIZING GAS METER SHALL BE INSTALLED AND MAINTAINED IN THE FUEL SUPPLY LINE TO THE FURNACE.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]
5. THE AMOUNT OF NATURAL GAS FUEL CONSUMED BY THIS FURNACE AND THOSE FURNACES ASSOCIATED WITH PERMITS TO OPERATE 544934, 544939 AND 544940 SHALL NOT EXCEED 8,531,100 STANDARD CUBIC FEET IN ANY ONE CALENDAR MONTH.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401]
6. METAL CONTAMINATED WITH RUBBER, PLASTICS, PAPER, RAGS, OIL, GREASE, OR SIMILAR SMOKE-PRODUCING MATERIAL SHALL NOT BE CHARGED TO THIS FURNACE.
[RULE 401, RULE 1303 (a) (1)-BACT]
7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 5. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 1401; RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CO: 2000 PPMV, RULE 407
PM: 0.1 GR/SCF, RULE 409
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO OPERATE

**Permit No. F73290
A/N 437120**

Equipment Description:

WASTE SLUDGE DRYER, JWI, J-MATE MODEL J360G, 5'-10" W. x 14'-2" L. x 6'-6" H., WITH SIXTEEN NATURAL GAS-FIRED BURNERS, 400,000 BTU PER HOUR TOTAL, ONE 1½-HP EXTRUDER AND ONE ½-HP CONVEYOR.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED A PERMIT TO OPERATE BY THE EXECUTIVE OFFICER.
[RULE 1303 (a) (1)-BACT, RULE 1303 (b) (2)-OFFSETS]
4. THIS EQUIPMENT SHALL ONLY BE USED TO PROCESS SLUDGE GENERATED AT THIS FACILITY.
[RULE 1303 (b) (2)-OFFSETS]
5. THE OPERATOR SHALL INSTALL AND MAINTAIN A NON-RESETTABLE TOTALIZING FUEL METER IN THE FUEL LINE OF THIS EQUIPMENT.
[RULE 1303 (b) (2)-OFFSETS; RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

6. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CO: 2000 PPMV, RULE 407
PM: 0.1 GR/SCF, RULE 409
PM: RULE 405, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE WEBER METALS INC.

PERMIT TO OPERATE

Permit No. M39199
A/N C38230

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. SCRUBBER, L.W. LEFORD, CROSS-FLOW PACKED TYPE, MODEL NO. 606W2, 12'-6" W. x 8'-6" L. x 11'-0" H., WITH TWO 1½-H.P. RECIRCULATING PUMPS.
2. EXHAUST SYSTEM WITH A 75-H.P. BLOWER VENTING A HOT WATER RINSE TANK, A NON-ETCH CLEANER TANK, AND TWO CAUSTIC TANKS OF AN ETCHING LINE.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.

[RULE 204]

2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.

[RULE 204]

3. THE pH LEVEL OF THE SCRUBBING SOLUTION MUST BE NO MORE THAN 9.

[RULE 1303 (a) (1)-BACT]

Periodic Monitoring:

4. THE OPERATOR SHALL DETERMINE AND RECORD THE FLOW RATE OF THE SCRUBBING SOLUTION ONCE EVERY DAY.

[RULE 3004(a)-PERIODIC MONITORING]

5. THE OPERATOR SHALL DETERMINE AND RECORD THE pH OF THE SCRUBBING SOLUTION ONCE EVERY DAY.

[RULE 3004(a)(4)-PERIODIC MONITORING]

Emissions And Requirements:

6. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
WEBER METALS INC.**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. G11858
A/N 510789**

Equipment Description:

STORAGE TANK, PROPANE, PRESSURIZED, HORIZONTAL, 7' - 3"DIA. x 49' - 10"L., 15,000 GALLON CAPACITY.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. EXCEPT FOR FORKLIFT CYLINDERS, THERE SHALL BE NO TRANSFER FROM THIS EQUIPMENT TO ANY OTHER CONTAINERS.
[RULE 1303 (b) (2)-OFFSETS]
4. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 3 AND 4. THE RECORDS SHALL BE KEPT ON FILE FOR AT LEAST THE LAST FIVE YEARS AND BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b) (2)-OFFSETS; RULE 3004(a)(4)-PERIODIC MONITORING]

FACILITY PERMIT TO OPERATE WEBER METALS INC.

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, NON-CONTACT COOLING TOWERS

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

CR¹⁶: RULE 1404

FACILITY PERMIT TO OPERATE WEBER METALS INC.

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, BOILER, > 400,000 BTU/HR BUT <= 2 MMBTU/HR.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: 0.1 gr/scf, RULE 409
NOx: 30 PPMV, RULE 1146.2
CO: 400 PPMV, RULE 1146.2
CO: 2000 PPMV, RULE 407