

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 9978	Company Name: Peter Pepper Products, Inc.		
Equipment Location: 17929 South Susana Road, Compton, CA 90221	SIC Code: 2521		
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 507852	Application Submittal Date(s): 2/18/2010		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing facility, applying for a Title V permit renewal that is engaged in the manufacturing of metal and wood office furniture. The facility operates three spray booths, two ovens, a diesel fired emergency internal combustion engine, a solvent distillation unit, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009	<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:	<u>Emissions (lbs/yr):</u>	
	Ammonia	775	
	Benzene	0.381	
	1,3 Butadiene	0.043	
	Formaldehyde	1.076	
	Lead	0.001	
	Naphthalene	0.016	
	PAH's	0.011	
Health Risk From Toxic Air Contaminants:	<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____		
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009	<input checked="" type="checkbox"/> NOx 2.84 <input checked="" type="checkbox"/> CO 0.76 <input checked="" type="checkbox"/> VOC 2.37	<input checked="" type="checkbox"/> PM 0.16 <input checked="" type="checkbox"/> SOx 0.01 <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 2)			
Comments:			