



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

October 12, 2011

Mr. Gerardo Rios
Chief – Permits Office
U.S. EPA - Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Dear Mr. Rios:

Subject: Transmittal of Final Title V Renewal Permit

Enclosed is the final Title V renewal permit issued by the South Coast Air Quality Management District (AQMD) for Anheuser-Busch Inc., LA Brewery (Facility ID 016642), located at 15800 Roscoe Blvd., Van Nuys, California 91406. The proposed permit for this facility was submitted to EPA Region IX for 45-day review on August 18, 2011 and made available for 30-day public comment on August 29, 2011. The AQMD did not receive any public comments on the proposed permit.

If there are specific questions on this Title V renewal permit, please contact Hassan Namaki of our Mechanical, Chemical & Public Services at (909) 396-2699. Questions on the AQMD's Title V permitting program may be referred to me at (909) 396-2662 or William Thompson, the Manager of the program, at (909) 396-2398.

Sincerely

Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering and Compliance

Enclosures

c: Brian L. Yeh (w/o enclosures)
William Thompson (w/o enclosures)

FACILITY PERMIT TO OPERATE


ANHEUSER-BUSCH INC., (LA BREWERY)
15800 ROSCOE BLVD
VAN NUYS, CA 91406

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER


By: Mohsen Nazemi
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	17	10/12/2011
B	RECLAIM Annual Emission Allocation	20	10/12/2011
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	20	10/12/2011
E	Administrative Conditions	12	10/12/2011
F	RECLAIM Monitoring and Source Testing Requirements	8	10/12/2011
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	9	10/12/2011
H	Permit To Construct and Temporary Permit to Operate	17	10/12/2011
I	Compliance Plans & Schedules	5	10/12/2011
J	Air Toxics	2	10/12/2011
K	Title V Administration	2	10/12/2011
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	4	10/12/2011
B	Rule Emission Limits	2	10/12/2011

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: ANHEUSER-BUSCH INC., (LA BREWERY)

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 15800 ROSCOE BLVD
VAN NUYS, CA 91406-1379

MAILING ADDRESS: 15800 ROSCOE BLVD
VAN NUYS, CA 91406-1379

RESPONSIBLE OFFICIAL: LUIS CAYO

TITLE: GENERAL MANAGER

TELEPHONE NUMBER: (818) 908-4156

CONTACT PERSON: ASHOK KHANNA

TITLE: EHS MANAGER

TELEPHONE NUMBER: (818) 908-5521

TITLE V PERMIT ISSUED: October 12, 2011

TITLE V PERMIT EXPIRATION DATE: October 11, 2016

TITLE V	RECLAIM
----------------	----------------

YES	NOx:	YES
	SOx:	YES
	CYCLE:	1
	ZONE:	COASTAL

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO_x RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO_x emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	NO _x RTC Initially Allocated	NO _x RTC ¹ Holding as of 10/12/2011 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
1/2009 12/2009	Coastal	55368	15709	2990
1/2010 12/2010	Coastal	55368	17183	4485
1/2011 12/2011	Coastal	55368	42910	5980
1/2012 12/2012	Coastal	55368	42910	5980
1/2013 12/2013	Coastal	55368	42910	5980
1/2014 12/2014	Coastal	55368	42910	5980
1/2015 12/2015	Coastal	55368	42910	5980
1/2016 12/2016	Coastal	55368	42910	5980
1/2017 12/2017	Coastal	55368	42910	5980
1/2018 12/2018	Coastal	55368	42910	5980
1/2019 12/2019	Coastal	55368	42910	5980
1/2020 12/2020	Coastal	55368	42910	5980
1/2021 12/2021	Coastal	55368	42910	5980
1/2022 12/2022	Coastal	55368	42910	5980
1/2023 12/2023	Coastal	55368	42910	5980
1/2024 12/2024	Coastal	55368	42910	5980
1/2025 12/2025	Coastal	55368	42910	5980

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.

2. The use of such credits is subject to restrictions set forth in paragraph (h)(2) of Rule 2002.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	NOx RTC Initially Allocated	NOx RTC ¹ Holding as of 10/12/2011 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
1/2026 12/2026	Coastal	55368	42910	5980

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of SOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total SOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	SOx RTC Initially Allocated	SOx RTC ¹ Holding as of 10/12/2011 (pounds)	Non-Tradable ² Credits (NTCs) (pounds)
1/2009 12/2009	Coastal	13700	6778	
1/2010 12/2010	Coastal	13700	7739	
1/2011 12/2011	Coastal	13700	13700	
1/2012 12/2012	Coastal	13700	13700	
1/2013 12/2013	Coastal	13700	13700	
1/2014 12/2014	Coastal	13700	13700	
1/2015 12/2015	Coastal	13700	13700	
1/2016 12/2016	Coastal	13700	13700	
1/2017 12/2017	Coastal	13700	13700	
1/2018 12/2018	Coastal	13700	13700	
1/2019 12/2019	Coastal	13700	13700	
1/2020 12/2020	Coastal	13700	13700	
1/2021 12/2021	Coastal	13700	13700	
1/2022 12/2022	Coastal	13700	13700	
1/2023 12/2023	Coastal	13700	13700	
1/2024 12/2024	Coastal	13700	13700	
1/2025 12/2025	Coastal	13700	13700	

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (h)(2) of Rule 2002.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of SOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total SOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	SOx RTC Initially Allocated	SOx RTC ¹ Holding as of 10/12/2011 (pounds)	Non-Tradable ² Credits (NTCs) (pounds)
1/2026 12/2026	Coastal	13700	13700	

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (h)(2) of Rule 2002.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase in an annual allocation to a level greater than the facility's starting Allocation plus Non-Tradable credits as listed below, the application will be evaluated for compliance with Rule 2005 (c)(4). Rule 2005 (e) - Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	NOx RTC	Non-Tradable
Begin	End		Starting Allocation	Credits(NTC)
(month/year)			(pounds)	(pounds)
1/1994	12/1994	Coastal	76618	0

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase in an annual allocation to a level greater than the facility's starting Allocation plus Non-Tradable credits as listed below, the application will be evaluated for compliance with Rule 2005 (c)(4). Rule 2005 (e) - Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	SO _x RTC	Non-Tradable
Begin	End		Starting Allocation	Credits(NTC)
(month/year)			(pounds)	(pounds)
1/1994	12/1994	Coastal	13700	28586

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
System 1: Boilers					
BOILER, NO. 1, DIESEL FUEL, NATURAL GAS, BABCOCK & WILCOX, MODEL TYPE FF 15, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL, 62 MMBTU/HR WITH A/N: 381726	D1		NOX: MAJOR SOURCE**; SOX: PROCESS UNIT**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2011, 12-5-2003; RULE 2011, 5-6-2005]	A327.1, B61.1, D12.2, D82.1, D328.1, D371.1, E73.1, E113.1
BURNER, TWO, DIESEL FUEL, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 31 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 2, DIESEL FUEL, NATURAL GAS, BABCOCK & WILCOX, MODEL TYPE FF 15, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL, 62 MMBTU/HR WITH A/N: 381727	D2		NOX: MAJOR SOURCE**; SOX: PROCESS UNIT**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]	A327.1, B61.1, D12.2, D82.1, D328.1, D371.1, E73.1, E113.1
BURNER, TWO, DIESEL FUEL, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 31 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 3, DIESEL FUEL, NATURAL GAS, BABCOCK & WILCOX, MODEL TYPE FF 15, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL; 62 MMBTU/HR WITH A/N: 381728	D3		NOX: MAJOR SOURCE**; SOX: PROCESS UNIT**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2011, 12-5-2003; RULE 2011, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 5-11-2001; RULE 2012, 12-5-2003]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2012, 5-11-2001; RULE 2012, 12-5-2003]	A327.1, B61.1, D12.2, D82.1, D328.1, D371.1, E73.1, E113.1
BURNER, TWO, DIESEL FUEL, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 31 MMBTU/HR					

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 4, DIESEL FUEL, NATURAL GAS, KEELER, MODEL DK 10-16, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL, 74.55 MMBTU/HR WITH A/N: 381729	D4		NOX: MAJOR SOURCE**; SOX: PROCESS UNIT**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2011, 12-5-2003; RULE 2011, 5-6-2005]	A327.1, B61.1, D12.2, D82.1, D328.1, D371.1, E73.1, E113.1
BURNER, DIESEL FUEL, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 74.55 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 5, DIESEL FUEL, DIGESTER GAS, NATURAL GAS, WITH FLUE GAS RECIRCULATION, 147 MMBTU/HR WITH A/N: 381730	D5		NOX: MAJOR SOURCE**; SOX: MAJOR SOURCE - SUPER COMPLIANT **	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF DIGESTER GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 0.83 LBS/MMSCF NATURAL GAS (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]; SOX: 32.1 LBS/MMSCF DIGESTER GAS (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]	A327.1, D328.1, D371.1, E73.2, H418.1
BURNER, DIESEL FUEL, DIGESTER GAS, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 147 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 6, DIESEL FUEL, DIGESTER GAS, NATURAL GAS, WITH FLUE GAS RECIRCULATION, 147 MMBTU/HR WITH A/N: 381731	D6		NOX: MAJOR SOURCE**; SOX: MAJOR SOURCE - SUPER COMPLIANT **	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF DIGESTER GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 0.83 LBS/MMSCF NATURAL GAS (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]; SOX: 32.1 LBS/MMSCF DIGESTER GAS (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]	A327.1, D328.1, D371.1, E73.2, H418.1
BURNER, DIESEL FUEL, DIGESTER GAS, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 147 MMBTU/HR					
System 2: Flares					

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
FLARE, DIGESTER GAS, HEIGHT: 40 FT ; DIAMETER: 10 FT ; 77 MMBTU/HR A/N: 290396	D239			CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; PM: (9) [RULE 404, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	C8.3, D12.3
Process 2: INTERNAL COMBUSTION					
System 1: Emergency Engines					
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, DIESEL FUEL, CUMMINS, MODEL N-855F, 6 CYL, 215 HP A/N: 207988	D7		NOX: PROCESS UNIT**; SOX: PROCESS UNIT**	NOX: 469 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; SOX: 6.24 LBS/1000 GAL DIESEL (1) [RULE 2011, 12-5-2003; RULE 2011, 5-6-2005]	C1.4, D135.1
INTERNAL COMBUSTION ENGINE, EMERGENCY ELECTRIC GENERATOR, DIESEL FUEL, JOHN DEERE, MODEL 6068HF475, 314 BHP A/N: 457266	D926			NOX: 469 LBS/1000 GAL DIESEL (5) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; SOX: 6.24 LBS/1000 GAL DIESEL (5) [RULE 2011, 5-6-2005]	B61.2, C1.4, D12.6, D135.1, K67.8
Process 5: BULK MATERIALS					
System 1: SILICA STORAGE					
MIXER, NO. 23-103-003, SILICA GEL, HEIGHT: 9 FT ; DIAMETER: 6 FT A/N: 321333	D14			PM: (9) [RULE 405, 2-7-1986]	B59.1, D323.1, E193.1
System 2: CELITE RECEIVING, STORAGE & MIXING					

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
STORAGE SILO, CELITE WITH A/N: 346728	D16	D296 D297		PM: (9) [RULE 405, 2-7-1986]	
FILTER, NORTHWEST, MODEL 25-8, WITH FABRIC FILTER, 235 SQ.FT.	C294			PM: (9) [RULE 404, 2-7-1986]	A63.2, D12.5, D322.2, D381.1, E102.1
HOPPER, WEIGH, CELITE A/N: 346729	D296	D16		PM: (9) [RULE 405, 2-7-1986]	D323.1
MIXER, CELITE, 2325 GALS A/N: 346729	D297	D16		PM: (9) [RULE 405, 2-7-1986]	D323.1
System 4: ACID MIXING					
MIXER, NO. 23-116-3, SULFAMIC ACID, 100 GALS A/N: 242013	D24	C25			B27.1, B59.2, C1.9, C1.10
SCRUBBER, WITH MIST ELIMINATOR A/N: 241741	C25	D24			C8.1, D12.1, D12.4, K67.3
System 6: Gypsum Conveying and Storage					
STORAGE SILO, GYPSUM, HEIGHT: 30 FT ; DIAMETER: 12 FT A/N: 340638	D280	C283		PM: (9) [RULE 405, 2-7-1986]	C1.6, D323.1
HOPPER, WEIGH, GYPSUM A/N: 340637	D281	C283		PM: (9) [RULE 405, 2-7-1986]	
HOPPER, WEIGH, GYPSUM A/N: 340637	D282	C283		PM: (9) [RULE 405, 2-7-1986]	
BAGHOUSE, MAC/FLOTRONICS, MODEL 39AVSC16, PULSE JET CLEANING, 635 SQ.FT.; 16 CARTRIDGE A/N: 340639	C283	D280 D281 D282 D882		PM: (9) [RULE 404, 2-7-1986]	C10.2, D12.5, D322.2, D381.2, E102.1
HOPPER, WEIGH, GYPSUM A/N: 340637	D882	C283		PM: (9) [RULE 405, 2-7-1986]	

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: BULK MATERIALS					
HOPPER, WEIGH, GYPSUM, WITH VENT FILTER A/N: 340637	D883			PM: (9) [RULE 405, 2-7-1986]	
System 7: GRAINS RECEIVING STORAGE AND CONVEYING					
BULK MATERIAL LOAD/UNLOAD STATION, 1A TRUCK PIT, GRAIN A/N: 430167	D39			PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, SURGE, PIT, GRAIN WITH A/N: 430167	D42			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BAG, SHICK TUBE-VEYOR, MODEL 58AJ-25, WITH FABRIC FILTER, 182 SQ.FT.	C886				
BULK MATERIAL LOAD/UNLOAD STATION, 1B, PNEUMATIC UNLOADING, GRAIN WITH A/N: 430165	D921			PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH FABRIC FILTER, 597 SQ.FT.	C40			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.2, E102.1, K67.2
HOPPER, SURGE, GRAIN A/N: 430165	D922	C55		PM: (9) [RULE 405, 2-7-1986]	
HOPPER, SURGE, DUST A/N: 430165	D41	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D43	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D44	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
STORAGE SILO, MALT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D45	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUNCT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D46	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUNCT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D47	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D48	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D49	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D50	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D51	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D52	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: BULK MATERIALS					
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430168	D53	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430168	D54	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, BUHLER, MODEL ASFA 44/8, TYPE A, REVERSE JET CLEANING, 410 SQ.FT.; 44 BAGS A/N: 439397	C55	D41 D43 D44 D45 D46 D47 D48 D49 D50 D51 D52 D53 D54 D922		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
System 8: MALT/ADJUNCT, RECEIVING STORAGE AND CONVEYING					
BULK MATERIAL LOAD/UNLOAD STATION, SYSTEM 2, MALT, ADJUCANT WITH A/N: 430168	D71	C72		PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER-MIAG, MODEL ASFA 64/8, WITH FABRIC FILTER, LENGTH: 10 FT ; DIAMETER: 3 FT	C72	D71		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
HOPPER, SURGE, GRAIN A/N: 430168	D74	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, SURGE, DUST A/N: 430168	D73	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D75	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D76	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D77	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: BULK MATERIALS					
STORAGE SILO, MALT A/N: 430168	D78	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D79	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D80	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D81	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D82	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, CLOTH FILTER, BUHLER MIAG, MODEL ASFA 44/8, 410 SQ.FT. A/N: 439395	C83	D73 D74 D75 D76 D77 D78 D79 D80 D81 D82		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
System 9: MALT/RICE/ADJUNCT CONVEYING AND MILLING					
CONVEYOR, PNEUMATIC WITH A/N: 430169	D56			PM: (9) [RULE 405, 2-7-1986]	
FILTER, BAG, BUHLER-MIAG, MODEL RPPR-14-8, WITH FABRIC FILTER, 167 SQ.FT.	C923			PM: (9) [RULE 405, 2-7-1986]	
FILTER, BAG, BUHLER-MIAG, MODEL RPPR-14-8, WITH FABRIC FILTER, 167 SQ.FT.	C924				
BIN, MALT, ADJUCANT, 1500 CU.FT. A/N: 430169	D58	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, ADJUCANT, 1500 CU.FT. A/N: 430169	D59	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, 1500 CU.FT. A/N: 430169	D60	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: BULK MATERIALS					
BIN, MALT, 1500 CU.FT. A/N: 430169	D61	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, 780 CU.FT. A/N: 430169	D62	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, MALT A/N: 430169	D63	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, MALT A/N: 430169	D64	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, MALT A/N: 430169	D65	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, ADJUCANT A/N: 430169	D67	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, WEIGH, MALT, ADJUCANT, 1300 CU.FT. A/N: 430169	D68	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, WEIGH, MALT, ADJUCANT, 1300 CU.FT. A/N: 430169	D69	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, BUHLER-MIAG, MODEL ASFA-36/8, 224 SQ.FT.; 24 BAGS A/N: 302273	C70	D58 D59 D60 D61 D62 D63 D64 D65 D67 D68 D69		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
CONVEYOR, PNEUMATIC, NO. 1, MALT WITH A/N: 430169	D84			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER MIAG, MODEL ASFA 36/8, WITH FABRIC FILTER, LENGTH: 6 FT ; DIAMETER: 2 FT	C85			PM: (9) [RULE 404, 2-7-1986]	D381.1
HOPPER, SURGE, MALT A/N: 430169	D86			PM: (9) [RULE 405, 2-7-1986]	D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
CONVEYOR, PNEUMATIC, NO. 2, MALT WITH A/N: 430169	D87			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER MIAG, MODEL ASFA 24/8, WITH FABRIC FILTER	C88			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
HOPPER, SURGE, MALT A/N: 430169	D89	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, SURGE, MALT A/N: 430169	D884	C109		PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, PNEUMATIC, NO. 1, RICE WITH A/N: 430169	D92			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER MIAG, MODEL ASFA 18/8, WITH FABRIC FILTER, LENGTH: 4 FT ; DIAMETER: 2 FT	C93			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
HOPPER, SURGE, RICE A/N: 430169	D94			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, PNEUMATIC, RICE WITH A/N: 430169	D95			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER, MODEL MIAG, WITH FABRIC FILTER	C96			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
FEEDER, MALT A/N: 430169	D97			PM: (9) [RULE 405, 2-7-1986]	C1.4, D323.1
FEEDER, MALT A/N: 430169	D98			PM: (9) [RULE 405, 2-7-1986]	D323.1
FEEDER, RICE A/N: 430169	D100			PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: BULK MATERIALS					
FEEDER, RICE A/N: 430169	D101			PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, MALT A/N: 430169	D102	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, MALT A/N: 430169	D103	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, RICE A/N: 430169	D105	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, RICE A/N: 430169	D106	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, WEIGH, MALT A/N: 430169	D107	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, WEIGH, RICE A/N: 430169	D108	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, CLOTH FILTER, BUHLER MIAG, MODEL ASFA 36/8, 336 SQ.FT. A/N: 439396	C109	D89 D102 D103 D105 D106 D107 D108 D884		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
Process 6: BEER PRODUCTION					
System 3: Brewing for Systems 1 and 2					
COOKER, MASH A/N: 475296	D110			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D111			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D112			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D113			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D114			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D115			PM: (9) [RULE 405, 2-7-1986]	D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
COOKER, MASH A/N: 475296	D284			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 33000 GALS A/N: 475296	D117			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D259			PM: (9) [RULE 405, 2-7-1986]	D323.1
TANK, STRAINING [LAUTER TUN], COLD WORT, 21700 GALS A/N: 475296	D255				
TANK, STRAINING [LAUTER TUN], COLD WORT, 21700 GALS A/N: 475296	D256				
TANK, STRAINING [LAUTER TUN], COLD WORT, 21700 GALS A/N: 475296	D285				
TANK, STRAINING [LAUTER TUN], COLD WORT, 21700 GALS A/N: 475296	D286				
BREW KETTLE, REPLACES D116, 21700 GALS A/N: 475296	D257			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 21700 GALS A/N: 475296	D258			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 33000 GALS A/N: 475296	D118			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 33000 GALS A/N: 475296	D119			PM: (9) [RULE 405, 2-7-1986]	D323.1
TANK, SURGE, HOT WORT, 20000 GALS A/N: 475296	D121				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SURGE, HOT WORT, 33000 GALS A/N: 475296	D122				
TANK, SURGE, HOT WORT, 33000 GALS A/N: 475296	D123				
TANK, SURGE, HOT WORT, 20000 GALS A/N: 475296	D287				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D125				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D126				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D127				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D128				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D129				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D130				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D131				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D132				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (3) Denotes RECLAIM concentration limit
- (4) Denotes BACT emission limit
- (5) (5A) (5B) Denotes command and control emission limit
- (6) Denotes air toxic control rule limit
- (7) Denotes NSR applicability limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (9) See App B for Emission Limits
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
COOLER, HOT WORT WITH A/N: 475296	D133				C1.3
FILTER	D134				
INJECTOR, AIR	D135				
COOLER, HOT WORT WITH A/N: 475296	D136				C1.3
FILTER	D137				
INJECTOR, AIR	D138				
COOLER, HOT WORT WITH A/N: 475296	D139				C1.3
INJECTOR, AIR	D140				
SETTLING TANK, 33000 GALS A/N: 475296	D141				
SETTLING TANK, 33000 GALS A/N: 475296	D142				
SETTLING TANK, 33000 GALS A/N: 475296	D143				
SETTLING TANK, 33000 GALS A/N: 475296	D144				
SETTLING TANK, 33000 GALS A/N: 475296	D145				
SETTLING TANK, 33000 GALS A/N: 475296	D288				
SETTLING TANK, 33000 GALS A/N: 475296	D289				
SETTLING TANK, 33000 GALS A/N: 475296	D290				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
SETTLING TANK, 33000 GALS A/N: 475296	D291				
SETTLING TANK, 33000 GALS A/N: 475296	D292				
TANK, STRAINING [LAUTER TUN], COLD WORT, 21700 GALS A/N: 475296	D277				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D278				
TANK, STRAINING, HOPS A/N: 475296	D293				
TANK, FERMENTATION, BEER A/N: 475296	D155				
TANK, FERMENTATION, BEER A/N: 475296	D156				
TANK, FERMENTATION, BEER A/N: 475296	D157				
TANK, FERMENTATION, BEER A/N: 475296	D158				
TANK, FERMENTATION, BEER A/N: 475296	D159				
TANK, FERMENTATION, BEER A/N: 475296	D160				
TANK, FERMENTATION, BEER A/N: 475296	D161				
TANK, FERMENTATION, BEER A/N: 475296	D162				
TANK, FERMENTATION, BEER A/N: 475296	D163				
TANK, FERMENTATION, BEER A/N: 475296	D164				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D165				
TANK, FERMENTATION, BEER A/N: 475296	D166				
TANK, FERMENTATION, BEER A/N: 475296	D167				
TANK, FERMENTATION, BEER A/N: 475296	D168				
TANK, FERMENTATION, BEER A/N: 475296	D169				
TANK, FERMENTATION, BEER A/N: 475296	D170				
TANK, FERMENTATION, BEER A/N: 475296	D171				
TANK, FERMENTATION, BEER A/N: 475296	D172				
TANK, FERMENTATION, BEER A/N: 475296	D173				
TANK, FERMENTATION, BEER A/N: 475296	D174				
TANK, FERMENTATION, BEER A/N: 475296	D175				
TANK, FERMENTATION, BEER A/N: 475296	D176				
TANK, FERMENTATION, BEER A/N: 475296	D177				
TANK, FERMENTATION, BEER A/N: 475296	D178				
TANK, FERMENTATION, BEER A/N: 475296	D179				
TANK, FERMENTATION, BEER A/N: 475296	D180				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D181				
TANK, FERMENTATION, BEER A/N: 475296	D182				
TANK, FERMENTATION, BEER A/N: 475296	D183				
TANK, FERMENTATION, BEER A/N: 475296	D184				
TANK, FERMENTATION, BEER A/N: 475296	D185				
TANK, FERMENTATION, BEER A/N: 475296	D186				
TANK, FERMENTATION, BEER A/N: 475296	D187				
TANK, FERMENTATION, BEER A/N: 475296	D188				
TANK, FERMENTATION, BEER A/N: 475296	D189				
TANK, FERMENTATION, BEER A/N: 475296	D190				
TANK, FERMENTATION, BEER A/N: 475296	D191				
TANK, FERMENTATION, BEER A/N: 475296	D192				
TANK, FERMENTATION, BEER A/N: 475296	D193				
TANK, FERMENTATION, BEER A/N: 475296	D194				
TANK, FERMENTATION, BEER A/N: 475296	D195				
TANK, FERMENTATION, BEER A/N: 475296	D196				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D197				
TANK, FERMENTATION, BEER A/N: 475296	D198				
TANK, FERMENTATION, BEER A/N: 475296	D199				
TANK, FERMENTATION, BEER A/N: 475296	D200				
TANK, FERMENTATION, BEER A/N: 475296	D201				
TANK, FERMENTATION, BEER A/N: 475296	D202				
TANK, FERMENTATION, BEER A/N: 475296	D203				
TANK, FERMENTATION, BEER A/N: 475296	D204				
TANK, FEREMNTATION, BEER A/N: 475296	D205				
TANK, FERMENTATION, BEER A/N: 475296	D206				
TANK, FERMENTATION, BEER A/N: 475296	D207				
TANK, FERMENTATION, BEER A/N: 475296	D208				
TANK, FERMENTATION, BEER A/N: 475296	D209				
TANK, FERMENTATION, BEER A/N: 475296	D210				
TANK, FERMENTATION, BEER A/N: 475296	D211				
TANK, FERMENTATION, BEER A/N: 475296	D212				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D213				
TANK, FERMENTATION, BEER A/N: 475296	D214				
TANK, FERMENTATION, BEER, 4000 BBL A/N: 475296	D916				C1.7, E17.1
TANK, ALPHA DROP RECEIVER, BEER, 4000 BBL A/N: 475296	D915				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D215				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D216				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D217				
System 4: CO2 INJECTION					
CLEANER, DEAERATOR A/N: 475296	D300				
SCRUBBER, WITH MIST ELIMINATOR A/N: 475296	D301				
SCRUBBER, WITH MIST ELIMINATOR A/N: 475296	D302				
CARBON FILTER, NO.1, WITH MIST ELIMINATOR A/N: 475296	D303				
CARBON FILTER, NO.2, WITH MIST ELIMINATOR A/N: 475296	D304				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
HEATER, ELECTRIC, NO.1, WITH MIST ELIMINATOR A/N: 475296	D305				
HEATER, ELECTRIC, NO.2, WITH MIST ELIMINATOR A/N: 475296	D306				
FILTER, NO.1, WITH MIST ELIMINATOR A/N: 475296	D307				
FILTER, NO.2, WITH MIST ELIMINATOR A/N: 475296	D308				
COMPRESSOR, NO.1, CO2, WITH MIST ELIMINATOR A/N: 475296	D309				
COMPRESSOR, NO.2, CO2, WITH MIST ELIMINATOR A/N: 475296	D310				
COMPRESSOR, NO.3, CO2, WITH MIST ELIMINATOR A/N: 475296	D311				
COMPRESSOR, NO.4, CO2, WITH MIST ELIMINATOR A/N: 475296	D312				
System 5: SECONDARY FERMENTATION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D313				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D314				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D315				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D316				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D317				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D318				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D319				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D320				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D321				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D322				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D323				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D324				
TANK, CHIP, BEER, SECONDARY FERMMENTATION, 4000 BBL A/N: 475296	D325				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D326				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D327				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D328				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D329				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D330				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D331				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D332				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D333				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D334				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D335				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D336				

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D337				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D338				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D339				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D340				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D341				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D342				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D343				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D344				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D345				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D346				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D347				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D348				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D349				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D350				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D351				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D352				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D353				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D354				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D355				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D356				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D357				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D358				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D359				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D360				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D361				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D362				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D363				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D364				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D365				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D366				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D367				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D368				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D369				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D370				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D371				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D372				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D373				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D374				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D375				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D376				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D377				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D378				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D379				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D380				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D381				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D382				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D383				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D384				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D385				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D386				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D387				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D388				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D389				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D390				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D391				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D392				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D393				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D394				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D395				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D396				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D397				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D398				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D399				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D400				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1200 BBL A/N: 475296	D401				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1200 BBL A/N: 475296	D402				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D403				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D404				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D405				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D406				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D407				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D408				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D409				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D410				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D411				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D412				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D413				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D414				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D415				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D416				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D417				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D418				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D419				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D420				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D421				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D422				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D423				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D424				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D425				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D426				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D427				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D428				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D429				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D430				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D431				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D432				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D433				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D434				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D435				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D436				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D437				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D438				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D439				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D440				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D441				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D442				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D443				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D444				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D445				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D446				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D447				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D448				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D449				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D450				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D451				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D452				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D453				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D454				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D455				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D456				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D457				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process G- BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D458				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D459				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D460				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D461				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D462				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D463				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D464				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D465				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D466				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D467				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D468				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D469				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D470				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D471				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D472				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D473				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D474				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D475				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D476				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D477				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D478				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D479				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D480				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D481				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D482				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D483				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D484				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D485				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D486				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D487				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D488				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D489				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D490				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D491				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D492				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D493				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D494				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D495				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D496				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D497				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D498				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D499				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D500				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D501				

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D502				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D503				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D504				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D505				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D506				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D507				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D508				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D509				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D510				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D511				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D512				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D513				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D514				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D515				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D516				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D517				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D518				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D519				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D520				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D521				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D522				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D523				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D524				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D525				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D526				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D527				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D528				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D529				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D530				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D531				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D532				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D533				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D534				

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D535				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D536				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D537				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D538				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D539				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D540				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D541				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D542				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D543				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D544				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D545				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D546				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D547				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D548				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D549				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D550				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D551				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D552				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D553				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D554				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D555				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D556				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D557				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D558				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D559				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D560				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D561				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D562				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D563				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D564				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D565				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D566				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D567				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D568				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D569				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D570				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D571				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D572				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D573				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D574				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D575				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D576				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D577				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D578				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6 BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D579				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D580				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D581				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D582				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D583				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D584				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D585				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D586				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D587				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D588				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D589				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D590				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D591				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D592				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D593				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D594				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D595				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D596				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D597				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D598				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D599				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D600				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6 - BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D601				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D602				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D603				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D604				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D605				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D606				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D607				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D608				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D609				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D610				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D611				

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6 BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D612				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D613				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D614				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D615				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D616				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D617				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D618				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D619				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D620				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D621				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D622				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D623				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D624				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D625				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D626				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D627				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D628				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D629				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D630				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D631				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D632				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392366	D848				A63.3, E71.1, E71.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392369	D849				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392371	D850				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392373	D851				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392374	D852				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392376	D853				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392378	D854				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392380	D855				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392382	D856				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392384	D857				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392386	D858				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392387	D859				E71.1, E71.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433090	D891				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433091	D892				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433093	D893				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433094	D894				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433096	D895				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433097	D896				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433099	D897				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433101	D898				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433103	D899				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433104	D900				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433105	D901				C1.8, E71.1, E71.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433106	D902				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433107	D903				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433108	D904				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433109	D905				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433110	D906				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433111	D907				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433112	D908				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433113	D909				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433114	D910				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433115	D911				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433116	D912				C1.8, E71.1, E71.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433117	D913				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433118	D914				C1.8, E71.1, E71.2
System 6: INTERMEDIATE PRODUCT STORAGE					
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D633				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D634				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D635				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D636				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D637				
TANK, SCHOENE BEER BALANCE, BEER, 400 BBL A/N: 475296	D638				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D639				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D640				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D641				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D642				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D643				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D644				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D645				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D646				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D647				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D648				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D649				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D650				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D651				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D652				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D653				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D654				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D655				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D656				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D657				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D658				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D659				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D660				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D661				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D662				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D663				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D664				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D665				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D666				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D667				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D668				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D669				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D670				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D671				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D672				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D673				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D674				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D675				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D676				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D677				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D678				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D679				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D680				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D681				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D682				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D683				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D684				

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FILTERED BEER BALANCE, BEER, 500 BBL A/N: 475296	D685				
TANK, SCHOENE BEER BALANCE, BEER, 200 BBL A/N: 475296	D686				
TANK, SCHOENE BEER BALANCE, BEER, 150 BBL A/N: 475296	D687				
TANK, SCHOENE BEER BALANCE, BEER, 150 BBL A/N: 475296	D688				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D689				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D690				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D691				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D692				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D693				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D694				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D695				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D696				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D697				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D698				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D699				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D700				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D701				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D702				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D703				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D704				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D705				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D706				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D707				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D708				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D709				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D710				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D711				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D712				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D713				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D714				

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D715				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D716				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D717				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D718				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D719				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D720				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D721				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D722				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D723				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D724				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D725				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D726				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D727				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D728				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D729				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D730				

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D731				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D732				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D733				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D734				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D735				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D736				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D737				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D738				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D739				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D740				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D741				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D742				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D743				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D744				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D745				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D746				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D747				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D748				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D749				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D750				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D751				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D752				
TANK, FINISHING, BEER, , 1200 BBL A/N: 475296	D753				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D754				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D755				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D756				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D757				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D758				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D759				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FILTERED BEER SURGE, BEER, ., 500 BBL A/N: 475296	D760				
TANK, FILTERED BEER SURGE, BEER, ., 500 BBL A/N: 475296	D761				
TANK, FILTERED BEER SURGE, BEER, ., 500 BBL A/N: 475296	D762				
TANK, FILTERED BEER SURGE, BEER, ., 500 BBL A/N: 475296	D763				
TANK, FILTERED BEER SURGE, BEER, ., 500 BBL A/N: 475296	D764				
TANK, FILTERED BEER SURGE, BEER, ., 500 BBL A/N: 475296	D765				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D766				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D767				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D768				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D769				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D770				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D771				
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D772				
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D773				
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D774				
TANK, G-BEER, BEER, 400 BBL A/N: 475296	D775				
TANK, G-BEER, BEER, 400 BBL A/N: 475296	D776				
TANK, G-BEER, BEER, 400 BBL A/N: 475296	D777				
TANK, FERMENTATION, BEER, 3400 BBL A/N: 475296	D778				Cl.7, E17.1
TANK, FERMENTATION, BEER, 3400 BBL A/N: 475296	D779				Cl.7, E17.1
TANK, ALPHA DROP RECEIVER, BEER, 3400 BBL A/N: 475296	D780				
TANK, HOT TRUB RECEIVER, BEER, 1500 BBL A/N: 475296	D781				
TANK, HOT TRUB RECEIVER, BEER, 10 BBL A/N: 475296	D782				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D927				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D928				
System 7: SPENT MATERIAL HANDLING					
BIN, SPENT CHIPS (DUMPSTER), BEER, 10 BBL A/N: 475296	D783				
TANK, DIATOMACEOUS EARTH SLURRY, DIATOMACEOUS EARTH SLURRY A/N: 475296	D784				
FILTER, DIATOMACEOUS EARTH A/N: 475296	D785				
BIN, DIATOMACEOUS EARTH A/N: 475296	D786				
BIN, SPENT YEAST, NO.1, 400 BBL A/N: 475296	D787				
BIN, SPENT YEAST, NO.2, 400 BBL A/N: 475296	D788				
BIN, SPENT GRAINS, 10000 CU.FT. A/N: 475296	D789				
HOPPER, TRUCK LOADING, SPENT GRAINS A/N: 475296	D790				
System 8: K-FILTERS					
FILTER, K-FILTER NO. 1, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D791				
CLEANER, CHIP WASHER A/N: 475296	D797				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
FILTER, K-FILTER NO. 2, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D792				
CLEANER, KEG WASHER A/N: 475296	D798				
FILTER, K-FILTER NO. 3, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D793				
CRUSHER, NO. 1 (CANS) A/N: 475296	D799				
FILTER, K-FILTER NO. 4, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D794				
CRUSHER, NO. 2 (CANS) A/N: 475296	D800				
FILTER, K-FILTER NO. 5, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D795				
CRUSHER, (BOTTLES) A/N: 475296	D801				
FILTER, K-FILTER NO. 6, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D796				
STORAGE TANK, FIXED ROOF, (SUMP), WASTE BEER A/N: 475296	D802				
System 10: YEAST TANKS					
TANK, YEAST, 900 GALS A/N: 475296	D146				
TANK, YEAST, 900 GALS A/N: 475296	D147				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, YEAST, 900 GALS A/N: 475296	D148				
TANK, YEAST, 900 GALS A/N: 475296	D149				
TANK, YEAST, 900 GALS A/N: 475296	D150				
TANK, YEAST, 900 GALS A/N: 475296	D151				
TANK, YEAST, 900 GALS A/N: 475296	D152				
TANK, YEAST, 900 GALS A/N: 475296	D153				
TANK, YEAST, 900 GALS A/N: 475296	D154				
TANK, YEAST, 100 BBL A/N: 475296	D264				
TANK, YEAST, 100 BBL A/N: 475296	D265				
TANK, YEAST, 100 BBL A/N: 475296	D266				
TANK, YEAST, 100 BBL A/N: 475296	D267				
TANK, YEAST, 100 BBL A/N: 335431	D803				E193.2
System 11: Bottle Line No.1					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 393394	D804	C805		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORPTION FILTER, FUMEX A/N: 393394	C805	D804 D860			E102.1, E149.1, K67.6

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
CARBON ADSORBER, FUMEX A/N: 393394	D860	C805			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 393394	D806	C807		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 393394	C807	D806 D861			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D861	C807			E149.2, K67.7
System 12: Bottle Line No.2					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 395911	D810	C811		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395911	C811	D810 D863			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D863	C811			E149.2, K67.7
System 13: Bottle Line No.7					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 395914	D816	C817		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395914	C817	D816 D866			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D866	C817			E149.2, K67.7
System 15: Bottle Line No.9					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 395917	D824	C825		PM: (9) [RULE 405, 2-7-1986]	

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395917	C825	D824 D870			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D870	C825			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D826	C827		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395917	C827	D826 D871			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D871	C827			E149.2, K67.7
System 16: Can Line No. 62					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D828	C829		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395919	C829	D828 D872			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D872	C829			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D830	C831		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395919	C831	D830 D873			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D873	C831			E149.2, K67.7

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 6: BEER PRODUCTION					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D832	C833		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395919	C833	D832 D874			E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D874	C833			E149.2, K67.7
System 19: Can Line No.65					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395927	D840	C841		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395927	C841	D840 D878			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D878	C841			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395927	D842	C843		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395927	C843	D842 D879			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D879	C843			E149.2, K67.7
System 20: Can Line No.66					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395930	D844	C845		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395930	C845	D844 D880			E102.1, E149.1, K67.6

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
CARBON ADSORBER, FUMEX A/N: 393394	D880	C845			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395930	D846	C847		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395930	C847	D846 D881			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D881	C847			E149.2, K67.7
System 2: Packaging Line No.2					
ETCHER, CONVEYORIZED, 2 TOTAL A/N: 423731	D917	C918		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 423731	C918	D917 C919			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 430164	C919	C918			E149.2, K67.7
Process 7: BIO-ENERGY RECOVERY SYSTEM					
System 4: Waste Water Treatment System					
SCREEN, CLASSIFYING, CLASSIFYING, WASTE WATER A/N: 380323	D224				
PROCESS TANK, PIT#1, WASTE WATER, 46000 GALS; WIDTH: 16 FT 6 IN; HEIGHT: 22 FT ; LENGTH: 17 FT A/N: 380323	D225				
PROCESS TANK, EQUILIZATION#1, WASTE WATER, 635000 GALS; DIAMETER: 60 FT ; HEIGHT: 30 FT A/N: 380323	D226	C235			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 7: BIO-ENERGY RECOVERY SYSTEM					
PROCESS TANK, EQUILIZATION#2, WASTE WATER, 635000 GALS; DIAMETER: 60 FT ; HEIGHT: 30 FT A/N: 380323	D227	C235			
DIGESTER, NO.1, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D228	C235			
DIGESTER, NO.2, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D229	C235			
DIGESTER, NO.3, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D230	C235			
DIGESTER, NO.4, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D231	C235			
TANK, SURGE, BIOGAS A/N: 290395	C260				
PROCESS TANK, WASTE WATER, EFFLUENT TANK, 15000 GALS; DIAMETER: 12 FT ; HEIGHT: 17 FT A/N: 380323	D232				
PROCESS TANK, PIT#2, WASTE WATER, 46000 GALS; WIDTH: 16 FT 6 IN; HEIGHT: 22 FT ; LENGTH: 17 FT A/N: 380323	D233				
SUMP, WASTE WATER, WIDTH: 5 FT ; DEPTH: 12 FT ; LENGTH: 7 FT A/N: 380323	D234				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 7: BIO-ENERGY RECOVERY SYSTEM					
BIOFILTER, TWO CELLS, EACH, WIDTH: 12 FT ; LENGTH: 24 FT ; FILTER THICKNESS: 4 FT ; HEIGHT: 8 FT A/N: 381724	C235	D226 D227 D228 D229 D230 D231		H2S: 10 PPMV (6) [RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 402, 5-7-1976]	D90.1, K67.5
System 2: Biogas Collection System					
STORAGE TANK, BIOGAS A/N: 380323	D262				
SCRUBBER, CHEMICAL, PACKED BED, BIOGAS, HYDROGEN SULFIDE, WIDTH: 5 FT ; HEIGHT: 10 FT ; LENGTH: 7 FT A/N: 380323	D299				C8.4, C10.1
FUGITIVE EMISSIONS, COMPRESSORS, BIOGAS A/N: 380323	D263				
Process 8: RULE 219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULES					
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E268				H23.3
RULE 219 EXEMPT EQUIPMENT, REFRIGERATION UNITS	E269				H23.3
RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, GLOVE-BOX, <= 53 FT3, WITH DUST FILTER	E270			PM: (9) [RULE 1140, 2-1-1980; RULE 1140, 8-2-1985; RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D381.1, E102.1, K67.2
RULE 219 EXEMPT EQUIPMENT, INKJET PRINTER	E271			ROG: (9) [RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	H23.4, M333.1
RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL, UNHEATED, NON-CONVEYORIZED	E272			ROG: (9) [RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	H23.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 8: RULE 219 EXEMPT EQUIPMENT SUBJECT TO SOURCE SPECIFIC RULES					
RULE 219 EXEMPT EQUIPMENT, LAMINATING EQUIPMENT, LOW USE OR EMISSIONS	E273			ROG: (9) [RULE 1168, 10-3-2003; RULE 1168, 1-7-2005; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	H23.5
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E274			ROG: (9) [RULE 1113, 11-8-1996; RULE 1113, 6-3-2011; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	K67.4
RULE 219 EXEMPT EQUIPMENT, HALON UNIT	E275				H23.2
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, LOW USE OR EMISSIONS	E279			ROG: (9) [RULE 1113, 11-8-1996; RULE 1113, 6-3-2011; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	H23.5

* (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D1	1	1	1
D2	2	1	1
D3	3	1	1
D4	4	1	1
D5	5	1	1
D6	6	1	1
D7	7	2	1
D14	7	5	1
D16	8	5	2
D24	8	5	4
C25	8	5	4
D39	9	5	7
C40	9	5	7
D41	9	5	7
D42	9	5	7
D43	9	5	7
D44	9	5	7
D45	10	5	7
D46	10	5	7
D47	10	5	7
D48	10	5	7
D49	10	5	7
D50	10	5	7
D51	10	5	7
D52	10	5	7
D53	11	5	7
D54	11	5	7
C55	11	5	7
D56	12	5	9
D58	12	5	9
D59	12	5	9
D60	12	5	9
D61	13	5	9
D62	13	5	9
D63	13	5	9

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D64	13	5	9
D65	13	5	9
D67	13	5	9
D68	13	5	9
D69	13	5	9
C70	13	5	9
D71	11	5	8
C72	11	5	8
D73	11	5	8
D74	11	5	8
D75	11	5	8
D76	11	5	8
D77	11	5	8
D78	12	5	8
D79	12	5	8
D80	12	5	8
D81	12	5	8
D82	12	5	8
C83	12	5	8
D84	13	5	9
C85	13	5	9
D86	13	5	9
D87	14	5	9
C88	14	5	9
D89	14	5	9
D92	14	5	9
C93	14	5	9
D94	14	5	9
D95	14	5	9
C96	14	5	9
D97	14	5	9
D98	14	5	9
D100	14	5	9
D101	15	5	9
D102	15	5	9

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D103	15	5	9
D105	15	5	9
D106	15	5	9
D107	15	5	9
D108	15	5	9
C109	15	5	9
D110	15	6	3
D111	15	6	3
D112	15	6	3
D113	15	6	3
D114	15	6	3
D115	15	6	3
D117	16	6	3
D118	16	6	3
D119	16	6	3
D121	16	6	3
D122	17	6	3
D123	17	6	3
D125	17	6	3
D126	17	6	3
D127	17	6	3
D128	17	6	3
D129	17	6	3
D130	17	6	3
D131	17	6	3
D132	17	6	3
D133	18	6	3
D134	18	6	3
D135	18	6	3
D136	18	6	3
D137	18	6	3
D138	18	6	3
D139	18	6	3
D140	18	6	3
D141	18	6	3

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D142	18	6	3
D143	18	6	3
D144	18	6	3
D145	18	6	3
D146	70	6	10
D147	70	6	10
D148	71	6	10
D149	71	6	10
D150	71	6	10
D151	71	6	10
D152	71	6	10
D153	71	6	10
D154	71	6	10
D155	19	6	3
D156	19	6	3
D157	19	6	3
D158	19	6	3
D159	19	6	3
D160	19	6	3
D161	19	6	3
D162	19	6	3
D163	19	6	3
D164	19	6	3
D165	20	6	3
D166	20	6	3
D167	20	6	3
D168	20	6	3
D169	20	6	3
D170	20	6	3
D171	20	6	3
D172	20	6	3
D173	20	6	3
D174	20	6	3
D175	20	6	3
D176	20	6	3

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D177	20	6	3
D178	20	6	3
D179	20	6	3
D180	20	6	3
D181	21	6	3
D182	21	6	3
D183	21	6	3
D184	21	6	3
D185	21	6	3
D186	21	6	3
D187	21	6	3
D188	21	6	3
D189	21	6	3
D190	21	6	3
D191	21	6	3
D192	21	6	3
D193	21	6	3
D194	21	6	3
D195	21	6	3
D196	21	6	3
D197	22	6	3
D198	22	6	3
D199	22	6	3
D200	22	6	3
D201	22	6	3
D202	22	6	3
D203	22	6	3
D204	22	6	3
D205	22	6	3
D206	22	6	3
D207	22	6	3
D208	22	6	3
D209	22	6	3
D210	22	6	3
D211	22	6	3

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D212	22	6	3
D213	23	6	3
D214	23	6	3
D215	23	6	3
D216	23	6	3
D217	23	6	3
D224	75	7	1
D225	75	7	1
D226	75	7	1
D227	76	7	1
D228	76	7	1
D229	76	7	1
D230	76	7	1
D231	76	7	1
D232	76	7	1
D233	76	7	1
D234	76	7	1
C235	77	7	1
D239	7	1	2
D255	16	6	3
D256	16	6	3
D257	16	6	3
D258	16	6	3
D259	16	6	3
C260	76	7	1
D262	77	7	2
D263	77	7	2
D264	71	6	10
D265	71	6	10
D266	71	6	10
D267	71	6	10
E268	77	8	0
E269	77	8	0
E270	77	8	0
E271	77	8	0

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
E272	77	8	0
E273	78	8	0
E274	78	8	0
E275	78	8	0
D277	19	6	3
D278	19	6	3
E279	78	8	0
D280	8	5	6
D281	8	5	6
D282	8	5	6
C283	8	5	6
D284	16	6	3
D285	16	6	3
D286	16	6	3
D287	17	6	3
D288	18	6	3
D289	18	6	3
D290	18	6	3
D291	19	6	3
D292	19	6	3
D293	19	6	3
C294	8	5	2
D296	8	5	2
D297	8	5	2
D299	77	7	2
D300	23	6	4
D301	23	6	4
D302	23	6	4
D303	23	6	4
D304	23	6	4
D305	24	6	4
D306	24	6	4
D307	24	6	4
D308	24	6	4
D309	24	6	4

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D310	24	6	4
D311	24	6	4
D312	24	6	4
D313	24	6	5
D314	24	6	5
D315	25	6	5
D316	25	6	5
D317	25	6	5
D318	25	6	5
D319	25	6	5
D320	25	6	5
D321	25	6	5
D322	25	6	5
D323	25	6	5
D324	25	6	5
D325	25	6	5
D326	26	6	5
D327	26	6	5
D328	26	6	5
D329	26	6	5
D330	26	6	5
D331	26	6	5
D332	26	6	5
D333	26	6	5
D334	26	6	5
D335	26	6	5
D336	26	6	5
D337	27	6	5
D338	27	6	5
D339	27	6	5
D340	27	6	5
D341	27	6	5
D342	27	6	5
D343	27	6	5
D344	27	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D345	27	6	5
D346	27	6	5
D347	27	6	5
D348	28	6	5
D349	28	6	5
D350	28	6	5
D351	28	6	5
D352	28	6	5
D353	28	6	5
D354	28	6	5
D355	28	6	5
D356	28	6	5
D357	28	6	5
D358	28	6	5
D359	29	6	5
D360	29	6	5
D361	29	6	5
D362	29	6	5
D363	29	6	5
D364	29	6	5
D365	29	6	5
D366	29	6	5
D367	29	6	5
D368	29	6	5
D369	29	6	5
D370	30	6	5
D371	30	6	5
D372	30	6	5
D373	30	6	5
D374	30	6	5
D375	30	6	5
D376	30	6	5
D377	30	6	5
D378	30	6	5
D379	30	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D380	30	6	5
D381	31	6	5
D382	31	6	5
D383	31	6	5
D384	31	6	5
D385	31	6	5
D386	31	6	5
D387	31	6	5
D388	31	6	5
D389	31	6	5
D390	31	6	5
D391	31	6	5
D392	32	6	5
D393	32	6	5
D394	32	6	5
D395	32	6	5
D396	32	6	5
D397	32	6	5
D398	32	6	5
D399	32	6	5
D400	32	6	5
D401	32	6	5
D402	32	6	5
D403	33	6	5
D404	33	6	5
D405	33	6	5
D406	33	6	5
D407	33	6	5
D408	33	6	5
D409	33	6	5
D410	33	6	5
D411	33	6	5
D412	33	6	5
D413	33	6	5
D414	34	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D415	34	6	5
D416	34	6	5
D417	34	6	5
D418	34	6	5
D419	34	6	5
D420	34	6	5
D421	34	6	5
D422	34	6	5
D423	34	6	5
D424	34	6	5
D425	35	6	5
D426	35	6	5
D427	35	6	5
D428	35	6	5
D429	35	6	5
D430	35	6	5
D431	35	6	5
D432	35	6	5
D433	35	6	5
D434	35	6	5
D435	35	6	5
D436	36	6	5
D437	36	6	5
D438	36	6	5
D439	36	6	5
D440	36	6	5
D441	36	6	5
D442	36	6	5
D443	36	6	5
D444	36	6	5
D445	36	6	5
D446	36	6	5
D447	37	6	5
D448	37	6	5
D449	37	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D450	37	6	5
D451	37	6	5
D452	37	6	5
D453	37	6	5
D454	37	6	5
D455	37	6	5
D456	37	6	5
D457	37	6	5
D458	38	6	5
D459	38	6	5
D460	38	6	5
D461	38	6	5
D462	38	6	5
D463	38	6	5
D464	38	6	5
D465	38	6	5
D466	38	6	5
D467	38	6	5
D468	38	6	5
D469	39	6	5
D470	39	6	5
D471	39	6	5
D472	39	6	5
D473	39	6	5
D474	39	6	5
D475	39	6	5
D476	39	6	5
D477	39	6	5
D478	39	6	5
D479	39	6	5
D480	40	6	5
D481	40	6	5
D482	40	6	5
D483	40	6	5
D484	40	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D485	40	6	5
D486	40	6	5
D487	40	6	5
D488	40	6	5
D489	40	6	5
D490	40	6	5
D491	41	6	5
D492	41	6	5
D493	41	6	5
D494	41	6	5
D495	41	6	5
D496	41	6	5
D497	41	6	5
D498	41	6	5
D499	41	6	5
D500	41	6	5
D501	41	6	5
D502	42	6	5
D503	42	6	5
D504	42	6	5
D505	42	6	5
D506	42	6	5
D507	42	6	5
D508	42	6	5
D509	42	6	5
D510	42	6	5
D511	42	6	5
D512	42	6	5
D513	43	6	5
D514	43	6	5
D515	43	6	5
D516	43	6	5
D517	43	6	5
D518	43	6	5
D519	43	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D520	43	6	5
D521	43	6	5
D522	43	6	5
D523	43	6	5
D524	44	6	5
D525	44	6	5
D526	44	6	5
D527	44	6	5
D528	44	6	5
D529	44	6	5
D530	44	6	5
D531	44	6	5
D532	44	6	5
D533	44	6	5
D534	44	6	5
D535	45	6	5
D536	45	6	5
D537	45	6	5
D538	45	6	5
D539	45	6	5
D540	45	6	5
D541	45	6	5
D542	45	6	5
D543	45	6	5
D544	45	6	5
D545	45	6	5
D546	46	6	5
D547	46	6	5
D548	46	6	5
D549	46	6	5
D550	46	6	5
D551	46	6	5
D552	46	6	5
D553	46	6	5
D554	46	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D555	46	6	5
D556	46	6	5
D557	47	6	5
D558	47	6	5
D559	47	6	5
D560	47	6	5
D561	47	6	5
D562	47	6	5
D563	47	6	5
D564	47	6	5
D565	47	6	5
D566	47	6	5
D567	47	6	5
D568	48	6	5
D569	48	6	5
D570	48	6	5
D571	48	6	5
D572	48	6	5
D573	48	6	5
D574	48	6	5
D575	48	6	5
D576	48	6	5
D577	48	6	5
D578	48	6	5
D579	49	6	5
D580	49	6	5
D581	49	6	5
D582	49	6	5
D583	49	6	5
D584	49	6	5
D585	49	6	5
D586	49	6	5
D587	49	6	5
D588	49	6	5
D589	49	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D590	50	6	5
D591	50	6	5
D592	50	6	5
D593	50	6	5
D594	50	6	5
D595	50	6	5
D596	50	6	5
D597	50	6	5
D598	50	6	5
D599	50	6	5
D600	50	6	5
D601	51	6	5
D602	51	6	5
D603	51	6	5
D604	51	6	5
D605	51	6	5
D606	51	6	5
D607	51	6	5
D608	51	6	5
D609	51	6	5
D610	51	6	5
D611	51	6	5
D612	52	6	5
D613	52	6	5
D614	52	6	5
D615	52	6	5
D616	52	6	5
D617	52	6	5
D618	52	6	5
D619	52	6	5
D620	52	6	5
D621	52	6	5
D622	52	6	5
D623	53	6	5
D624	53	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D625	53	6	5
D626	53	6	5
D627	53	6	5
D628	53	6	5
D629	53	6	5
D630	53	6	5
D631	53	6	5
D632	53	6	5
D633	57	6	6
D634	57	6	6
D635	57	6	6
D636	57	6	6
D637	57	6	6
D638	57	6	6
D639	57	6	6
D640	57	6	6
D641	58	6	6
D642	58	6	6
D643	58	6	6
D644	58	6	6
D645	58	6	6
D646	58	6	6
D647	58	6	6
D648	58	6	6
D649	58	6	6
D650	58	6	6
D651	58	6	6
D652	59	6	6
D653	59	6	6
D654	59	6	6
D655	59	6	6
D656	59	6	6
D657	59	6	6
D658	59	6	6
D659	59	6	6

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D660	59	6	6
D661	59	6	6
D662	59	6	6
D663	60	6	6
D664	60	6	6
D665	60	6	6
D666	60	6	6
D667	60	6	6
D668	60	6	6
D669	60	6	6
D670	60	6	6
D671	60	6	6
D672	60	6	6
D673	60	6	6
D674	61	6	6
D675	61	6	6
D676	61	6	6
D677	61	6	6
D678	61	6	6
D679	61	6	6
D680	61	6	6
D681	61	6	6
D682	61	6	6
D683	61	6	6
D684	61	6	6
D685	62	6	6
D686	62	6	6
D687	62	6	6
D688	62	6	6
D689	62	6	6
D690	62	6	6
D691	62	6	6
D692	62	6	6
D693	62	6	6
D694	62	6	6

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D695	62	6	6
D696	62	6	6
D697	62	6	6
D698	62	6	6
D699	63	6	6
D700	63	6	6
D701	63	6	6
D702	63	6	6
D703	63	6	6
D704	63	6	6
D705	63	6	6
D706	63	6	6
D707	63	6	6
D708	63	6	6
D709	63	6	6
D710	63	6	6
D711	63	6	6
D712	63	6	6
D713	63	6	6
D714	63	6	6
D715	64	6	6
D716	64	6	6
D717	64	6	6
D718	64	6	6
D719	64	6	6
D720	64	6	6
D721	64	6	6
D722	64	6	6
D723	64	6	6
D724	64	6	6
D725	64	6	6
D726	64	6	6
D727	64	6	6
D728	64	6	6
D729	64	6	6

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D730	64	6	6
D731	65	6	6
D732	65	6	6
D733	65	6	6
D734	65	6	6
D735	65	6	6
D736	65	6	6
D737	65	6	6
D738	65	6	6
D739	65	6	6
D740	65	6	6
D741	65	6	6
D742	65	6	6
D743	65	6	6
D744	65	6	6
D745	65	6	6
D746	65	6	6
D747	66	6	6
D748	66	6	6
D749	66	6	6
D750	66	6	6
D751	66	6	6
D752	66	6	6
D753	66	6	6
D754	66	6	6
D755	66	6	6
D756	66	6	6
D757	66	6	6
D758	66	6	6
D759	66	6	6
D760	67	6	6
D761	67	6	6
D762	67	6	6
D763	67	6	6
D764	67	6	6

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D765	67	6	6
D766	67	6	6
D767	67	6	6
D768	67	6	6
D769	67	6	6
D770	67	6	6
D771	68	6	6
D772	68	6	6
D773	68	6	6
D774	68	6	6
D775	68	6	6
D776	68	6	6
D777	68	6	6
D778	68	6	6
D779	68	6	6
D780	68	6	6
D781	68	6	6
D782	68	6	6
D783	69	6	7
D784	69	6	7
D785	69	6	7
D786	69	6	7
D787	69	6	7
D788	69	6	7
D789	69	6	7
D790	69	6	7
D791	69	6	8
D792	70	6	8
D793	70	6	8
D794	70	6	8
D795	70	6	8
D796	70	6	8
D797	69	6	8
D798	70	6	8
D799	70	6	8

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D800	70	6	8
D801	70	6	8
D802	70	6	8
D803	71	6	10
D804	71	6	11
C805	71	6	11
D806	72	6	11
C807	72	6	11
D810	72	6	12
C811	72	6	12
D816	72	6	13
C817	72	6	13
D824	72	6	15
C825	73	6	15
D826	73	6	15
C827	73	6	15
D828	73	6	16
C829	73	6	16
D830	73	6	16
C831	73	6	16
D832	74	6	16
C833	74	6	16
D840	74	6	19
C841	74	6	19
D842	74	6	19
C843	74	6	19
D844	74	6	20
C845	74	6	20
D846	75	6	20
C847	75	6	20
D848	53	6	5
D849	54	6	5
D850	54	6	5
D851	54	6	5
D852	54	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D853	54	6	5
D854	54	6	5
D855	54	6	5
D856	54	6	5
D857	54	6	5
D858	54	6	5
D859	54	6	5
D860	72	6	11
D861	72	6	11
D863	72	6	12
D866	72	6	13
D870	73	6	15
D871	73	6	15
D872	73	6	16
D873	73	6	16
D874	74	6	16
D878	74	6	19
D879	74	6	19
D880	75	6	20
D881	75	6	20
D882	8	5	6
D883	9	5	6
D884	14	5	9
C886	9	5	7
D891	55	6	5
D892	55	6	5
D893	55	6	5
D894	55	6	5
D895	55	6	5
D896	55	6	5
D897	55	6	5
D898	55	6	5
D899	55	6	5
D900	55	6	5
D901	55	6	5

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D902	56	6	5
D903	56	6	5
D904	56	6	5
D905	56	6	5
D906	56	6	5
D907	56	6	5
D908	56	6	5
D909	56	6	5
D910	56	6	5
D911	56	6	5
D912	56	6	5
D913	57	6	5
D914	57	6	5
D915	23	6	3
D916	23	6	3
D917	75	6	21
C918	75	6	21
C919	75	6	21
D921	9	5	7
D922	9	5	7
C923	12	5	9
C924	12	5	9
D926	7	2	1
D927	68	6	6
D928	69	6	6

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F24.1 Accidental release prevention requirements of Section 112(r)(7):

a). The operator shall comply with the accidental release prevention requirements pursuant to 40 CFR Part 68 and shall submit to the Executive Officer, as a part of an annual compliance certification, a statement that certifies compliance with all of the requirements of 40 CFR Part 68, including the registration and submission of a risk management plan (RMP).

b). The operator shall submit any additional relevant information requested by the Executive Officer or designated agency.

[40CFR 68 - Accidental Release Prevention, 5-24-1996]

DEVICE CONDITIONS

A. Emission Limits

A63.2 The operator shall limit emissions from this equipment as follows:

Contaminant	EMISSIONS LIMIT
PM10	Less than 79 LBS IN ANY 30-DAY PERIOD

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D16]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A63.3 The operator shall limit emissions from this equipment as follows:

Contaminant	EMISSIONS LIMIT
ROG	Less than 7 LBS IN ANY 30-DAY PERIOD

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D848]

A327.1 For the purpose of determining compliance with District Rule 476, combustion contaminant emissions may exceed the concentration limit or the mass emission limit listed, but not both limits at the same time.

[RULE 476, 10-8-1976]

[Devices subject to this condition : D1, D2, D3, D4, D5, D6]

B. Material/Fuel Type Limits

B27.1 The operator shall not use materials containing any compounds identified in the SCAQMD Rule 1401, as amended 03/07/2008.

[RULE 1401, 3-7-2008]

[Devices subject to this condition : D24]

B59.1 The operator shall not use the following material(s) in this device :

Organic Solvents

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D14]

B59.2 The operator shall only use the following material(s) in this device :

1. sulfamic acid and water

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D24]

B61.1 The operator shall not use diesel fuel containing the following specified compounds:

Sulfur greater than or equal to 0.05 weight percent

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D1, D2, D3, D4]

B61.2 The operator shall only use diesel fuel containing the following specified compounds:

Compound	ppm by weight
Sulfur less than or equal to	15

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1470, 6-1-2007; **RULE 431.2, 5-4-1990**; RULE 431.2, 9-15-2000]

[Devices subject to this condition : D926]

C. Throughput or Operating Parameter Limits

C1.3 The operator shall limit the material processed to no more than 35100 barrel(s) in any one day.

For the purpose of this condition, material processed shall be defined as cold wort produced.

This limit shall be based on the total combined limit for equipment D133, D136 and D139.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D133, D136, D139]

C1.4 The operator shall limit the operating time to no more than 199 hour(s) in any one year.

[**RULE 1110.2, 7-9-2010**; **RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996**;
RULE 2012, 5-6-2005]

[Devices subject to this condition : D7, D97, D926]

C1.6 The operator shall limit the throughput to no more than 648 ton(s) in any one day.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D280]

- C1.7 The operator shall limit the material processed to no more than 35,100 barrel(s) in any one day.

This limit shall be based on the total combined limit for equipment D155 to D214, D778, D779, and D916 (Primary Fermentation Tanks).

For the purpose of this condition, material processed shall be defined as cold wort.

To comply with this condition, the operator shall maintain records of the total quantity of material processed in barrels per day..

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D778, D779, D916]

- C1.8 The operator shall limit the number of turnovers to no more than 15 in any one calendar month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D891, D892, D893, D894, D895, D896, D897, D898, D899, D900, D901, D902, D903, D904, D905, D906, D907, D908, D909, D910, D911, D912, D913, D914]

- C1.9 The operator shall limit the material processed to no more than 6000 lb(s) in any one day.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D24]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- C1.10 The operator shall limit the material processed to no more than 90 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D24]

- C8.1 The operator shall use this equipment in such a manner that the flow rate being monitored, as indicated below, is not less than 3 gpm.

To comply with this condition, the operator shall monitor the flow rate as specified in condition number 12-1.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C25]

- C8.3 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, is not less than 1400 Deg F.

To comply with this condition, the operator shall monitor the temperature as specified in condition number 12-3.

This condition shall only apply when the biogas supply valves to all boilers are closed and biogas flaring exceeding 300 cfm, occurs longer than 15 minutes continuously.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D239]

- C8.4 The operator shall use this equipment in such a manner that the flow rate being monitored, as indicated below, is not less than 30 gpm.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

The operator shall use a flow meter or pressure gauge with a pump flow curve correlating line pressure to flow rate to determine the flow rate.

The operator shall determine and record the parameter being monitored once every 24 hours.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D299]

C10.1 The operator shall use this equipment in such a manner that the pH being monitored, as indicated below, is maintained between 8 and 11 of the pH scale.

To comply with this condition, the operator shall install and maintain a(n) pH meter to accurately indicate the pH in the scrubber recirculation line.

The operator shall also install and maintain a device to continuously record the parameter being measured.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D299]

C10.2 The operator shall use this equipment in such a manner that the pressure being monitored, as indicated below, is maintained between 0.5 and 6.5 inches water column.

The operator shall install a pressure gauge to accurately indicate the pressure at the outlet of the filters.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C283]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D. Monitoring/Testing Requirements

D12.1 The operator shall install and maintain a(n) flow meter to accurately indicate the flow rate in the water supply line(s) to the scrubber.

A pressure gauge with a chart correlating line pressure to flow rate may be used as a flow meter to determine the flow rate in the recirculated scrubbing solution.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C25]

D12.2 The operator shall install and maintain a(n) gauge to accurately indicate the flue gas flow from the exhaust gas stack to the burner.

[RULE 1303(a)(1)-BACT, 12-6-2002; RULE 2012, 5-6-2005]

[Devices subject to this condition : D1, D2, D3, D4]

D12.3 The operator shall install and maintain a(n) temperature gauge to accurately indicate the temperature of the flare.

The operator shall record the parameter being monitored once every 24 hours.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D239]

D12.4 The operator shall install and maintain a(n) pH meter to accurately indicate the pH of the scrubbing solution.

The operator shall record the parameter being monitored once every 24 hours.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C25]

D12.5 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filter.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D16, C283]

D12.6 The operator shall install and maintain a(n) non-resettable elapsed time meter to accurately indicate the elapsed operating time of the engine.

[RULE 1110.2, 7-9-2010; RULE 1470, 6-1-2007]

[Devices subject to this condition : D926]

D82.1 The operator shall install and maintain a CEMS to measure the following parameters:

NOX concentration in ppmv

Concentrations shall be corrected to 3 percent oxygen on a dry basis.

The CEMS will convert the actual NOX concentrations to mass emission rates (lbs/hr) and record the hourly emission rates on a continuous basis.

[RULE 2012, 5-6-2005]

[Devices subject to this condition : D1, D2, D3, D4]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D90.1 The operator shall periodically monitor the H₂S concentration at the outlet of the biofilter according to the following specifications:

The operator shall use Dreger Tube (or equivalent) at the biofilter screen port to monitor the parameter.

The operator shall monitor once every day.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C235]

D135.1 The operator shall inspect, adjust, and certify the ignition or fuel injection timing of this engine a minimum of once every 3 years of operation. Inspections, adjustments, and certifications shall be performed by a qualified mechanic and performed in accordance with the engine manufacturer's specifications and procedures.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D7, D926]

D322.2 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D16, C55, C70, D71, C83, D87, D92, D95, C109, C283, D921]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D14, D39, D41, D42, D43, D44, D45, D46, D47, D48, D49, D50, D51, D52, D53, D54, D58, D59, D60, D61, D62, D63, D64, D65, D67, D68, D69, D71, D73, D74, D75, D76, D77, D78, D79, D80, D81, D82, D84, D86, D87, D89, D92, D94, D95, D97, D98, D100, D101, D102, D103, D105, D106, D107, D108, D110, D111, D112, D113, D114, D115, D117, D118, D119, D257, D258, D259, D280, D284, D296, D297, D885, D890]

- D328.1 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 1146. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D1, D2, D3, D4, D5, D6]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D371.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever this equipment has combusted one million gallons of diesel fuel, to be counted cumulatively over a five year period. The inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall:

Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three working days (or during the next fuel oil firing period if the unit ceases firing on fuel oil within the three working day time frame) and report any deviations to AQMD.

In addition, the operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- a). Stack or emission point identification;
- b). Description of any corrective actions taken to abate visible emissions;
- c). Date and time visible emission was abated; and
- d). Visible emission observation record by a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D1, D2, D3, D4, D5, D6]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D16, C55, C70, D71, C83, D84, D87, D92, D95, C109, E270]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C283, D921]

E. Equipment Operation/Construction Requirements

E17.1 The operator shall not use more than 60 of the following items simultaneously:

Device ID: D778 [D779, D916, and D155 to D214 (Primary Fermentation Tanks)]

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D778, D779, D916]

E71.1 The operator shall only use this equipment for the storage and processing of beer.

[**RULE 204, 10-8-1993**]

[Devices subject to this condition : D848, D849, D850, D851, D852, D853, D854, D855, D856, D857, D858, D859, D891, D892, D893, D894, D895, D896, D897, D898, D899, D900, D901, D902, D903, D904, D905, D906, D907, D908, D909, D910, D911, D912, D913, D914]

E71.2 The operator shall not vent this equipment to the atmosphere except during filling, loading, and cleaning operations.

[**RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002**]

[Devices subject to this condition : D848, D849, D850, D851, D852, D853, D854, D855, D856, D857, D858, D859, D891, D892, D893, D894, D895, D896, D897, D898, D899, D900, D901, D902, D903, D904, D905, D906, D907, D908, D909, D910, D911, D912, D913, D914]

E73.1 Notwithstanding the requirements of Section E conditions, the operator may, at his discretion, choose not to use FGR if any of the following requirement(s) are met:

Boiler load is less than 30 percent of maximum load

[**RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002**]

[Devices subject to this condition : D1, D2, D3, D4]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E73.2 Notwithstanding the requirements of Section E conditions, the operator may use standard SCAQMD approved source test methods, without submitting a source test protocol sixty day prior to the source test date, to conduct source tests performed for SOx Super Compliance:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D5, D6]

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[RULE 1303(a)(1)-BACT, 12-6-2002; RULE 1303(b)(2)-Offset, 5-10-1996]

[Devices subject to this condition : D16, C18, C55, C70, C83, C109, E270, C283, C805, C807, C811, C817, C825, C827, C829, C831, C839, C841, C843, C845, C847, C918, D921]

E113.1 The operator shall have the burner equipped with a control system to automatically regulate the combustion air, fuel and, if applicable, recirculated flue gas as the boiler load varies. This control system shall be adjusted and tuned at least twice a year according to the manufacturer's specifications to maintain its ability to repeat the same performance at the same firing rate.

[RULE 1146, 5-13-1994; RULE 1146, 9-5-2008; RULE 1303(a)(1)-BACT, 5-10-1996;
RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D1, D2, D3, D4]

E149.1 The operator shall replace the exhaust filters or wash the exhaust filters at least once every three months or according the manufacturer recommended frequency.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C805, C807, C811, C817, C825, C827, C829, C831, C833, C839, C841, C843, C845, C847, C918]

E149.2 The operator shall replace the carbon adsorbers at least once every six months or according to manufacturers recommendation.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D860, D861, D863, D866, D870, D871, D872, D873, D874, D877, D878, D879, D880, D881, C919]

E193.1 The operator shall upon completion of construction, operate and maintain this equipment according to the following specifications:

Water sprays shall be operated whenever dry materials are added to device D14

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D14]

E193.2 The operator shall upon completion of construction, operate and maintain this equipment according to the following specifications:

The tank shall be well mixed

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D803]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
ROG	District Rule	1122

[RULE 1122, 10-1-2004; RULE 1122, 5-1-2009]

[Devices subject to this condition : E272]

H23.2 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Halon	District Rule	1418

[RULE 1418, 9-10-1999]

[Devices subject to this condition : E275]

H23.3 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415
Refrigerants	40CFR82, SUBPART	F

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1415, 12-3-2010; 40CFR 82 Subpart F, 5-14-1993]

[Devices subject to this condition : E268, E269]

H23.4 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
ROG	District Rule	442
ROG	District Rule	109

[RULE 109, 5-2-2003; RULE 442, 12-15-2000]

[Devices subject to this condition : E271]

H23.5 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
ROG	District Rule	109

[RULE 109, 5-2-2003]

[Devices subject to this condition : E273, E279]

H418.1 This equipment is subject to the Super Compliance provisions of Rule 2011. In order to maintain designation as a Super Compliant facility, the operator shall conduct annual source tests of this equipment to determine the SO_x emissions at the outlet. The test shall be conducted to demonstrate compliance with Rule 2011(c)(4)(C) and 2011(c)(4)(D), as amended September 8, 1995. The operator shall also provide source tests reports to the District no more than sixty days after the date of the source tests.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 2011(c)(4)-Super Compliance, 12-5-2003; RULE 2011(c)(4) - Super Compliance, 1-7-2005]

[Devices subject to this condition : D5, D6]

K. Record Keeping/Reporting

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

the name of the person performing the inspection and/or maintenance of the filter media

the date, time and results of the inspection

the date, time and description of any maintenance or repairs resulting from the inspection

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C18, C55, C70, C83, C109, E270, D921]

K67.3 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

scrubbing solution flow rate

scrubbing solution pH

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C25]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K67.4 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E274]

K67.5 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

daily H₂S concentration measured by Dreger Tube or (equivalent)

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C235]

K67.6 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Filter replacement or washing frequency

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C805, C807, C811, C817, C825, C827, C829, C831, C833, C839, C841, C843, C845, C847, C918]

K67.7 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Carbon replacement frequency

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D860, D861, D863, D866, D870, D871, D872, D873, D874, D877, D878, D879, D880, D881, C919]

K67.8 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

An engine operating log shall be kept and maintained on file to record when this engine is started manually. The log shall list the date of operation, the timer reading in hours at the beginning and end of operation and the reason for operation.

By January 15 of each year, the operator shall total and record the total hours of operation (including hours for both manual and automatic operation) for the previous calendar year.

All records required by this permit shall be kept in a format that is acceptable to the District, shall be retained on the premises for at least three years, and shall be made available to any District representative upon request.

[RULE 1110.2, 7-9-2010; RULE 1470, 6-1-2007]

[Devices subject to this condition : D926]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

M. Title V Permit Shield

M333.1 Permit Shield. Notwithstanding the other requirements and conditions in this permit, this device is not subject to the following rule requirement(s):

Rule	Number/Subpart	Adopted/Amended Date	Non-Applicable Requirement(s)
District Rule	1130	10/08/1999	All
District Rule	1107	01/06/2006	All

Compliance with the conditions of this Title V permit shall be deemed in compliance with any regulatory requirements applicable as of the date of permit issuance to this device, provided that such regulatory requirements are included and specifically identified in this permit. Nothing in this permit or in any permit shield can alter or affect: (a) under Section 303 of the Federal Clean Air Act, the provisions for emergency orders; (b) the liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance; (c) the applicable requirements of the Acid Rain Program; (d) the ability of EPA to obtain information from the operator pursuant to Section 114 of the Federal Clean Air Act; (e) the applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do not apply to the facility, such as toxics requirements unique to the State; or, (f) the applicability of regulatory requirements with compliance dates after the permit issuance date. This permit shield shall not apply to any operational change made pursuant to the operational flexibility provisions of District Rule 3005.

[RULE 3004(c)-Permit Shield, 12-12-1997]

[Devices subject to this condition : E271]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations, or statutes of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION E: ADMINISTRATIVE CONDITIONS

5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least: [204]
 - a. Three years for a facility not subject to Title V; or
 - b. Five years for a facility subject to Title V.
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
 - a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134, 204]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For a large NO_x source, compliance with a RECLAIM concentration limit shall be measured over a continuous 60 minutes for that source; [2012]
 - d. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes; [204]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION E: ADMINISTRATIVE CONDITIONS

- e. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compounds which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - f. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent of carbon dioxide (CO₂) at standard conditions and averaged over 15 consecutive minutes. [409]
 - g. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. All equipment operating under the RECLAIM program shall comply concurrently with all provisions of AQMD Rules and Regulations, except those listed in Table 1 of Rule 2001 for NO_x RECLAIM sources and Table 2 of Rule 2001 for SO_x RECLAIM sources. Those provisions listed in Tables 1 or 2 shall not apply to NO_x or SO_x emissions after the date the facility has demonstrated compliance with all monitoring and reporting requirements of Rules 2011 or 2012, as applicable. Provisions of the listed AQMD rules in Tables 1 or 2 which have initial implementation dates in 1994 shall not apply to a RECLAIM NO_x or SO_x source, respectively. [2001]
9. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
- a. Brief description of the equipment tested.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION E: ADMINISTRATIVE CONDITIONS

- b. Brief process description, including maximum and normal operating temperatures, pressures, through-put, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (no conflict of interest).
10. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD Rules or equipment-specific conditions. The report shall contain the following information: [204]
- a. The results of the source test.
 - b. Brief description of the equipment tested.
 - c. Operating conditions under which test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Field and laboratory data forms, strip charts and analyses.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION E: ADMINISTRATIVE CONDITIONS

- f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
11. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]
12. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

The Facility shall comply with all applicable monitoring and source testing requirements in Regulation XX. These requirements may include but are not limited to the following:

I. NOx Monitoring Conditions

A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate an AQMD certified direct or time-shared monitoring device or an approved alternative monitoring device for each major NOx source to continuously measure the concentration of NOx emissions and all other applicable variables specified in Rule 2012, Table 2012-1 and Rule 2012, Appendix A, Table 2-A to determine the NOx emissions rate from each source. The time-sharing of CEMS among NOx sources may be allowed by the Executive Officer in accordance with the requirements for time sharing specified in Appendix A. [2012]
2. Install, maintain, and operate a totalizing fuel meter approved by the Executive Officer for each major source. [2012]
3. If the facility is operating existing CEMS and fuel meters, continue to follow recording and reporting procedures required by AQMD Rules and Regulations in effect prior to October 15, 1993 until the CEMS is certified pursuant to Rule 2012. [2012]
4. Use valid data collected by an AQMD certified or provisionally certified CEMS in proper operation that meets all the requirements of Appendix A of Rule 2012, unless final certification of the CEMS is denied, to determine mass emissions for all purposes, including, but not limited to, determining: [2012]
 - a. compliance with the annual Allocation;
 - b. excess emissions;
 - c. the amount of penalties; and
 - d. fees.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

5. Follow missing data procedures as specified in Rule 2012 Appendix A whenever valid data is not available or collected to determine mass emissions for all purposes, including, but not limited to, determining: [2012]
 - a. compliance with the annual Allocation;
 - b. excess emissions;
 - c. the amount of penalties; and
 - d. fees.

B. The Operator of a NO_x large Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

C. The Operator of a NO_x Process Unit, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2012, Table 2012-1, and Rule 2012, Appendix A, Table 4-A. The sharing of totalizing fuel meters may be allowed by the Executive Officer if the fuel meter serves process units which have the same emission factor or emission rate. The sharing of totalizing meter shall not be allowed for process units which are required to comply with an annual heat input limit. [2012]

II. NO_x Source Testing and Tune-up conditions

1. The operator shall conduct all required NO_x source testing in compliance with an AQMD-approved source test protocol. [2012]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

2. The operator shall, as applicable, conduct source tests for every large NO_x source no later than December 31, 1996 and every 3 years thereafter. The source test shall include the determination of NO_x concentration and a relative accuracy audit of the exhaust stack flow determination (e.g. in-stack flow monitor or fuel flow monitor based F-factor calculation). Such source test results shall be submitted per the schedule described by APEP. In lieu of submitting the first source test report, the facility permit holder may submit the results of a source test not more than 3 years old which meets the requirements when conducted. [2012]
3. All NO_x large sources and NO_x process units shall be tuned-up in accordance with the schedule specified in Rule 2012, Appendix A, Chapter 5, Table 5-B. [2012]

III. SO_x monitoring conditions

D. The Operator of a SO_x Major Source, as defined in Rule 2011, shall, as applicable:

Not Applicable

E. The Operator of a SO_x Process Unit, as defined in Rule 2011, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2011, Table 2011-1, and Rule 2011, Appendix A, Table 3-A. The sharing of totalizing meters shall be allowed for process units except those using fuels with different sulfur contents. [2011]

IV. SO_x Source Testing Conditions

1. The operator shall conduct all required SO_x source testing in compliance with an AQMD-approved source test protocol. [2011]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

The Facility shall comply with all applicable reporting and recordkeeping requirements in Regulation XX. These requirements may include but are not limited to the following:

I. Recordkeeping Requirements for all RECLAIM Sources

1. The operator shall maintain all monitoring data required to be measured or reported pursuant to Rule 2011 and Rule 2012, whichever is applicable. All records shall be made available to AQMD staff upon request and be maintained for at least:
 - a. Three years after each APEP report is submitted to AQMD for a facility not subject to Title V, unless a different time period is required in Rule 2011 or Rule 2012 [2011 & 2012]; or
 - b. Five years after each APEP report is submitted to AQMD for a facility subject to Title V. [3004(a)(4)(E)]
 - c. Notwithstanding the above, all data gathered or computed for intervals of less than 15 minutes shall only be maintained a minimum of 48 hours. [2011 & 2012]
2. The operator shall store on site and make available to the Executive Officer upon request: records used to determine emissions, maintenance records, sources test reports, relative accuracy test audit reports, relative accuracy audit reports and fuel meter calibration records. [2011 & 2012]

II. Reporting Requirements for all RECLAIM Sources

1. The operator shall submit a quarterly certification of emissions including the total facility NO_x or SO_x emissions, whichever is applicable, for the quarter within 30 days after the end of the first three quarters and 60 days after the end of the fourth quarter of a compliance year. [2004]

NO_x Reporting Requirements

- A. The Operator of a NO_x Major Source, as defined in Rule 2012, shall, as applicable:

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

1. No later than 12 months after entry into the RECLAIM program or after the initial operation of a new major source, whichever is later, install, maintain, and operate a reporting device to electronically report everyday to the AQMD central station for each major NOx source, the total daily mass emissions of NOx and daily status codes. Such data shall be transmitted by 5:00 p.m. of the following day. If the facility experiences a power, computer, or other system failure that prevents the submittal of the daily report, the Facility Permit holder shall be granted 24 hours extension to submit the report. [2012]
2. Calculate NOx emissions pursuant to missing data procedures set forth in Appendix A, Chapter 2 of Rule 2012 if the Facility Permit holder fails to meet the deadline for submitting the daily report. [2012]
3. Submit an electronic report within 15 days following the end of each month totaling NOx emissions from all major NOx sources during the month. [2012]
4. For those facilities with existing CEMS and fuel meters as of October 15, 1993, continue to follow recording and reporting procedures required by AQMD Rules and Regulations in effect until the CEMS is certified pursuant to Rule 2011 and/or Rule 2012, as applicable. [2012]

B. The Operator of a NOx Large Source, as defined in Rule 2012, shall:

Not Applicable

C. The Operator of a NOx Process Unit, as defined in Rule 2012, shall:

1. Electronically report the calculated quarterly NOx emissions for each NOx process unit. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. [2012]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

SOx Reporting Requirements

D. The Operator of a SOx Major Source, as defined in Rule 2011, shall, as applicable:

Not Applicable

E. The Operator of a SOx Process Unit, as defined in Rule 2011, shall:

- 1. Electronically report the calculated quarterly SOx emissions for each SOx process unit. [2011]**

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

NONE

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION J. AIR TOXICS

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]

(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
- (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.
 - (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
 - (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
- (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
- (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]
11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
- (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**SECTION K: TITLE V Administration
EMERGENCY PROVISIONS**

17. An emergency¹ constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
 - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - (B) The operator complies with the breakdown provisions of Rule 430 – Breakdown Provisions, or subdivision (i) of Rule 2004 – Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

¹ "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**SECTION K: TITLE V Administration
RECORDKEEPING PROVISIONS**

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 – Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

- (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.
 - (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
 - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

- (B) The compliance status during the reporting period;
- (C) Whether compliance was continuous or intermittent;
- (D) The method(s) used to determine compliance over the reporting period and currently, and
- (E) Any other facts specifically required by the Executive Officer to determine compliance.

The EPA copy of the certification shall be sent to: Director of the Air Division Attn:
Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]

25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the TitleV application file. [3004(a)(4)]

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 109	5-2-2003	Federally enforceable
RULE 1110.2	2-1-2008	Non federally enforceable
RULE 1110.2	7-9-2010	Non federally enforceable
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	6-3-2011	Non federally enforceable
RULE 1113	7-13-2007	Non federally enforceable
RULE 1122	10-1-2004	Federally enforceable
RULE 1122	5-1-2009	Non federally enforceable
RULE 1140	2-1-1980	Federally enforceable
RULE 1140	8-2-1985	Non federally enforceable
RULE 1146	11-17-2000	Federally enforceable
RULE 1146	5-13-1994	Federally enforceable
RULE 1146	9-5-2008	Non federally enforceable
RULE 1168	1-7-2005	Federally enforceable
RULE 1168	10-3-2003	Federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	5-1-2009	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 1304(a)-Modeling and Offset Exemption	6-14-1996	Federally enforceable
RULE 1401	3-7-2008	Non federally enforceable
RULE 1401	9-10-2010	Non federally enforceable
RULE 1415	12-3-2010	Non federally enforceable
RULE 1418	9-10-1999	Non federally enforceable
RULE 1470	6-1-2007	Non federally enforceable
RULE 2011	5-6-2005	Federally enforceable
RULE 2011(c)(4) - Super Compliance	1-7-2005	Non federally enforceable
RULE 2011(c)(4)-Super Compliance	12-5-2003	Federally enforceable
RULE 2012	1-7-2005	Federally enforceable
RULE 2012	12-5-2003	Federally enforceable
RULE 2012	5-11-2001	Federally enforceable
RULE 2012	5-6-2005	Federally enforceable
RULE 2012(c)(4) - Super Compliance	1-7-2005	Non federally enforceable
RULE 204	10-8-1993	Federally enforceable
RULE 217	1-5-1990	Federally enforceable
RULE 219	6-1-2007	Non federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 2202	2-6-2004	Non federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3003	3-16-2001	Non federally enforceable
RULE 3004	12-12-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3004(c)-Permit Shield	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3005	3-16-2001	Non federally enforceable
RULE 3007	10-8-1993	Federally enforceable

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 304	5-7-2010	Non federally enforceable
RULE 401	11-9-2001	Non federally enforceable
RULE 401	3-2-1984	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 403	4-2-2004	Federally enforceable
RULE 403	6-3-2005	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable
RULE 431.2	5-4-1990	Federally enforceable
RULE 431.2	9-15-2000	Non federally enforceable
RULE 442	12-15-2000	Federally enforceable
RULE 475	10-8-1976	Federally enforceable
RULE 475	8-7-1978	Non federally enforceable
RULE 476	10-8-1976	Federally enforceable
RULE 701	6-13-1997	Federally enforceable
40CFR 68 - Accidental Release Prevention	5-24-1996	Federally enforceable
40CFR 82 Subpart F	5-14-1993	Federally enforceable

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN
PERMIT PURSUANT TO RULE 219**

1. WATER HEATERS, NATURAL GAS
2. SPACE HEATERS, NATURAL GAS
3. COOKING STOVES, NATURAL GAS
4. INTERNAL COMBUSTION ENGINE, EMERGENCY GENERATOR,
DIESEL
5. INTERNAL COMBUSTION ENGINES, VACUUM CLEANERS,
GASOLINE PROPANE
6. INTERNAL COMBUSTION ENGINES, MAINTENANCE, GASOLINE
7. INTERNAL COMBUSTION ENGINES, MAINTENANCE, PROPANE

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1113 11-08-1996]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

TABLE OF STANDARDS

VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water And Less Exempt Compounds**

COATING	Limit*	Effective Date of Adoption	Effective 1/1/1998	Effective 1/1/1999	Effective 7/1/2001	Effective 1/1/2005	Effective 7/1/2008
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250						
Graphic Arts (Sign) Coatings	500				100		50

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC.. (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1113 11-08-1996]**

Industrial Maintenance						
Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550		275	
Pre-Treatment Wash Primers	780					
Primers, Sealers, and	350					
Undercoaters						
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

TABLE OF STANDARDS (cont.)

VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

- (1) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6) of Rule 1113, no person shall supply, sell, offer for sale, market, manufacture, blend, repackage, apply, store at a worksite, or solicit the application of any architectural coating within the District:
 - (A) That is listed in the Table of Standards 1 and contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified; or
 - (B) That is not listed in the Table of Standards 1, and contains VOC (excluding any colorant added to tint bases) in excess of 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, until January 1, 2014, at which time the limit drops to 50 grams of VOC per liter of coating, less water, less exempt compounds (0.42 pounds per gallon).
- (2) No person within the District shall add colorant at the point of sale that is listed in the Table of Standards 2 and contains VOC in excess of the corresponding VOC limit specified in the Table of Standards 2, after the effective date specified.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC.. (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

**TABLE OF STANDARDS 1
VOC LIMITS**

**Grams of VOC Per Liter of Coating,
Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit ¹	Current Limit ²	Effective Date		
			7/1/08	1/1/12	1/1/14
Bond Breakers		350			
Clear Wood Finishes		275			
Varnish	350	275			
Sanding Sealers	350	275			
Lacquer		275			
Concrete-Curing Compounds		100			
Concrete-Curing Compounds For Roadways and Bridges ³		350			
Concrete Surface Retarder		250			50
Driveway Sealer		100		50	
Dry-Fog Coatings		150			50
Faux Finishing Coatings					
Clear Topcoat		350		200	
Decorative Coatings		350			100
Glazes		350			
Japan		350			
Trowel Applied Coatings		350		150	50
Fire-Proofing Coatings		350			150
Flats	250	50	50		
Floor Coatings	100	50			
Form Release Compound		250			100
Graphic Arts (Sign) Coatings		500			150
Industrial Maintenance (IM) Coatings	420	100			
High Temperature IM Coatings		420			
Non-Sacrificial Anti-Graffiti Coatings		100			
Zinc-Rich IM Primers	340	100			
Magnesite Cement Coatings		450			
Mastic Coatings		300			100
Metallic Pigmented Coatings	500	500			150
Multi-Color Coatings		250			
Nonflat Coatings	150	50			
Pre-Treatment Wash Primers		420			
Primers, Sealers, and Undercoaters	200	100			
Reactive Penetrating Sealers		350			
Recycled Coatings		250			
Roof Coatings	250	50			
Roof Coatings, Aluminum		100			

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

Roof Primers, Bituminous	350	350		
Rust Preventative Coatings	400	100		
Stone Consolidant		450		
Sacrificial Anti-Graffiti Coatings		100	50	
Shellac				
Clear		730		
Pigmented		550		
Specialty Primers	350	100		
Stains		100		

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC.. (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

COATING CATEGORY	Ceiling Limit ¹	Current Limit ²	Effective Date		
			7/1/08	1/1/12	1/1/14
Stains, Interior	250	250			
Swimming Pool Coatings					
Repair		340			
Other		340			
Traffic Coatings		100			
Waterproofing Sealers	250	100			
Waterproofing Concrete/Masonry Sealers	400	100			
Wood Preservatives		350			

1. The specified ceiling limits are applicable to products sold under the Averaging Compliance Option.
2. The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.
3. Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

**TABLE OF STANDARDS 1 (cont.)
VOC LIMITS**

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

**TABLE OF STANDARDS 2
VOC LIMITS FOR COLORANTS**

**Grams of VOC Per Liter of Colorant
Less Water and Less Exempt Compounds**

COLORANT	Limit ⁴
Architectural Coatings, excluding IM Coatings	50
Solvent-Based IM	600
Waterborne IM	50

4. Effective January 1, 2014.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC.. (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1140 02-01-1980]**

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).

- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B. RULE EMISSION LIMITS
[RULE 1140 08-02-1985]**

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).

- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1168 01-07-2005]**

- (1) Unless otherwise specified in paragraph (c)(2), a person shall not apply any adhesives, adhesive bonding primers, adhesive primers, or any other primer which have a VOC content in excess of 250 g/L less water and less exempt compounds.
- (2) A person shall not apply adhesives, adhesive bonding primers, adhesive primers, sealants, sealant primers, or any other primer which have a VOC content in excess of the limits specified below:

VOC Limit*, Less Water and Less Exempt Compounds in Grams per Liter

Architectural Applications	Current VOC Limit*
Indoor Carpet Adhesives	50
Carpet Pad Adhesives	50
Outdoor Carpet Adhesives	150
Wood Flooring Adhesive	100
Rubber Floor Adhesives	60
Subfloor Adhesives	50
Ceramic Tile Adhesives	65
VCT and Asphalt Tile Adhesives	50
Dry Wall and Panel Adhesives	50
Cove Base Adhesives	50
Multipurpose Construction Adhesives	70
Structural Glazing Adhesives	100
Single Ply Roof Membrane Adhesives	250

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC.. (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 01-07-2005]**

Specialty Applications	VOC Limits and Effective Dates**			
	Current VOC Limit*	1-1-05	7-1-05	1-1-07
PVC Welding	510			
CPVC Welding	490			
ABS Welding	400		325	
Plastic Cement Welding	350	250		
Adhesive Primer for Plastic	650		550	
Computer Diskette Manufacturing	350			
Contact Adhesive	80			
Special Purpose Contact Adhesive	250			
Tire Retread	100			
Adhesive Primer for Traffic Marking Tape	150			
Structural Wood Member Adhesive	140			
Sheet Applied Rubber Lining Operations	850			
Top and Trim Adhesive	540			250

** The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1168 01-07-2005]**

For adhesives, adhesive bonding primers, or any other primer not regulated by the above two tables and applied to the following substrates, the following limits shall apply:

Substrate Specific Applications	Current VOC Limit*
Metal to Metal	30
Plastic Foams	50
Porous Material (except wood)	50
Wood	30
Fiberglass	80

If an adhesive is used to bond dissimilar substrates together the adhesive with the highest VOC content shall be allowed.

Sealants	Current VOC Limit*
Architectural	250
Marine Deck	760
Nonmembrane Roof	300
Roadway	250
Single-Ply Roof Membrane	450
Other	420

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1168 01-07-2005]**

Sealant Primers	Current VOC Limit*
Architectural	
Non Porous	250
Porous	775
Modified Bituminous	500
Marine Deck	760
Other	750

* For low-solid adhesives or sealants the VOC limit is expressed in grams per liter of material as determined in paragraph (b)(32); for all other adhesives and sealants, VOC limits are expressed as grams of VOC per liter of adhesive or sealant less water and less exempt compounds as determined in paragraph (b)(31).

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1168 10-03-2003]**

- (1) Unless otherwise specified in paragraph (c)(2), a person shall not apply any adhesives, adhesive bonding primers, adhesive primers, or any other primer which have a VOC content in excess of 250 g/L less water and less exempt compounds.
- (2) A person shall not apply adhesives, adhesive bonding primers, adhesive primers, sealants, sealant primers, or any other primer which have a VOC content in excess of the limits specified below:

VOC Limit*, Less Water and Less Exempt Compounds in Grams per Liter

Architectural Applications	Current VOC Limit
Indoor Carpet Adhesives	50
Carpet Pad Adhesives	50
Outdoor Carpet Adhesives	150
Wood Flooring Adhesive	100
Rubber Floor Adhesives	60
Subfloor Adhesives	50
Ceramic Tile Adhesives	65
VCT and Asphalt Tile Adhesives	50
Dry Wall and Panel Adhesives	50
Cove Base Adhesives	50
Multipurpose Construction Adhesives	70
Structural Glazing Adhesives	100
Single Ply Roof Membrane Adhesives	250

* For low-solid adhesives or sealants the VOC limit is expressed in grams per liter of material as determined in paragraph (b)(32); for all other adhesives and sealants, VOC limits are expressed as grams of VOC per liter of adhesive or sealant less water and less exempt compounds as determined in paragraph (b)(31).

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 10-03-2003]**

.Specialty Applications	VOC Limits and Effective Dates**			
	Current VOC Limit	6-7-02	1-1-03	1-1-05
PVC Welding	510			285
CPVC Welding	490			270
ABS Welding	400			
Plastic Cement Welding	350			250
Adhesive Primer for Plastic	650			250
Computer Diskette Manufacturing	350			
Contact Adhesive	250		80	
Special Purpose Contact Adhesive	250			
Tire Retread	100			
Adhesive Primer for Traffic Marking Tape	150			
Structural Wood Member Adhesive	140			
Sheet Applied Rubber Lining Operations	850			
Top and Trim Adhesive	250	540		250

** The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 10-03-2003]**

Substrate Specific Applications	Current VOC Limit
Metal to Metal	30
Plastic Foams	50
Porous Material (except wood)	50
Wood	30
Fiberglass	80

If an adhesive is used to bond dissimilar substrates together the adhesive with the highest VOC content shall be allowed.

Sealants	Current VOC Limit
Architectural	250
Marine Deck	760
Nonmembrane Roof	300
Roadway	250
Single-Ply Roof Membrane	450
Other	420

Sealant Primers	Current VOC Limit
Architectural	
Non Porous	250
Porous	775
Modified Bituminous	500
Marine Deck	760
Other	750

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-07-2003]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 11-07-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-07-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC.. (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 05-01-2009]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS* VOC g/l (lb/gal)	EFFECTIVE 1/1/2010 VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	
(iii) Medical Devices & Pharmaceuticals	800 (6.7)	
(B) Repair and Maintenance Cleaning		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 05-01-2009]**

	CURRENT LIMITS*	EFFECTIVE 1/1/2010
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals		
(A) Tools, Equipment, & Machinery	800 (6.7)	
(B) General Work Surfaces	600 (5.0)	
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)	
(D) Cleaning of Ink Application Equipment		
(i) General	25 (0.21)	
(ii) Flexographic Printing	25 (0.21)	
(iii) Gravure Printing		
(A) Publication	100 (0.83)	
(B) Packaging	25 (0.21)	
(iv) Lithographic (Offset) or Letter Press Printing		
(A) Roller Wash, Blanket Wash, & On-Press Components	100 (0.83)	

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 05-01-2009]**

	CURRENT LIMITS*	EFFECTIVE 1/1/2010
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(B) Removable Press Components	25 (0.21)	
(v) Screen Printing	100 (0.83)	
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)	
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)	

* The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 02-07-1986]**

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a). Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 02-07-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 02-07-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 405 02-07-1986]**

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 405(a)

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 405 02-07-1986]**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0