



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov

February 10, 2012  
via Electronic Submittal

Mr. Gerardo Rios  
USEPA – Region IX  
Mail Stop A-5-2  
75 Hawthorne Blvd.  
San Francisco, CA 94105

Dear Mr. Rios:

Proposed De Minimus Significant Revision to Title V Permit for DeMenno/Kerdoon (ID#800037)

Enclosed for your 45-day review is the proposed revision to the Title V Permit for DeMenno/Kerdoon located at 2000 N. Alameda Street, Compton, CA. This revision is a De Minimus Significant permit revision, and a Title V public notice is not required. We enclose the proposed revision to Section H, which includes the five permit applications shown below, and the engineering evaluations.

**SECTION H: PERMIT TO CONSTRUCT**

<b>Appl. No.</b>	<b>Description</b>
527509	New soil vapor extraction system (Process 11 : System 4)
527510	Modify existing afterburner connecting the soil vapor extraction system (Process 9 : System 7)
527511	Modify existing afterburner connecting the soil vapor extraction system (Process 9 : System 13)
528472	Replace a sludge centrifuge (Process 5 : System 2)
530589	New storage silo (Process 5 : System 3)

The initial Title V permit for this facility was issued on July 1, 2011. The proposed changes will result in a VOC emission increase of 2.24 lb/day, and a PM10 increase of 0.04 lb/day.

This request is being made via electronic submittal in order to facilitate your review. If you have any questions or need additional information, please contact Mr. Ken Matsuda at (909) 396-2656 or by email at kmatsuda@aqmd.gov.

Sincerely,

Jay Chen, P.E.  
Senior AQ Engineering Manager  
Refinery and Waste Management Permitting

Enclosures

JC: CDT: KKM : JTU

cc: Alok Das, DeMenno/Kerdoon  
Appl.No. 527512, w/ Enclosures