



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

January 27th, 2012

Corey Vodvarka
Plant Manager
Exide Technologies
2700 South Indiana Street
Vernon, CA 90058

Minor Permit Revision to Title V Permit for Exide Technologies (ID# 124838)

Dear Mr. Vodvarka:

Enclosed are the revised Title Page, Table of Contents, and Section I of your RECLAIM/Title V Facility Permit. The revision reflects the following changes:

Section I – Plans and Schedules

Application No.	Description
530090	Compliance Plan for Rule 1420.1 – Emissions Standard For Lead From Large Lead-Acid Battery Recycling Facilities – to implement measures to reduce lead emissions to the atmosphere.

This revision is covered under A/N 531649 and is a “minor permit revision”. A draft copy was electronically submitted to the EPA on January 24, 2012. AQMD requested EPA to expedite its review of the proposed revision. EPA had no comments on the revision and made approved the revision for issuance on January 26th, 2012.

Please review the attached sections carefully. Insert the enclosed sections into your RECLAIM/Title V Facility Permit and discard the earlier versions.

The operation of your facility is bound by the conditions and/or requirements stated in the facility Permit to Operate. If you determine there are administrative errors, or if you have any questions concerning changes to your permit, please, Mr. Marco Polo, Air Quality Engineer, at (909) 396-2633 within 30 days of the receipt of your permit.

Sincerely,

Jay Chen, P.E.
Senior A.Q. Engineering Manager
Refinery and Waste Management Permitting
Engineering & Compliance

JC:CDT:TGL

Enclosures

cc: Gerardo Rios, EPA Region IX
Compliance
Central File
Application No. 531649