

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID:	140811	Company Name:	Ducommun AeroStructures, Inc		
Equipment Location:	801 Royal Oak Drive, Monrovia, CA 91016			SIC Code: 3728	
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:			
Application #(s):	546572	Application Submittal Date(s):	01/15/13		
AQMD Contact Person:	Hamed Mandilawi	Phone #:	(909) 396-3275		
		E-Mail Address:	hmandilawi@aqmd.gov		
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in aerospace manufacturing. The facility operates spray booths, ovens, abrasive blasting equipment, anodizing lines, an alodining line, a metal finishing line, a vapor degreaser, air pollution control equipment, and other supporting equipment.					
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal					
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance					
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2012		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>			
			<u>Emissions (lbs/yr):</u>		
			Ammonia 567		
			Benzene 0.251		
			Chromium (VI) 0.01		
			Formaldehyde 0.535		
			Naphthalene 0.009		
			PAHs 0.003		
			Perchloroethylene 0.009		
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved    2002 Cancer Risk = 3.5 <u>in one million</u> Acute Hazard Index = <u>0.01</u> Chronic Hazard Index = <u>0.01</u>					
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year:2012		<input checked="" type="checkbox"/> NOx	<u>2.035</u>	<input checked="" type="checkbox"/> PM	<u>0.118</u>
		<input checked="" type="checkbox"/> CO	<u>0.568</u>	<input checked="" type="checkbox"/> SOx	<u>0.009</u>
		<input checked="" type="checkbox"/> VOC	<u>12.614</u>	<input type="checkbox"/> Other:	_____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (9) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (2)					
Comments:					