



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

NOTICE OF RENEWAL OF TITLE V PERMIT

The South Coast Air Quality Management District (SCAQMD) is the air pollution control agency for all of Orange County and portions of Los Angeles, Riverside and San Bernardino Counties. This is to inform the public of the intention of the SCAQMD to renew the existing Title V permit previously issued to the facility listed below.

Facility location and contact person

MM West Covina, LLC

2210 S. Azusa Avenue
West Covina, CA 91792
Facility ID # 113873

Contact Person:

Ms. Suparna Chakladar
Vice President, Fortistar Methane Group
5087 Junction Road
Lockport, NY 14094

MM West Covina operates a Resource Recovery System consisting of a steam generator using landfill gas (LFG) fuel and a steam turbine driving a 7100 KW generator. There is no other equipment permitted for this facility.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance, unless such permit has been renewed. Accordingly, the above facility has submitted Title V renewal application and requested that AQMD renew their Title V permit. The proposed permit incorporates updates to the facility information, as provided in the facility's Title V renewal application, as well as updates to all rules and regulations that are currently applicable to the facility. As required by Title V of the federal Clean Air Act, the Title V permit include all of the emission limits, applicable requirements and operating conditions imposed on the equipment. The facility is required to certify compliance with the Title V permit in addition to recordkeeping and mandatory reporting of any deviation from the permit conditions.

The proposed permit is available for public review at SCAQMD, 21865 Copley Dr., Diamond Bar, CA 91765, and at the West Covina Library, 1601 W. Covina Pkwy., West Covina, CA 91790-2786. The proposed permit can also be viewed at <http://www3.aqmd.gov/webappl/publicnotices2/search.aspx> by entering the facility ID number.

Information regarding the facility owner's compliance history submitted to the SCAQMD pursuant to California Health & Safety Code Section 42336, or otherwise known to the SCAQMD based on credible information, is also available from <http://www3.aqmd.gov/webappl/firm/prog/search.aspx> for public review. **Anyone wishing to comment on the issuance of the proposed permit should submit their comments in writing by 12/26/2014. Written comments should be submitted to:**

South Coast Air Quality Management District
Engineering and Compliance Office
21865 Copley Drive
Diamond Bar, CA 91765-4178
Attention: Gaurang Rawal
AQ Engineer II

If you are concerned primarily about zoning decisions and the process by which this facility been sited at this location, you should contact your local city or county planning department.

For additional information, please contact Mr. Gaurang Rawal at (909) 396-2543 or by email at grawal@aqmd.gov.

The public may request the AQMD to conduct a public hearing on the proposed permit by submitting a Hearing Request Form (Form 500-G) to Andrew Y. Lee at the above AQMD address. The public hearing request must contain all the information requested on the form in order for the AQMD to determine whether or not the request is valid or if a public hearing will be held. The public hearing request forms may be obtained from the AQMD by calling the Title V hotline at (909) 396-3013, or downloading from the internet at <http://www.aqmd.gov/docs/default-source/grants/500-g-form.pdf?sfvrsn=2>. Any request for public hearings must be submitted to the AQMD no later than **12/11/2014**.

A copy of the hearing request must also be sent by first class mail to the facility contact person listed above, at the same time.

For your general information, anyone experiencing air quality problems such as dust, smoke or odors can telephone in a complaint to the AQMD by calling 1-800-CUT-SMOG (1-800-288-7664).