



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov



January 31, 2012

Robert Lummus
Vice President & General Manager
Garrett Aviation Services, LLC dba Standard Aero
6201 W. Imperial Highway
Los Angeles, CA 90045

Subject: Title V Facility Permit (Facility ID 155828)

Dear Mr. Lummus:

Please find attached the revised Title Page, Table of Contents, and Section D of your Title V Facility Permit for your facility located at 6201 W. Imperial Highway, Los Angeles, CA 90045. The revision reflects the approval of the administrative permit revision requested in your Application No. 526287 for change of ownership of a spray booth from Garrett Aviation Services, Inc. (ID 145990) to Garrett Aviation, LLC. dba Standard Aero (ID 155828).

Please review the attached sections carefully. Insert the enclosed sections into your Title V Facility Permit and discard the earlier version. Questions concerning changes to your permit should be directed to Mr. Thai Tran at 909-396-2562.

Sincerely,

Brian L. Yeh
Senior Manager
Mechanical, Chemical and Public Services
Engineering and Compliance

BLY:DR:TT
Attachment

cc: Gerardo Rios, EPA Region IX

FACILITY PERMIT TO OPERATE


**GARRETT AVN. SVCS. LLC DBA STANDARD AERO
6201 W IMPERIAL HWY
LOS ANGELES, CA 90045**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER


Mohsen Nazem, P.E.
Deputy Executive Officer
Engineering & Compliance

**FACILITY PERMIT TO OPERATE
GARRETT AVN. SVCS. LLC DBA STANDARD AERO**

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	0	02/18/2011
B	RECLAIM Annual Emission Allocation	0	02/18/2011
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	1	01/27/2012
E	Administrative Conditions	0	02/18/2011
F	RECLAIM Monitoring and Source Testing Requirements	0	02/18/2011
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	0	02/18/2011
H	Permit To Construct and Temporary Permit to Operate	0	02/18/2011
I	Compliance Plans & Schedules	0	02/18/2011
J	Air Toxics	0	02/18/2011
K	Title V Administration	0	02/18/2011
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	0	02/18/2011
B	Rule Emission Limits	0	02/18/2011

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

**Facility Equipment and Requirements
(Section D)**

This section consists of a table listing all permitted equipment at the facility, facility wide requirements, all individual Permits to Construct and Permits to Operate issued to various equipment at the facility, and Rule 219-exempt equipment subject to source-specific requirements. Each permit and Rule 219-exempt equipment will list operating conditions including periodic monitoring requirements, and applicable emission limits and requirements that the equipment is subject to. Also included is the rule origin and authority of each emission limit and permit condition.

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMITTED EQUIPMENT LIST

THE FOLLOWING IS A LIST OF ALL PERMITS TO CONSTRUCT AND PERMITS TO OPERATE AT THIS FACILITY:

Application number	Permit to Operate number	Equipment description
483951	G12009	JET ENGINE TEST CELL #1
483960	G12012	JET ENGINE TEST CELL #2
483952	G12010	ABRASIVE BLASTING CABINET
486205	G12013	BRUSH PLATING
483959	G12011	SPRAY BOOTH (HANGER)
526286	G16630	SPRAY BOOTH

NOTE: EQUIPMENT LISTED ABOVE THAT HAVE NO CORRESPONDING PERMITS TO OPERATE NUMBER ARE ISSUED PERMITS TO CONSTRUCT. THE ISSUANCE OR DENIAL OF THEIR PERMITS TO OPERATE IS SUBJECT TO ENGINEERING FINAL REVIEW. ANY OTHER APPLICATIONS THAT ARE STILL BEING PROCESSED AND HAVE NOT BEEN ISSUED PERMITS TO CONSTRUCT OR PERMITS TO OPERATE WILL NOT BE FOUND IN THIS TITLE V PERMIT.

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

FACILITY WIDE CONDITION(S)

Condition(s):

1. EXCEPT FOR ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMINANT FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
 - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGLEMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
 - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOES SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION.
[RULE 401]

2. THE TOTAL QUANTITY OF HAZARDOUS AIR POLLUTANTS (HAPS) AS LISTED IN SECTION 112 OF THE FEDERAL CLEAN AIR ACT FROM THIS FACILITY SHALL NOT EXCEED 1,666 POUNDS OF A SINGLE HAP, OR 4,166 POUNDS OF ANY COMBINATION OF HAPS IN ANY CALENDAR MONTH. THE OPERATOR SHALL KEEP RECORDS OF HAP EMISSIONS TO DEMONSTRATE COMPLIANCE WITH THIS CONDITION.
[RULE 204, 42 USC 7412(a) (1), and 40 CFR 63.2.]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMIT TO OPERATE

**Permit No. G12009
A/N 483951**

Equipment Description:

JET ENGINE TEST CELL, NO. 1, 23'-0" W X 80'-0" L X 22'-0" H, WITH A 10'-0" DIA X 56'-0" H. STACK, AND A SILENCER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN-ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]

2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]

3. THIS EQUIPMENT SHALL BE USED TO TEST ENGINES OPERATED ON JET-A FUEL ONLY.
[RULE 1303 (b)(2), OFFSET; RULE 1401]

4. THE EMISSIONS FROM THIS CELL SHALL NOT EXCEED THE FOLLOWING BASED ON A 30-DAY MONTHLY AVERAGE:

CONTAMINANT	EMISSION (LB/DAY)
VOLATILE ORGANIC COMPOUNDS	9
NITROGEN OXIDES	51
CARBON MONOXIDE	27
PARTICULATE MATTER <= 10 MICRONS	1
SULFUR OXIDES	2

[RULE 1303 (b)(2), OFFSET]

5. A COMPUTER TRACKING SYSTEM SHALL BE USED TO CONTINUOUSLY MONITOR THE FUEL CONSUMPTION, TEST MODE AND MODE DURATION OF THE TURBINE TEST. THE COMPUTER TRACKING SYSTEM SHALL BE ABLE TO CONTINUOUSLY CALCULATE THE EMISSIONS BY MULTIPLYING FUEL CONSUMPTION WITH AN AQMD APPROVED ENGINE SPECIFIC EMISSIONS FACTOR. IN CASE OF SYSTEM FAILURE AND THE AFOREMENTIONED DATA IS LOST, THE DATA SHALL BE MANUALLY RECONSTRUCTED AND ENTERED INTO THE TRACKING SYSTEM BY THE END OF THE DAY THAT THE SYSTEM IS RESTORED.
[RULE 1303 (b)(2), OFFSET]

6. FUEL METER AND TIMER OF TRACKING SHALL BE CALIBRATED AT LEAST ONCE A YEAR IN ACCORDANCE TO MANUFACTURER'S SPECIFICATIONS.
[RULE 1303 (b)(2), OFFSET]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 4, 5, AND 6. THE RECORDS SHALL INCLUDE, BUT NOT LIMITED TO, MODEL OF TESTED TURBINE, DATE OF TEST, TEST MODE, TEST DURATION, FUEL CONSUMPTION, EMISSIONS OF CURRENT TEST CYCLE, MONTHLY ACCUMULATED EMISSIONS, AND EQUIPMENT CALIBRATION. IN CASE OF SYSTEM FAILURE, IN ADDITION TO THESE RECORDS, TIMES AND DATE(S) OF WHEN THE SYSTEM FAILED AND SYSTEM RESUMED SHALL BE KEPT. RECORDS SHALL BE KEPT FOR AT LEAST TWO YEARS AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b)(2), OFFSET]

8. PERMIT SHIELD: NOT WITHSTANDING THE OTHER REQUIREMENTS AND CONDITIONS IN THIS PERMIT, THIS EQUIPMENT IS NOT SUBJECT TO FOLLOWING RULE REQUIREMENTS:

DISTRICT RULE 403, AS AMENDED JUNE 5, 2005
DISTRICT RULE 404, AS AMENDED FEBRUARY 7, 1986
DISTRICT RULE 405, AS AMENDED FEBRUARY 7, 1986
DISTRICT RULE 407, AS AMENDED APRIL 2, 1982
DISTRICT RULE 409, AS AMENDED AUGUST 7, 1981
DISTRICT RULE 431.2, AS AMENDED SEPTEMBER 15, 2000
DISTRICT RULE 1134, AS AMENDED AUGUST 8, 1997
CODE OF FEDERAL REGULATIONS 60, SUBPART GG (NSPS FOR STATIONARY GAS TURBINES)

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

Periodic Monitoring:

9. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED THAT LAST MORE THAN THREE MINUTES IN ANY ONE-HOUR, THE OPERATOR SHALL EITHER:
- A. IDENTIFY AND VERIFY WITHIN 24 HOURS THAT THE EQUIPMENT CAUSING THE EMISSION AND ANY ASSOCIATED AIR POLLUTION CONTROL EQUIPMENT ARE OPERATING NORMALLY ACCORDING TO THEIR DESIGN AND STANDARD PROCEDURES AND UNDER THE SAME CONDITIONS UNDER WHICH COMPLIANCE WAS ACHIEVED IN THE PAST;
 - B. TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT; OR
 - C. HAVE A CARB-CERTIFIED SMOKE READER DETERMINE COMPLIANCE WITH THE OPACITY STANDARD, USING EPA METHOD 9 OR THE PROCEDURES IN THE CARB MANUAL "VISIBLE EMISSION EVALUATION", WITHIN THREE OPERATING DAYS AND REPORT ANY DEVIATIONS TO AQMD.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORD KEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

- A. STACK OR EMISSION POINT IDENTIFICATION;
- B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS;
- C. DATE AND TIME VISIBLE EMISSION WAS ABATED; AND
- D. VISIBLE EMISSION OBSERVATION RECORDED BY A CERTIFIED SMOKE READER.

[RULE 3004 (a)(4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMIT TO OPERATE

**Permit No. G12012
A/N 483960**

Equipment Description:

JET ENGINE TEST CELL, NO. 2, 20'-0" W X 20'-0" L X 12'-0" H, WITH A 3'-0" DIA X 54'-0" H. STACK, AND A SILENCER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN-ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]

2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]

3. THIS EQUIPMENT SHALL BE USED TO TEST ENGINES OPERATED ON JET-A FUEL ONLY.
[RULE 1303 (b)(2), OFFSET; RULE 1401]

4. THE EMISSIONS FROM THIS CELL SHALL NOT EXCEED THE FOLLOWING BASED ON A 30-DAY MONTHLY AVERAGE:

CONTAMINANT	EMISSION (LB/DAY)
VOLATILE ORGANIC COMPOUNDS	25
NITROGEN OXIDES	12
CARBON MONOXIDE	19
PARTICULATE MATTER <= 10 MICRONS	1
SULFUR OXIDES	2

[RULE 1303 (b)(2), OFFSET]

5. A COMPUTER TRACKING SYSTEM SHALL BE USED TO CONTINUOUSLY MONITOR THE FUEL CONSUMPTION, TEST MODE AND MODE DURATION OF THE TURBINE TEST. THE COMPUTER TRACKING SYSTEM SHALL BE ABLE TO CONTINUOUSLY CALCULATE THE EMISSIONS BY MULTIPLYING FUEL CONSUMPTION WITH AN AQMD APPROVED ENGINE SPECIFIC EMISSIONS FACTOR. IN CASE OF SYSTEM FAILURE AND THE AFOREMENTIONED DATA IS LOST, THE DATA SHALL BE MANUALLY RECONSTRUCTED AND ENTERED INTO THE TRACKING SYSTEM BY THE END OF THE DAY THAT THE SYSTEM IS RESTORED.
[RULE 1303 (b)(2), OFFSET]

6. FUEL METER AND TIMER OF TRACKING SHALL BE CALIBRATED AT LEAST ONCE A YEAR IN ACCORDANCE TO MANUFACTURER'S SPECIFICATIONS.
[RULE 1303 (b)(2), OFFSET]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

7. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITIONS 4, 5, AND 6. THE RECORDS SHALL INCLUDE, BUT NOT LIMITED TO, MODEL OF TESTED TURBINE, DATE OF TEST, TEST MODE, TEST DURATION, FUEL CONSUMPTION, EMISSIONS OF CURRENT TEST CYCLE, MONTHLY ACCUMULATED EMISSIONS, AND EQUIPMENT CALIBRATION. IN CASE OF SYSTEM FAILURE, IN ADDITION TO THESE RECORDS, TIMES AND DATE(S) OF WHEN THE SYSTEM FAILED AND SYSTEM RESUMED SHALL BE KEPT. RECORDS SHALL BE KEPT FOR AT LEAST TWO YEARS AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 1303 (b)(2), OFFSET]

8. PERMIT SHIELD: NOT WITHSTANDING THE OTHER REQUIREMENTS AND CONDITIONS IN THIS PERMIT, THIS EQUIPMENT IS NOT SUBJECT TO FOLLOWING RULE REQUIREMENTS:

DISTRICT RULE 403, AS AMENDED JUNE 5, 2005

DISTRICT RULE 404, AS AMENDED FEBRUARY 7, 1986

DISTRICT RULE 405, AS AMENDED FEBRUARY 7, 1986

DISTRICT RULE 407, AS AMENDED APRIL 2, 1982

DISTRICT RULE 409, AS AMENDED AUGUST 7, 1981

DISTRICT RULE 431.2, AS AMENDED SEPTEMBER 15, 2000

DISTRICT RULE 1134, AS AMENDED AUGUST 8, 1997

CODE OF FEDERAL REGULATIONS 60, SUBPART GG (NSPS FOR STATIONARY GAS TURBINES)

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

Periodic Monitoring:

9. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED THAT LAST MORE THAN THREE MINUTES IN ANY ONE-HOUR, THE OPERATOR SHALL EITHER:

- A. IDENTIFY AND VERIFY WITHIN 24 HOURS THAT THE EQUIPMENT CAUSING THE EMISSION AND ANY ASSOCIATED AIR POLLUTION CONTROL EQUIPMENT ARE OPERATING NORMALLY ACCORDING TO THEIR DESIGN AND STANDARD PROCEDURES AND UNDER THE SAME CONDITIONS UNDER WHICH COMPLIANCE WAS ACHIEVED IN THE PAST;
- B. TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT; OR
- C. HAVE A CARB-CERTIFIED SMOKE READER DETERMINE COMPLIANCE WITH THE OPACITY STANDARD, USING EPA METHOD 9 OR THE PROCEDURES IN THE CARB MANUAL "VISIBLE EMISSION EVALUATION", WITHIN THREE OPERATING DAYS AND REPORT ANY DEVIATIONS TO AQMD.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORD KEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

- A. STACK OR EMISSION POINT IDENTIFICATION;
- B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS;
- C. DATE AND TIME VISIBLE EMISSION WAS ABATED; AND
- D. VISIBLE EMISSION OBSERVATION RECORDED BY A CERTIFIED SMOKE READER.

[RULE 3004 (a)(4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMIT TO OPERATE

**Permit No. G12010
A/N 483952**

Equipment Description:

ABRASIVE BLASTING SYSTEM WITH INTEGRAL CONTROL CONSISTING OF:

1. CABINET, PAULI SYSTEMS, MODEL NO. RAM 31, 5'-0" W. X 4'-0" D. X 3'-0" H. (INSIDE).
2. ABRASIVE SUPPLY POT
3. ONE NOZZLE, WITH A MAXIMUM INSIDE DIAMETER OF 1/4".
4. PLANT AIR
5. INTEGRAL DUST COLLECTOR, WITH TWO FILTER CATRIDGES, TOTAL FILTER AREA OF 450 SQ.FT., AND A 2 H.P. BLOWER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS IT IS VENTED TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AT ALL TIMES.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

4. THE OPERATOR SHALL DISCHARGE DUST COLLECTED IN THIS EQUIPMENT ONLY INTO CLOSED CONTAINERS.
[RULE 3004(a)(4)]

FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO

5. THE OPERATOR SHALL PERFORM AN ANNUAL INSPECTION OF THE EQUIPMENT FOR LEAKS IN THE CONNECTION BETWEEN THE CABINET AND THE BLAST MEDIA COLLECTION CONTAINER, LOOKING FOR LEAKS AND IMPROPER CONNECTION BETWEEN THE TWO UNITS. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
- A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
- [RULE 3004 (a)(4)]

6. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM THE EQUIPMENT AT ALL POTENTIAL POINTS WHERE PARTICULATE EMISSIONS MAY BE RELEASED, WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED, THE OPERATOR SHALL TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

- A. STACK OR EMISSION POINT IDENTIFICATION;
 - B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS; AND
 - C. DATE AND TIME VISIBLE EMISSION WAS ABATED.
- [RULE 3004 (a)(4)]

Emissions And Requirements:

7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
 - PM: RULE 405, SEE APPENDIX B FOR EMISSION LIMITS
 - PM: RULE 1140, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMIT TO OPERATE

**Permit No. G12011
A/N 483959**

Equipment Description:

SPRAY ROOM (HANGER), 90'-0" W X 105'-0" L X 35'-0" H, WITH ONE HUNDRED FORTY FOUR 20" X 20" THREE-STAGE EXHAUST FILTERS, A.J. DRALLE, MODEL NO. XFP-6000, WITH THREE 25 HP EACH EXHAUST FANS, AND THREE 48' HIGH (FROM GROUND LEVEL), EXHAUST STACKS, EACH STACK CONED TO A FINAL INTERNAL DIAMETER OF 37.5 INCHES.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. GAUGES SHALL BE MAINTAINED SO AS TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.75 INCHES OF WATER AT THE FIRST STAGE, 1.0 INCH AT THE SECOND STAGE, AND 1.0. INCH AT THE THIRD STAGE WHEN THE EQUIPMENT IS IN OPERATION.
[RULE 404]
4. PERMIT SHIELD: NOT WITHSTANDING THE OTHER REQUIREMENTS AND CONDITIONS IN THIS PERMIT, THIS EQUIPMENT IS NOT SUBJECT TO FOLLOWING RULE REQUIREMENTS:

DISTRICT RULE 403, AS AMENDED DECEMBER 11, 1998.
5. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, THE OPERATOR SHALL TOTAL AND RECORD HAP EMISSIONS FOR THE MONTH FROM ALL EQUIPMENT COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR THE COMPLIANCE OF THE DISTRICT RULES.
[RULE 109]
6. THE OPERATOR SHALL MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED HAP-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING PRECEDING FIVE (5) YEARS.
[RULE 109]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

7. THE OPERATOR SHALL RETAIN ALL PURCHASE INVOICES FOR ALL HAPS-CONTAINING MATERIAL USED OR STORED AT THE FACILITY AND ALL WASTE MANIFEST FOR VOC AND HAP- CONTAINING MATERIAL REMOVED FROM THE FACILITY, FOR FIVE (5) YEARS.
[RULE 109]
8. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE RETAINED AT THE FACILITY FOR FIVE (5) YEARS, AND SHALL BE MADE AVAILABLE TO THE DISTRICT PERSONNEL UPON REQUEST.
[RULE 109]
10. MATERIAL SAFETY DATA SHEETS FOR ALL COATINGS AND SOLVENTS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO THE DISTRICT PERSONNEL UPON REQUEST.
[RULE 109]
11. THIS EQUIPMENT SHALL BE OPERATED IN COMPLIANCE WITH RULES 1124 AND 1171.
[RULES 1124 AND 1171]

Periodic Monitoring:

12. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
[RULE 3004(a)(4)]
13. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.

[RULE 3004(a)(4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMIT TO OPERATE

**Permit No. G12013
A/N 486205**

Equipment Description:

BRUSH PLATING LINE CONSISTING OF:

1. ETCHING AND ACTIVATING SOLUTION NO. 1, SULFURIC ACID-SODIUM CHLORIDE, WITH A 0.75 KW RECTIFIER.
2. ETCHING AND ACTIVATING SOLUTION NO. 2, HYDROCHLORIC ACID, WITH A 0.75 KW RECTIFIER.
3. CLEANING SOLUTION, SODIUM HYDROXIDE, WITH A 0.75 KW RECTIFIER.
4. NICKEL PLATING, NICKEL COMPOUNDS-FORMIC ACID-AMMONIUM HYDROXIDE, WITH A 0.75 KW RECTIFIER.
5. CADMIUM PLATING, CADMIUM COMPOUNDS-DIETHYLENETRIAMINE, WITH A 0.75 KW RECTIFIER.
6. ASSOCIATED RINSE

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS EQUIPMENT SHALL NOT BE OPERATED MORE THAN 500 HOURS IN ANY ONE YEAR.
[RULE 1401]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

PERMIT TO OPERATE

**Permit No. G16630
A/N 526286**

Equipment Description:

SPRAY BOOTH, AUTOMOTIVE TYPE, 17'-2.5" W X 31'-6" L X 9'-0" H, MAXIMUM TECHNICAL, WITH FORTY THREE 2" X 20" X 20" THREE-STAGE EXHAUST FILTERS, A.J. DRALLE, MODEL NO. XFP-6000, WITH TWO 2 HP EACH EXHAUST FANS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS ALL EXHAUST AIR PASSES THROUGH A FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 404]
4. A GAUGE SHALL BE MAINTAINED SO AS TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCHES OF WATER WHEN THE EQUIPMENT IS IN OPERATON.
[RULE 404]
5. THE TOTAL AMOUNT OF COATINGS AND SOLVENTS USED IN THIS EQUIPMENT SHALL NOT EXCEED 1.5 GALLONS IN ANY ONE MONTH.
[RULE 1303 (b)(2)- OFFETS)
6. WITHIN 14 CALENDER DAYS AFTER THE END OF EACH MONTH, THE OPERATOR SHALL TOTAL AND RECORD HAP EMISSIONS FOR THE MONTH FROM ALL EQUIPMENT COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR THE COMPLIANCE OF THE DISTRICT RULES.
[RULE 109]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

7. THE OPERATOR SHALL MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED HAP-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING PRECEDING FIVE (5) YEARS.
[RULE 109]
8. THE OPERATOR SHALL RETAIN ALL PURCHASE INVOICES FOR ALL HAPS-CONTAINING MATERIAL USED OR STORED AT THE FACILITY AND ALL WASTE MANIFEST FOR VOC AND HAP- CONTAINING MATERIAL REMOVED FROM THE FACILITY, FOR FIVE (5) YEARS.
[RULE 109]
9. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE RETAINED AT THE FACILITY FOR FIVE (5) YEARS, AND SHALL BE MADE AVAILABLE TO THE DISTRICT PERSONNEL UPON REQUEST.
[RULE 109]
10. MATERIAL SAFETY DATA SHEETS FOR ALL COATINGS AND SOLVENTS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO THE DISTRICT PERSONNEL UPON REQUEST.
[RULE 109]
11. PERMIT SHIELD. NOT WITHSTANDING THE OTHER REQUIREMENTS AND CONDITIONS IN THIS PERMIT, THIS EQUIPMENT IS NOT SUBJECT TO FOLLOWING RULE REQUIREMENTS:

DISTRICT RULE 403, AS AMENDED DECEMBER 11, 1998.
12. THIS EQUIPMENT SHALL BE OPERATED IN COMPLIANCE WITH RULES 1124, 1171, AND 1469.1.
[RULE 1124, 1171, 1469.1]

Periodic Monitoring:

13. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
[RULE 3004(a)(4)]
14. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.

[RULE 3004(a)(4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, COOLING TOWERS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
CR⁺⁶: RULE 1404

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, MANUALLY OPERATED BLAST CABINET, ≤ 53 FT³, WITH DUST FILTER.

Periodic Monitoring:

1. THE OPERATOR SHALL PERFORM AN ANNUAL INSPECTION OF THE EQUIPMENT FOR LEAKS IN THE CONNECTION BETWEEN THE CABINET AND THE BLAST MEDIA COLLECTION CONTAINER, LOOKING FOR LEAKS AND IMPROPER CONNECTION BETWEEN THE TWO UNITS. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.[RULE 3004 (a) (4)]

2. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM THE EQUIPMENT AT ALL POTENTIAL POINTS WHERE PARTICULATE EMISSIONS MAY BE RELEASED, WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED, THE OPERATOR SHALL TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

 - A. STACK OR EMISSION POINT IDENTIFICATION;
 - B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS; AND
 - C. DATE AND TIME VISIBLE EMISSION WAS ABATED.[RULE 3004 (a) (4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

Emissions And Requirements:

3. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
PM: RULE 405, SEE APPENDIX B FOR EMISSION LIMITS
PM: RULE 1140, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, SHOT PEENING, AND ANY CONTROL EQUIPMENT.

Periodic Monitoring:

1. THE OPERATOR SHALL PERFORM AN ANNUAL INSPECTION OF THE EQUIPMENT FOR LEAKS IN THE CONNECTION BETWEEN THE CABINET AND THE BLAST MEDIA COLLECTION CONTAINER, LOOKING FOR LEAKS AND IMPROPER CONNECTION BETWEEN THE TWO UNITS. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.[RULE 3004 (a) (4)]

2. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM THE EQUIPMENT AT ALL POTENTIAL POINTS WHERE PARTICULATE EMISSIONS MAY BE RELEASED, WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED, THE OPERATOR SHALL TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

 - A. STACK OR EMISSION POINT IDENTIFICATION;
 - B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS; AND
 - C. DATE AND TIME VISIBLE EMISSION WAS ABATED.[RULE 3004 (a) (4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

Emissions And Requirements:

3. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
PM: RULE 405, SEE APPENDIX B FOR EMISSION LIMITS
PM: RULE 1140, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, REFRIGERATION UNITS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

OZONE DEPLETING SUBSTANCES: 40CFR 82 SUBART F

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, SPACE HEATERS, ≤ 2 MMBTU/HR.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: 0.1 gr/scf, RULE 409
CO: 2000 PPMV, RULE 407

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, LARGE WATER HEATERS AND SMALL BOILERS, ≤ 2 MMBTU/HR.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: 0.1 gr/scf, RULE 409
NOx: 30 PPMV, RULE 1146.2
CO: 400 PPMV, RULE 1146.2
CO: 2000 PPMV, RULE 407

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL UNHEATED, NON-CONVEYORIZED.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
VOC: RULE 1122
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, WELDING, BRAZING, AND SOLDERING EQUIPMENT.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, GRINDING AND MACHINING OPERATIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, INSPECTION EQUIPMENT USED EXCLUSIVELY FOR METAL, PLASTIC, GLASS, OR CERAMIC PRODUCTS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 442

VOC: RULE 481

Periodic Monitoring:

2. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.

[RULE 3004(a)(4)]

3. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.

[RULE 3004(a)(4)]

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, OUTSIDE ENCLOSURES, LESS THAN 1 GALLON PER DAY.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1124, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, COATING AND ADHESIVE EQUIPMENT, HAND APPLICATION.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1124, SEE APPENDIX B FOR EMISSION LIMITS

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, CLEANING, HAND WIPE.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1124, SEE APPENDIX B FOR EMISSION LIMITS.
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS.

**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, WOOD WORKING OPERATIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
GARRETT AVIATION SERVICES, LLC dba STANDARD AERO**

RULE 219 EQUIPMENT

RULE 219 EXEMPT EQUIPMENT, FOAM PACKAGING EQUIPMENT.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1175