



South Coast Air Quality Management District

Form 400-A

Application For Permit To Construct and Permit To Operate

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765

Tel: (909) 396-3385 www.aqmd.gov

Section A: Operator Information
1. Business Name of Operator To Appear On The Permit: The Boeing Company-C17 Program
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): 800038
3. Owner's Business Name (only if different from Business Name of Operator):

Section B: Equipment Location
4. Equipment Location Address:
For equipment operated at various locations in AQMD's jurisdiction, provide address of initial site
2401 E. Wardlow Road
Street Address
Long Beach CA 90807
City State Zip Code
County: [X] Los Angeles [ ] Orange [ ] San Bernardino [ ] Riverside
Contact Name: William Pearce
Contact Title: SHEA Program Specialist Phone: (562) 593-0217
Fax: (562) 593-1039 E-Mail: william.r.pearce@boeing.c

Section C: Permit Mailing Address
5. Permit and Correspondence Information:
[ ] Check here if same as equipment location address
2401 E. Wardlow Road M/C C054-0428
Street Address
Long Beach CA 90807
City State Zip Code
Contact Name: William Pearce
Contact Title: SHEA Program Specialist Phone: (562) 593-0217
Fax: (562) 593-1039 E-Mail: william.r.pearce@boeing.c

Section D: Application Type
The facility is in [ ] RECLAIM [ ] Title V [X] RECLAIM & Title V Program (please check if applicable)
6. Reason for Submitting Application (Select only ONE):
[ ] New Construction (Permit to Construct)
[ ] Equipment Operating Without A Permit or Expired Permit\*
[ ] Administrative Change
[ ] Equipment On-Site But Not Constructed or Operational
[X] Title V Application (Initial, Revisions, etc.)
[ ] Compliance Plan
[ ] Facility Permit Amendment
[ ] Registration/Certification
[ ] Streamlined Standard Permit
[ ] Permitted Equipment Altered/ Modified Without Permit Approval\*
[ ] Proposed Alteration/Modification to Permitted Equipment
[ ] Change of Condition For Permit To Operate
[ ] Change of Condition For Permit To Construct
[ ] Change of Location—Moving to New Site etc.
Existing Or Previous Permit/Application Number:
7. Estimated Start Date of Operation/Construction (MM/DD/YYYY): 01/20/2008
8. Description of Equipment: Title V Renewal
9. Is this equipment portable AND will it be operated at different locations within AQMD's jurisdiction? [X] No [ ] Yes
10. For identical equipment, how many additional applications are being submitted with this application? (Form 400-A required for each)
11. Are you a Small Business as per AQMD's Rule 102 definition? (10 employees or less and total gross receipts are \$500,000 or less, or a not-for-profit training center?) [X] No [ ] Yes
12. Has a Notice of Violation (NOV) or a Notice To Comply (NC) been issued for this equipment? [X] No [ ] Yes If yes, provide NOV/NC #.

Section E: Facility Business Information
13. What type of business is being conducted at this equipment location? Aircraft Manufacturing
14. What is your businesses primary NAICS Code (North American Industrial Classification System)? 336411
15. Are there other facilities in the SCAQMD jurisdiction operated by the same operator? [X] No [ ] Yes
16. Are there any schools (K-12) within a 1000-ft. radius of the equipment physical location? [X] No [ ] Yes

Section F: Authorization/Signature
I hereby certify that all information contained herein and information submitted with this application is true and correct.
17. Signature of Responsible Official: [Signature]
18. Title: Director, Production Ops.
19. Print Name: Robert P. Stanger
20. Date: 11MAY07
Check List:
[X] Form(s) signed and dated by authorized official
[X] Supplemental Equipment Form (400-E-XX or 400-E-GEN)
[X] CEQA Form (400-CEQA) attached
[X] Payment for permit processing fee attached
Your application will be rejected if any of the above items are missing.

Table with columns: AQMD USE ONLY, APPLICATION/TRACKING # (469547), TYPE (BCD), EQUIPMENT CATEGORY CODE, FEE SCHEDULE (\$), VALIDATION (5-22-07), ENG. A R, DATE, CLASS (I III IV), ASSIGNMENT (Unit B Engineer), CHECK/MONEY ORDER (301309), AMOUNT (12234), Tracking #

(61815)

The Boeing Company  
2401 E. Wardlow Road  
Long Beach, CA 90807-5309

October 25, 2007  
IDS-PAD-WRP-07-243



SCAQMD  
21865 E. Copley Drive  
Diamond Bar, CA 91765

Attn: Brian Yeh

Please find enclosed SCAQMD Title V Application Forms 500-A2 and 500-C1, as well as comments on the facility's draft Title V Permit (Facility ID 800038). If you should have any questions or require additional information, please contact the undersigned at 562-593-0217.

A handwritten signature in black ink, appearing to read "William Pearce", with a long horizontal line extending to the right.

William Pearce  
EHS Program Specialist  
Environmental Services  
Environment, Health and Safety

# DRAFT TITLE V COMMENTS

## **Section A:**

Mailing Address: 2401 E. Wardlow Road  
M/C C054-0428  
Long Beach, CA 90807

Title (Contact Person): EHS Program Specialist

Telephone (Contact Person): 562-593-0217

## **Section D:**

General: Process 1 title should be removed and equipment incorporated under Boeing-C17 Operations (currently listed as Process 2). Commercial operations ceased in early 2006.

B61.1& B61.2: Site is required to use ultra-low sulfur diesel for all diesel permitted units. B61.2 should be eliminated and cited equipment listed under B61.1.

D490: Portable equipment is not subject to Rule 1470. Condition E448.8 should be removed. Equipment is subject to annual records for elapsed time as specified in K67.1. Reference to K67.7 should be removed.

D491: Portable equipment is not subject to Rule 1470. Condition E448.8 should be removed. Equipment is subject to annual records for elapsed time as specified in K67.1. Reference to K67.7 should be removed.

D195: Permit has been cancelled.

D196: Unit information is missing from permit.

D236: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.

D238: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.

D508: Information was provided to SCAQMD in Rule 1470 Compliance plan indicating engine was allowed 30 hours per year for maintenance and testing, not 20 hours as currently assigned under E448.8.

- D242: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.
- D243: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.
- D244: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.
- D245: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.
- D398: Gap filling for PM requirement is listed as "None" in August 1997 Periodic Monitoring Requirements. Compliance with rule determined by engineering calculation. Condition D29.4 should be removed.
- D424: Unit is a fire pump. E448.5 language with respect to utilities is not applicable and the hour limitations in E448.8 do not apply to fire pumps.
- D425: Gap filling for PM requirement is listed as "None" in August 1997 Periodic Monitoring Requirements. Compliance with rule determined by engineering calculation. Condition D29.4 should be removed.
- D426: Gap filling for PM requirement is listed as "None" in August 1997 Periodic Monitoring Requirements. Compliance with rule determined by engineering calculation. Condition D29.4 should be removed.
- D427: Gap filling for PM requirement is listed as "None" in August 1997 Periodic Monitoring Requirements. Compliance with rule determined by engineering calculation. Condition D29.4 should be removed.
- D506: Information was provided to SCAQMD in Rule 1470 Compliance plan indicating engine was allowed 30 hours per year for maintenance and testing, not 20 hours as currently assigned under E448.8. C1.9 (200 hour limit) appears duplicative of the 200 hour limit in the E series references.
- D507: Gap filling for PM requirement is listed as "None" in August 1997 Periodic Monitoring Requirements. Compliance with rule determined by engineering calculation. Condition D29.4 should be removed.
- E530: D322.3 and K67.9 do not apply. These are permit-exempt enclosed glove-box units with no filters. In addition, there are no stacks on the units, so unsure how to comply with D381.1.

- F1.1: Condition should be deleted. TCA has not been manufactured or used at the site since 1996.
- F14.2: Delete. Condition no longer applicable to site (superseded by F14.1).
- F16.1: Condition should be deleted. TCA has not been manufactured or used at the site since 1996.
- F24.1: Site is not subject to RMP requirements. Condition should be removed.



South Coast Air Quality Management District

Form 500-A2

TITLE V Application Certification

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765 Tel: (909) 396-3385 www.aqmd.gov

Section I - Facility Information

- 1. Permit to be issued to (Business name of operator to appear on permit): The Boeing Company-C17 Program
2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD): 800038
3. This Certification is submitted with a (Check one): a. Title V Application (Initial, Revision or Renewal)
4. Is Form 500-C2 included with this Certification? No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

1. For Initial, Permit Renewal, and Administrative Application Certifications:

- a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.
b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.

2. For Permit Revision Application Certifications:

- a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.

3. For MACT Hammer Certifications:

- a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer."
b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Signature of Responsible Official: Robert P. Stanger
Date: 10-19-07
Type or Print Name of Responsible Official: Robert P. Stanger
Phone: (562) 496-7747
Title of Responsible Official: Director, Production Operations/IPT
Fax: (562) 593-8451
Address of Responsible Official: 2401 E. Wardlow Road C054-0044
City: LONG BEACH
State: CA
Zip Code: 90807

Acid Rain Facilities Only: Turn page over & complete Section III



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

**Section I - General Information**

1. Facility Name: The Boeing Company-C17 Program

Facility ID (6-Digit): 800038

**PROCEDURES FOR DETERMINING COMPLIANCE STATUS**

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements\*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.  
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.  
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements\*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. \*\*
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

\* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

\*\* Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, $\geq$ 555 Mmbtu/Hr (except for NO <sub>x</sub> RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SO <sub>x</sub> RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input checked="" type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SO <sub>x</sub> RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.2 (09/15/00)	<input checked="" type="checkbox"/> Rule 431.2(g)	<input checked="" type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SO <sub>x</sub> RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input checked="" type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3  N/A  See Applicable Subpart	<input type="checkbox"/> Rule 430(b)     See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> All RECLAIM Equipment (NO <sub>x</sub> & SO <sub>x</sub> )	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input checked="" type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1 Rev. 05/05 Page 2 of 2
---------------------------	--	---	---	---

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input checked="" type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input checked="" type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 2011 (12/05/03) <u>or</u> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3  <input checked="" type="checkbox"/> Rule 1146(d)  <input checked="" type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input checked="" type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1	Rev. 05/05 Page 3 of 3
---------------------------	--	---	---	------------------	---------------------------

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
			See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input checked="" type="checkbox"/> Coating Operation, Adhesive Application Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1168 (01/07/05)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1168(f) & (g)	<input checked="" type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1168(e)

KEY ABBREVIATIONS:	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form 500-C1	Rev. 05/05 Page 4 of 4
	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations		

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1124 (09/21/01) <input checked="" type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input checked="" type="checkbox"/> 40 CFR63 SUBPART GG	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1124(e) & (f) <input checked="" type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1124(j) <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Coating	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input checked="" type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1125(c)(6)

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)

Section II - Applicable Requirements, Test Methods & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1136 (06/14/96) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1136(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1136(d) & (g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input checked="" type="checkbox"/> Degreasers	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1122 (10/01/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1122(h) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1122(i) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations
			AQMD Form 500-C1
			Rev. 05/05 Page 7 of 7

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Internal Combustion Engines, Reciprocating	<input checked="" type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f)  See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	<b>AQMD Form</b>	<b>Rev. 05/05</b>
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	<b>500-C1</b>	<b>Page 10 of 10</b>

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart
<input checked="" type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input checked="" type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input checked="" type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input checked="" type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input checked="" type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO <sub>2</sub> Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4)  <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input checked="" type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1  <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f)     <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input checked="" type="checkbox"/> Polyester Resin Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1162 (07/09/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1162(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1162(e) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input checked="" type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 13 of 13

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input checked="" type="checkbox"/> Site Remediation	<input checked="" type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L <input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Soil Decontamination	<input checked="" type="checkbox"/> Rule 1166 (05/11/01) <input checked="" type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input checked="" type="checkbox"/> Rule 1166(e) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1166(c)(1)(C) See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95) <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 463(g) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> 40 CFR60 SUBPART GG <input type="checkbox"/> 40 CFR63 SUBPART YYYY	<input type="checkbox"/> CEMS Rule 1134(e) & (g) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1134(d) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC	N/A <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> Rule 1176 (09/13/96)	N/A <input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 14 of 14



**Section IV – SIP-Approved Rules That Are Not The Most Current AQMD Rules**

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input checked="" type="checkbox"/>
403	12/11/98	<input checked="" type="checkbox"/>	1166	07/14/95	<input checked="" type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input checked="" type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input checked="" type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input checked="" type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input checked="" type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input checked="" type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input checked="" type="checkbox"/>
1122	07/11/97	<input checked="" type="checkbox"/>	2010	05/11/01	<input checked="" type="checkbox"/>
1132	03/05/04	<input checked="" type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input checked="" type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)**

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input checked="" type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input checked="" type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input checked="" type="checkbox"/>
480	10/07/77	<input checked="" type="checkbox"/>	1404	04/06/90	<input checked="" type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input checked="" type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input checked="" type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input checked="" type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input checked="" type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

Section V - AQMD Rules That Are Not SIP-Approved (Continued on Following Page)					
1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input checked="" type="checkbox"/>
1469.1	03/04/05	<input checked="" type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input checked="" type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>



South Coast Air Quality Management District

Form 500-A2

TITLE V Application Certification

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765 Tel: (909) 396-3385 www.aqmd.gov

Section I - Facility Information

- 1. Permit to be issued to (Business name of operator to appear on permit): The Boeing Company-C17 Program
2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD): 800038
3. This Certification is submitted with a (Check one): a. Title V Application (Initial, Revision or Renewal)
4. Is Form 500-C2 included with this Certification? No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

1. For Initial, Permit Renewal, and Administrative Application Certifications:

- a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.
b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.

2. For Permit Revision Application Certifications:

- a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.

3. For MACT Hammer Certifications:

- a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)
b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Handwritten signature of Robert P. Stanger

Signature of Responsible Official

Robert P. Stanger

Type or Print Name of Responsible Official

Director, Production Operations/IPT

Title of Responsible Official

109 5-2-07 11 MAY 07

Date

(562) 496-7747

Phone

(562) 593-8451

Fax

2401 E. Wardlow Road M/C C054-0044

Address of Responsible Official

Long Beach

City

CA

State

90807

Zip Code

Acid Rain Facilities Only: Turn page over & complete Section III



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov



October 5, 2007

William Pearce  
Technical Specialist  
The Boeing Company – C17 Program (Facility ID # 800038)  
3855 Lakewood Blvd., M/S D850-0009  
Long Beach, CA 90846

**Reference: DRAFT PERMIT FOR TITLE V RENEWAL APPLICATION**

Dear Mr. Pearce:

The South Coast Air Quality Management District (AQMD) has completed the preliminary work on your Application No. 469547 for the renewal of your current Title V permit that will expire on January 19, 2008 for your facility located at 2401 East Wardlow Road, Long Beach, CA 90807. Enclosed for your review is a copy of the statement of basis, permit summary, and draft permit for your facility under the Title V permit renewal application (Application No. 469547). This draft permit has incorporated the updates of all facility information that are provided in your Title V permit renewal application and all rules and regulations that are currently applicable to your facility. We are planning to release the proposed Title V permit for concurrent United States Environmental Protection Agency (USEPA) and public review in November 2007. Please take this opportunity to review these updates and submit your comments by **October 26, 2007** in order to be considered for incorporation into the proposed permit.

The AQMD has also reviewed the Compliance Status Report Form 500-C1 that you prepared for the permit renewal application package. Enclosed you will find a copy of this report if the information that you originally sent was incomplete or the requirements that were checked do not apply to your facility. If this is the case, please note our corrections to the report. We are also enclosing a new Form 500-C1 (Rev. 05/05), updated to current regulatory requirements, and a new Form 500-A2 (Rev. 06/02) that you must fill out and resubmit. Please incorporate any corrections into the new form. Since the new form has changed, please review it carefully to ensure that your submittal is complete and accurate.

When your review is complete, please prepare the following and return to us:


Comments on the statement of basis, permit summary, and draft permit  
Compliance Status Report, Form 500-C1  
Application Certification, Form 500-A2  
Non-Compliant Operations Report and Compliance Plan, Form 500-C2 (if applicable)

**Please return the above documents by October 26, 2007 to:**

South Coast Air Quality Management District  
Coating, Printing, and Aerospace Operations Team  
21865 Copley Drive  
Diamond Bar, CA 91765-4178  
Attention: Brian Yeh

If you have any questions regarding your Title V permit renewal, please contact Bijan Ataian at (909) 396-2454.

Sincerely,



Fred Lettice  
Senior Manager  
Coating, Printing, & Aerospace Operations

FL:BLY:Batch R14\_Draft\_Cover Letter

Enclosures:

Statement of Basis  
Permit Summary  
Draft Title V renewal permit  
Form 500-C1 (Rev. 05/05)  
Form 500-A2 (Rev. 06/02)  
Corrected Form 500-C1

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID:	800038	Company Name:	THE BOEING COMPANY - C17 PROGRAM		
Equipment Location:	2401 E. Wardlow Road, Long Beach, CA 90807			SIC Code: 3721	
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:			
Application #(s):	469547	Application Submittal Date(s):	5/22/2007		
AQMD Contact Person:	Brian Yeh	Phone #:	(909) 396-2584	E-Mail Address: byeh@aqmd.gov	
Project Description: This is an existing facility, applying for a Title V permit renewal that is engaged in the manufacturing of military aircraft. The facility operates spray booths, boilers, emergency and non-emergency internal combustion engines, storage tanks, and other supporting equipment.					
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal					
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input checked="" type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance					
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 05-06		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:		Emissions (lbs/yr):	
		Ammonia		327.16	
		METHYLENE CHLORIDE		16.93	
		FORMALDEHYDE		79.45	
		BENZENE		6.28	
		BUTADIENE		3.67	
		NAPHTHALENE		0.415	
		PAH		0.49	
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) <u>1999</u> Cancer Risk = <u>4.8 in one million</u> Acute Hazard Index = <u>0.15</u> Chronic Hazard Index = <u>0.11</u>					
Criteria Pollutant Emissions		<input checked="" type="checkbox"/> NOx	12.03	<input checked="" type="checkbox"/> PM	3.56
Annual Reported Emissions (tons/year) for Reporting Year: 05-06		<input checked="" type="checkbox"/> CO	9.17	<input checked="" type="checkbox"/> SOx	0.39
		<input checked="" type="checkbox"/> VOC	25.79	<input type="checkbox"/> Other:	_____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 1) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)					
Comments:					

# South Coast Air Quality Management District

## Statement of Basis

### Proposed Title V Renewal Permit

**Facility Name:** The Boeing Company – C17 Program  
**Facility ID:** 800038  
**SIC Code:** 3721  
**Equipment Location:** 2401 East Wardlow Road  
Long Beach, CA 90807

**Application #(s):** 469547  
**Application Submittal Date(s):** 05/22/07

**AQMD Contact Person:** Brian Yeh, Engineering Supervisor  
**Phone Number:** (909) 396-2584  
**E-Mail Address:** byeh@aqmd.gov

---

#### 1. Introduction and Scope of Permit

Title V is a national operating permit program for air pollution sources. Facilities subject to Title V must obtain a Title V permit and comply with specific Title V procedures to modify the permit. This permit replaces the facility's other existing permits. Title V does not necessarily include any new requirements for reducing emissions. It does, however, include new permitting, noticing, recordkeeping, and reporting requirements.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance unless such permit has been renewed. Accordingly, each facility is required to submit a Title V renewal application and requested the AQMD to renew their Title V permit. The proposed permit incorporates updates to the facility information provided in the facility's Title V renewal application and all rules and regulations that are currently applicable to the facility.

The AQMD implements Title V through Regulation XXX – Title V Permits, adopted by the AQMD Governing Board in order to comply with EPA's requirement that local air permitting authorities develop a Title V program. Regulation XXX was developed with the participation of the public and affected facilities through a series of public workshops, working group meetings, public hearings and other meetings.

The Title V major source threshold for a particular pollutant depends on the attainment status of the pollutant. NO<sub>2</sub>, SO<sub>2</sub>, CO, and lead are in attainment with federal standards. The status for PM-10 is serious nonattainment. The status for ozone is currently extreme nonattainment.

A Title V renewal permit is proposed to be issued to cover the operations of The Boeing Company – C17 Program located at 2401 East Wardlow Road, Long Beach, CA 90807. This facility is subject to Title V requirements because it is a major source.

## **2. Facility Description**

This is an existing facility that is in the business of military aircraft manufacturing. The facility operates spray booths, boilers, emergency and non-emergency internal combustion engines, storage tanks, and other supporting equipment.

## **3. Construction and Permitting History**

The facility has been in constant operation with a Title V permit at this location since 2003. Numerous permits to construct and or permits to operate have been issued to the facility since January 2003. An initial Title V permit was issued to the facility on January 20, 2003 and several permit revisions were subsequently issued to this facility.

## **4. Regulatory Applicability Determinations**

Applicable legal requirements for which this facility is required to comply are required to be identified in the Title V permit (for example, Section D, E, and H of the proposed Title V permit). Applicability determinations (i.e., determinations made by the District with respect to what legal requirements apply to a specific piece of equipment, process, or operation) can be found in the Engineering Evaluations. This facility is not subject to any NSPS requirements. However, the facility is subject to the requirements of 40CFR63 Subpart GG-National Emission Standards for Hazardous Air Pollutants: Aerospace Manufacturing and Rework Facilities. The requirements of this NESHAP are reflected in the Title V permit

## **5. Monitoring and Operational Requirements**

Applicable monitoring and operational requirements for which the facility is required to comply are identified in the Title V permit (for example, Section D, F, and J and Appendix B of the proposed Title V permit). Discussion of any applicable operational requirements can be found in the Engineering Evaluations. All periodic monitoring requirements were developed using strict adherence to the following applicable guidance documents: SCAQMD Periodic Monitoring Guidelines for Title V Facilities (November 1997); CAPCOA/CARB/EPA Region IX Periodic Monitoring Recommendations for Generally Applicable Requirements in SIP (June 1999); and CAPCOA/CARB/EPA Region IX Recommended Periodic Monitoring for Generally Applicable Grain Loading Standards in the SIP: Combustion Sources (July 2001).

Since the facility complies with applicable rules requirements and emission limits without the use of air pollution control equipment, the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 are not applicable to this facility.

## 6. Permit Features

### Permit Shield

A permit shield is an optional part of a Title V permit that gives the facility an explicit protection from requirements that do not apply to the facility. A permit shield is a provision in a permit that states that compliance with the conditions of the permit shall be deemed compliance with all identified regulatory requirements. To incorporate a permit shield into the Title V permit involves submission of applications for change of conditions for each equipment affected by the permit shield. Permit shields are addressed in Rule 3004 (c). This facility has not applied for a permit shield.

### Streamlining Requirements

Some emission units may be subject to multiple requirements which are closely related or redundant. The conditions may be streamlined to simplify the permit conditions and compliance. Emission limits, work practice standards, and monitoring, recordkeeping, and reporting requirements may be streamlined. Compliance with a streamlined condition will be deemed compliance with the underlying requirements whether or not the emission unit is actually in compliance with the specific underlying requirement. This facility has not applied for any streamlined conditions.

## 7. Summary of Emissions and Health Risks

### **Criteria Pollutant Emissions (tons/year) Annual Reported Emissions for Reporting Period 2005/2006**

Pollutant	Emissions (tons/year)
NO <sub>x</sub>	12.03
CO	9.17
VOC	25.79
PM	3.56
SO <sub>x</sub>	0.39

### **Toxic Air Contaminants Emissions (TAC) Annual Reported Emissions for Reporting Period 2005/2006**

The Following TACs Were Reported	Emissions (lbs/yr)
Ammonia	327.16
Methylene chloride	16.93
Formaldehyde	79.45
Benzene	6.28
Butadiene	3.67
Naphthalene	0.415
PAH	0.49

### **Health Risk from Toxic Air Contaminants**

The facility is subject to review by the Air Toxics Information and Assessment Act (AB2588). The Final Facility Health Risk was approved in 1999 with the following risk factors.

Cancer Risk	4.8 in one million
Acute Hazard Index	0.15
Chronic Hazard Index	0.11

### **8. Compliance History**

As noted, the facility has been in constant operation with a Title V permit since 2003. The facility has been subject to both self-reporting requirements and AQMD inspections. The facility has had no Notices to Comply or Notices of Violation issued in the last two years. There was one citizen complaints filed on 12/19/06 for dust from the facility. However, the source of the emissions could not be confirmed. The facility is currently operating in compliance with all applicable rules and regulations.

### **9. Compliance Certification**

By virtue of the Title V permit application and issuance of this Title V renewal permit, the reporting frequency for compliance certification for the facility shall be annual.

## **FACILITY PERMIT TO OPERATE**

**THE BOEING COMPANY - C17 PROGRAM  
2401 E WARDLOW RD  
LONG BEACH, CA 90807**

### **NOTICE**

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.  
EXECUTIVE OFFICER

By \_\_\_\_\_  
Carol Coy  
Deputy Executive Officer  
Engineering & Compliance

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	DRAFT	10/04/2007
B	RECLAIM Annual Emission Allocation	DRAFT	10/04/2007
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	DRAFT	10/04/2007
E	Administrative Conditions	DRAFT	10/04/2007
F	RECLAIM Monitoring and Source Testing Requirements	DRAFT	10/04/2007
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	DRAFT	10/04/2007
H	Permit To Construct and Temporary Permit to Operate	DRAFT	10/04/2007
I	Compliance Plans & Schedules	DRAFT	10/04/2007
J	Air Toxics	DRAFT	10/04/2007
K	Title V Administration	DRAFT	10/04/2007
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	DRAFT	10/04/2007
B	Rule Emission Limits	DRAFT	10/04/2007

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: THE BOEING COMPANY - C17 PROGRAM

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 2401 E WARDLOW RD  
LONG BEACH, CA 90807

MAILING ADDRESS: 3855 LAKEWOOD BLVD M/S D850-0009  
LONG BEACH, CA 90846

RESPONSIBLE OFFICIAL: ROBERT P. STANGER

TITLE: DIRECTOR, PRODUCTION OPERATIONS

TELEPHONE NUMBER: (562) 496-7747

CONTACT PERSON: WILLIAM PEARCE

TITLE: TECHNICAL SPECIALIST

TELEPHONE NUMBER: (562) 593-3903

TITLE V PERMIT ISSUED: January 20, 2003

TITLE V PERMIT EXPIRATION DATE: January 19, 2008

TITLE V	RECLAIM
YES	NOx: YES SOx: NO CYCLE: 2 ZONE: COASTAL

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

#### RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year		Zone	NOx RTC Initially Allocated	NOx RTC <sup>1</sup> Holding as of 10/04/07 (pounds)	Non-Tradable <sup>2</sup> Non-Usable RTCs (pounds)
Begin (month/year)	End				
7/2004	6 /2005	Coastal	25364	801	0
1/2005	12/2005	Coastal	0	0	0
7/2005	6 /2006	Coastal	25364	724	0
1/2006	12/2006	Coastal	0	0	0
7/2006	6 /2007	Coastal	25364	16338	0
1/2007	12/2007	Coastal	0	0	0
7/2007	6 /2008	Coastal	25364	29699	0
1/2008	12/2008	Coastal	0	13969	441
7/2008	6 /2009	Coastal	25364	28675	1024
1/2009	12/2009	Coastal	0	13528	881
7/2009	6 /2010	Coastal	25364	27651	2049
1/2010	12/2010	Coastal	0	13088	1322
7/2010	6 /2011	Coastal	25364	26626	3073
1/2011	12/2011	Coastal	0	12647	1762
7/2011	6 /2012	Coastal	25364	25602	3279
1/2012	12/2012	Coastal	0	12647	1762
7/2012	6 /2013	Coastal	25364	29402	3279

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

#### RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year		Zone	NOx RTC Initially Allocated	NOx RTC <sup>1</sup> Holding as of 10/04/07 (pounds)	Non-Tradable <sup>2</sup> Non-Usable RTCs (pounds)
Begin (month/year)	End				
1/2013	12/2013	Coastal	0	12647	1762
7/2013	6 /2014	Coastal	25364	29402	3279
1/2014	12/2014	Coastal	0	12647	1762
7/2014	6 /2015	Coastal	25364	29402	3279
1/2015	12/2015	Coastal	0	12647	1762
7/2015	6 /2016	Coastal	25364	29402	3279
1/2016	12/2016	Coastal	0	12647	1762
7/2016	6 /2017	Coastal	25364	29402	3279
1/2017	12/2017	Coastal	0	12647	1762
7/2017	6 /2018	Coastal	25364	29402	3279
1/2018	12/2018	Coastal	0	12647	1762
7/2018	6 /2019	Coastal	25364	29402	3279
1/2019	12/2019	Coastal	0	12647	1762
7/2019	6 /2020	Coastal	25364	29402	3279
1/2020	12/2020	Coastal	0	12647	1762
7/2020	6 /2021	Coastal	25364	29402	3279
1/2021	12/2021	Coastal	0	12647	1762

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO<sub>x</sub> RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO<sub>x</sub> emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

#### RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year		Zone	NO <sub>x</sub> RTC Initially Allocated	NO <sub>x</sub> RTC <sup>1</sup> Holding as of 10/04/07 (pounds)	Non-Tradable <sup>2</sup> Non-Usable RTCs (pounds)
Begin (month/year)	End				
7/2021	6 /2022	Coastal	25364	29402	3279
1/2022	12/2022	Coastal	0	12647	1762

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase an annual allocation to a level greater than the facility's Starting Allocation plus Non-Tradable Credits as listed below, the application will be evaluated for compliance with Rule 2005(c)(4). Rule 2005(e)-Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	NOx RTC Starting Allocation (pounds)	Non-Tradable Credits(NTCs) (pounds)
Begin	End			
7/1994	6 /1995	Coastal	70882	0

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 1 : BOEING-LBD OPERATIONS</b>					
<b>System 1 : EXTERNAL COMBUSTION OPERATIONS</b>					
BOILER, NO. 235, 87-HP, NATURAL GAS, KEWANEE, MODEL 583, 4.32 MMBTU/HR A/N: C08211	D177		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV (5A) [RULE 407,4-2-1982] ; <b>CO:</b> 400 PPMV (5) [RULE 1146.1,5-13-1994] ; <b>NOX:</b> 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005]  <b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	D332.2
BOILER, NO. 249, 125-HP, NATURAL GAS, KEWANEE, MODEL L 3W-125G, 5.25 MMBTU/HR A/N: C03414	D187		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV (5A) [RULE 407,4-2-1982] ; <b>CO:</b> 400 PPMV (5) [RULE 1146,11-17-2000] ; <b>NOX:</b> 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005]  <b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	D332.1
BOILER, NO. 248, 200-HP, NATURAL GAS, KEWANEE, MODEL L-3W-200G, 8.37 MMBTU/HR A/N: C03415	D188		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV (5A) [RULE 407,4-2-1982] ; <b>CO:</b> 400 PPMV (5) [RULE 1146,11-17-2000] ; <b>NOX:</b> 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005]  <b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	D332.1

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 1 : BOEING-LBD OPERATIONS</b>					
BOILER, NO. 234, 130-HP, NATURAL GAS, KEWANEE, MODEL 585, 6.2 MMBTU/HR A/N: C03403	D178		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV (5A) [RULE 407,4-2-1982] ; <b>CO:</b> 400 PPMV (5) [RULE 1146,11-17-2000] ; <b>NOX:</b> 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005]  <b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	D332.1
<b>System 4 : INTERNAL COMBUSTION ENGINES</b>					
INTERNAL COMBUSTION ENGINE, NON-EMERGENCY, NO. B11, DIESEL FUEL, JOHN DEERE, MODEL 3029DF150, NON-ROAD PORTABLE ENGINE, AIR COMPRESSOR DRIVER, 57 BHP A/N: 351425	D489		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D323.1
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, NO. GR 190-1, DIESEL FUEL, JOHN DEERE, NON-ROAD PORTABLE ENGINE, WITH AFTERCOOLER, TURBOCHARGER, 250 BHP A/N: 351423	D490		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	B61.2, D12.3, E448.5, E448.8, K67.1, K67.7

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 1 : BOEING-LBD OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, NO. GR 190-2, DIESEL FUEL, JOHN DEERE, NON-ROAD PORTABLE ENGINE, WITH AFTERCOOLER, TURBOCHARGER, 250 BHP A/N: 351424	D491		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	B61.2, D12.3, E448.5, E448.8, K67.1, K67.7
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
<b>System 1 : EXTERNAL COMBUSTION OPERATIONS</b>					
BOILER, NO. 245.3, NATURAL GAS, BRYAN, MODEL LM900-S-15-FDG, EAST, 9 MMBTU/HR A/N: INACTIVE	D195		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV (5A) [RULE 407,4-2-1982] ; <b>CO:</b> 400 PPMV (5) [RULE 1146,11-17-2000] ; <b>NOX:</b> 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005]  <b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	D332.1
BOILER, NO. 245.1, NATURAL GAS, BRYAN, MODEL LM1200-W-FDG, WEST, 12 MMBTU/HR A/N: 177706	D197		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV (5A) [RULE 407,4-2-1982] ; <b>CO:</b> 400 PPMV (5) [RULE 1146,11-17-2000] ; <b>NOX:</b> 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005]  <b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	C1.3, D12.2, D328.1

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, NO. 9-254, FIRE PUMP, DIESEL FUEL, CUMMINS, MODEL NT-380-1F, WITH TURBOCHARGER, 272 BHP A/N: 345376	D236		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, NO. 9-259, FIRE PUMP, DIESEL FUEL, CUMMINS, MODEL NT-380-1F, WITH TURBOCHARGER, 274 BHP A/N: 345369	D238		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, SERIAL NO. E010244459, DIESEL FUEL, CUMMINS, MODEL B5.9-C, MODEL N14-G2, WITH TURBOCHARGER, 535 BHP A/N: 387822	D508		NOX: PROCESS UNIT**	<b>CO:</b> 8.5 GRAM/BHP-HR DIESEL (4) [RULE 1303(a)(1)-BACT,5-10-1996] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005]  <b>NOX:</b> 6.9 GRAM/BHP-HR DIESEL (4) [RULE 2005,5-6-2005] ; <b>PM:</b> 0.4 GRAM/BHP-HR DIESEL (4) [RULE 1303(a)(1)-BACT,5-10-1996]  <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> 1 GRAM/BHP-HR DIESEL (4) [RULE 1303(a)(1)-BACT,5-10-1996]	B61.2, D12.3, E448.5, E448.8, K67.1, K67.7

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
BOILER, NATURAL GAS, CLEAVER BROOKS, MODEL CEW700-400, 150#HW, FIRETUBE TYPE FOR HOT WATER, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 16.3 MMBTU/HR WITH A/N: 436754	D549		NOX: LARGE SOURCE**	<p><b>CO:</b> 0.008 LBS/MMBTU (7) [RULE 1303(b)(2)-O set,5-10-1996;RULE 1303(b)(2)-O set,12-6-2002] ; <b>CO:</b> 2000 PPMV (5A) [RULE 409,8-7-1981]</p> <p><b>CO:</b> 50 PPMV (4) [RULE 1303(a)(1)-BACT,5-10-1996] ; <b>CO:</b> 400 PPMV (5) [RULE 1146,11-17-2000] ; <b>NOX:</b> 12 PPMV NATURAL GAS (3) [RULE 2012,5-6-2005]</p> <p><b>NOX:</b> 12 PPMV NATURAL GAS (4) [RULE 2005,5-6-2005] ; <b>PM:</b> 0.005 LBS/MMBTU (7) [RULE 1303(b)(2)-O set,5-10-1996;RULE 1303(b)(2)-O set,12-6-2002]</p> <p><b>PM:</b> 0.1 GRAINS/SCF (5) [RULE 407,4-2-1982] ; <b>VOC:</b> 0.005 LBS/MMBTU (7) [RULE 1303(b)(2)-O set,5-10-1996;RULE 1303(b)(2)-O set,12-6-2002]</p>	C1.17, D12.2, D29.2, E133.3, H23.11, K67.8
BURNER, CLEAVER BROOKS, MODEL PROFIRE-NT, WITH LOW NOX BURNER, 16.3 MMBTU/HR					

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.





## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
<b>System 2 : COATING OPERATIONS</b>					
SPRAY COATING OPERATION, SPRAY BOOTH, HANGER, BUILDING NO. 59, 76 FT 10 IN W. X 228 FT L. X 30 FT H., 450 PANEL FILTERS, 450 BAG FILTERS, WITH TEN 20 H.P. EXHAUST FANS, WITH SPRAY BOOTH A/N:	D28			<b>HAP: (10) [40CFR 63 Subpart GG,12-8-2000] ; PM: (9) [RULE 404,2-7-1986] ; VOC: (9) [RULE 1107,11-9-2001</b>  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.2, C1.2, C6.4, D322.1, E71.4, E175.1, H23.6, K67.4
SPRAY COATING OPERATION, HANGAR, TWO 125 HP (MAX) & THREE 150 HP (MAX) VARIABLE SPEED EXHAUST FANS, 206 FT X 241 FT X 80 FT, WITH SPRAY BOOTH A/N: 442545	D31	C558 C559 C560 C561 C562		<b>HAP: (10) [40CFR 63 Subpart GG,12-8-2000] ; PM: (9) [RULE 404,2-7-1986] ; VOC: (9) [RULE 1107,11-9-2001</b>  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.6, C1.2, E71.6, E175.2, E175.3, H23.6

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
SPRAY COATING OPERATION, 3-STAGE DRY FILTER SYSTEM, WITH AN ATI ULTRA BLANKET FILTER, 120-24"X24" ATI OSM413H STAGE 2 FILTERS & 120-24"X24" ATI 984R STAGE 3 FILTERS, WITH SPRAY BOOTH A/N: 442545	C558	D31		<b>HAP:</b> (10) [40CFR 63 Subpart GG,12-8-2000] ; <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> (9) [RULE 1107,11-9-2001]  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.6, C1.2, C6.1, C6.2, D322.1, E71.6, E175.3, H23.6, K67.4
SPRAY COATING OPERATION, 3-STAGE DRY FILTER SYSTEM, WITH AN ATI ULTRA BLANKET STAGE 1 FILTER, 120-24"X24" ATI OSM413H STAGE 2 FILTERS & 120-24"X24" ATI 984R STAGE 3 FILTERS, WITH SPRAY BOOTH A/N: 442545	C559	D31		<b>HAP:</b> (10) [40CFR 63 Subpart GG,12-8-2000] ; <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> (9) [RULE 1107,11-9-2001]  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.6, C1.2, C6.1, C6.2, D322.1, E71.6, E175.3, H23.6, K67.4

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
SPRAY COATING OPERATION, 3-STAGE DRY FILTER SYSTEM, WITH AN ATI ULTRA BLANKET FILTER, 120-24"X24" ATI OSM413H STAGE 2 FILTERS & 120-24"X24" ATI 984R STAGE 3 FILTERS, WITH SPRAY BOOTH A/N: 442545	C560	D31		<b>HAP:</b> (10) [40CFR 63 Subpart GG,12-8-2000] ; <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> (9) [RULE 1107,11-9-2001]  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.6, C1.2, C6.1, C6.2, D322.1, E71.6, E175.3, H23.6, K67.4
SPRAY COATING OPERATION, 3-STAGE DRY FILTER SYSTEM, WITH AN ATI ULTRA BLANKET FILTER, 105-24"X24" ATI OSM413H STAGE 2 FILTERS & 105-24"X24" ATI 984R STAGE 3 FILTERS, WITH SPRAY BOOTH A/N: 442545	C561	D31		<b>HAP:</b> (10) [40CFR 63 Subpart GG,12-8-2000] ; <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> (9) [RULE 1107,11-9-2001]  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.6, C1.2, C6.1, C6.2, D322.1, E71.6, E175.3, H23.6, K67.4

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
SPRAY COATING OPERATION, 3-STAGE DRY FILTER SYSTEM, WITH AN ATI ULTRA BLANKET FILTER, 105-24"X24" ATI OSM413H STAGE 2 FILTERS & 105-24"X24" ATI 984R STAGE 3 FILTERS, WITH SPRAY BOOTH A/N: 442545	C562	D31		<b>HAP:</b> (10) [40CFR 63 Subpart GG,12-8-2000] ; <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> (9) [RULE 1107,11-9-2001  <i>RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</i>	A63.6, C1.2, C6.1, C6.2, D322.1, E71.6, E175.3, H23.6, K67.4
<b>System 3 : STRIPPER TANKS</b>					
STORAGE TANK, NO.T-4, PAINT STRIPPER, WITH A PRESSURE RELIEF VALVE, WITH SUBMERGED FILLING, 2500 GALS A/N: 173839	D300				
<b>System 4 : INTERNAL COMBUSTION ENGINES</b>					
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, NO. 9-251, DIESEL FUEL, CUMMINS, MODEL NHS-6-1F, WITH TURBOCHARGER, 225 HP A/N: 345367	D242		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, NO. 9-252, DIESEL FUEL, CUMMINS, MODEL NHS-6-1F, WITH TURBOCHARGER, 225 HP A/N: 345368	D243		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, NO. 9-261, DIESEL FUEL, CUMMINS, MODEL NH-220-1F, 131 HP A/N: 345361	D244		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, NO. 9-82, DIESEL FUEL, CUMMINS, MODEL NH-220-1F, 138 HP A/N: 345362	D245		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, NO. 8-409, DIESEL FUEL, JOHN DEERE, MODEL 4239D, 66 HP A/N: 345384	D248		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	B61.2, C1.1, D12.3, E448.9, K67.7
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, NO. 8-407, DIESEL FUEL, CATEPILLAR, MODEL 3406 D1, WITH AFTERCOOLER, 449 HP A/N: 345357	D249		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	D12.3, E448.5, E448.8, K67.7

\* (1)(1A)(1B) Denotes RECLAIM emission factor  
 (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit  
 (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit  
 (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit  
 (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits  
 (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, NON-EMERGENCY, NO. 9-277, DIESEL FUEL, JOHN DEERE, MODEL 6359T, 153 BHP A/N: 345386	D398		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV DIESEL (5) [RULE 1110.2.6-3-2005] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>NOX:</b> 10 GRAM/BHP-HR DIESEL (4) [RULE 2005,5-6-2005]  <b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>ROG:</b> 250 PPMV DIESEL (5) [RULE 1110.2.6-3-2005]	D12.3, D29.4, D323.1
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, DIESEL FUEL, CUMMINS, MODEL NO. 6CTA8.3-F3, WITH AFTERCOOLER, TURBOCHARGER, 300 HP A/N: 324635	D424		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	B61.2, D12.3, E448.5, E448.8, K67.1, K67.7
INTERNAL COMBUSTION ENGINE, NON-EMERGENCY, DIESEL FUEL, DETROIT DIESEL, MODEL 7123-7400, INTRA-FACILITY PORTABLE, WITH AFTERCOOLER, TURBOCHARGER, 639 HP A/N: 345395	D425		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV DIESEL (5) [RULE 1110.2.6-3-2005] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]  <b>ROG:</b> 250 PPMV DIESEL (5) [RULE 1110.2.6-3-2005]	C177.1, D12.3, D29.4, D323.1, K67.2

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, NON-EMERGENCY, CERTIFIED NON-ROAD ENGINE OF 40 CFR PART 89, DIESEL FUEL, DETROIT DIESEL, MODEL 5063-5433, INTRA-FACILITY PORTABLE, WITH AFTERCOOLER, TURBOCHARGER, 237 HP A/N: 324633	D426		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV DIESEL (5) [RULE 1110.2.6-3-2005] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]  <b>ROG:</b> 250 PPMV DIESEL (5) [RULE 1110.2.6-3-2005]	B61.2, D12.3, D29.4, D323.1, K67.1
INTERNAL COMBUSTION ENGINE, NON-EMERGENCY, CERTIFIED NON-ROAD ENGINE OF 40 CFR PART 89, DIESEL FUEL, DETROIT DIESEL, MODEL 5063-5433, INTRA-FACILITY PORTABLE, WITH AFTERCOOLER, TURBOCHARGER, 237 HP A/N: 324634	D427		NOX: PROCESS UNIT**	<b>CO:</b> 2000 PPMV DIESEL (5) [RULE 1110.2.6-3-2005] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]  <b>ROG:</b> 250 PPMV DIESEL (5) [RULE 1110.2.6-3-2005]	B61.2, D12.3, D29.4, D323.1, K67.1
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, DIESEL FUEL, CUMMINS, MODEL N14G2, 535 BHP A/N: 376123	D506		NOX: PROCESS UNIT**	<b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005] ; <b>PM:</b> (9) [RULE 404,2-7-1986]	C1.9, D12.3, E448.8, K67.7

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, NON-EMERGENCY, SERIAL NO. 45660493, DIESEL FUEL, CUMMINS, MODEL B5.9-C, NON-ROAD PORTABLE ENGINE, DRIVING FLIGHT RAMP GROUND POWER UNIT, WITH TURBOCHARGER, 200 BHP A/N: 386040	D507		NOX: PROCESS UNIT**	<p><b>CO:</b> 8.5 GRAM/BHP-HR DIESEL (8) [40CFR 89 Subpart B,7-1-2000] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005]</p> <p><b>NOX:</b> 6.9 GRAM/BHP-HR DIESEL (8) [40CFR 89 Subpart B,7-1-2000] ; <b>PM:</b> 0.4 GRAM/BHP-HR DIESEL (8) [40CFR 89 Subpart B,7-1-2000]</p> <p><b>PM:</b> (9) [RULE 404,2-7-1986] ; <b>VOC:</b> 1 GRAM/BHP-HR DIESEL (8) [40CFR 89 Subpart B,7-1-2000]</p>	C1.10, D12.3, D29.4, D323.1, K67.1
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, DIESEL FUEL, CUMMINS, MODEL 6BATA5.9-G4, 170 BHP A/N: 436097	D557		NOX: PROCESS UNIT**	<p><b>CO:</b> 3.7 GRAM/BHP-HR DIESEL (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005]</p>	B61.1, D12.3, E448.7, H23.8, K67.7

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, DIESEL FUEL, CUMMINS, MODEL 6BATA5.9-G4, 170 BHP A/N: 444873	D563		NOX: PROCESS UNIT**	<p><b>NOX + ROG:</b> 4.9 GRAM/BHP-HR DIESEL (5) [<b>RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002</b>] ; <b>PM:</b> (9) [<b>RULE 404,2-7-1986</b>]</p> <p><b>PM10:</b> 0.22 GRAM/BHP-HR DIESEL (4) [<b>RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002</b>]</p> <p><b>CO:</b> 3.7 GRAM/BHP-HR DIESEL (4) [<b>RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002</b>] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [<b>RULE 2012,5-6-2005</b>]</p> <p><b>NOX + ROG:</b> 4.9 GRAM/BHP-HR DIESEL (5) [<b>RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002</b>] ; <b>PM:</b> (9) [<b>RULE 404,2-7-1986</b>]</p> <p><b>PM10:</b> 0.22 GRAM/BHP-HR DIESEL (4) [<b>RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002</b>]</p>	B61.1, D12.3, E448.7, H23.8, K67.7

\* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 2 : BOEING -C-17 OPERATIONS</b>					
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, DIESEL FUEL, CUMMINS, MODEL 4BTA3-9-G5, 99 BHP A/N: 450758	D564		NOX: PROCESS UNIT**	<p><b>CO:</b> 3.7 GRAM/BHP-HR DIESEL (4) [RULE 1303(a)-BACT,5-10-1996;RULE 1303(a),12-6-2002] ; <b>NOX:</b> 469 LBS/1000 GAL DIESEL (1) [RULE 2012,5-6-2005]</p> <p><b>NOX + ROG:</b> 4.9 GRAM/BHP-HR DIESEL (5) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002] ; <b>PM:</b> (9) [RULE 404,2-7-1986]</p> <p><b>PM10:</b> 0.22 GRAM/BHP-HR DIESEL (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002]</p>	B61.1, D12.3, E448.7, H23.8, K67.7
<b>Process 3 : 219 EXEMP EQUIPMENT, LBD &amp; C17 SUBJECT TO SOURCE-SPECIFIC RULE</b>					
RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL, UNHEATED, NON-CONVEYORIZED	E428			<b>VOC:</b> (9) [RULE 1171,11-7-2003;RULE 1171,7-14-2006]	H23.1
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E429			<b>VOC:</b> (9) [RULE 1113,11-8-1996;RULE 1113,6-9-2006;RULE 1171,11-7-2003;RULE 1171,7-14-2006]	K67.3

\* (1)(1A)(1B)Denotes RECLAIM emission factor  
 (3) Denotes RECLAIM concentration limit  
 (5)(5A)(5B)Denotes command and control emission limit  
 (7) Denotes NSR applicability limit  
 (9) See App B for Emission Limits

(2)(2A)(2B)Denotes RECLAIM emission rate  
 (4) Denotes BACT emission limit  
 (6) Denotes air toxic control rule limit  
 (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 3 : 219 EXEMP EQUIPMENT, LBD &amp; C17 SUBJECT TO SOURCE-SPECIFIC RULE</b>					
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E430				H23.3
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, LOW USE OR EMISSIONS	E432			<b>VOC: (9) [RULE 1107,11-9-2001;RULE 1107,1-6-2006;RULE 1124,9-21-2001;RULE 1136,6-14-1996;RULE 1168,10-3-2003;RULE 1168,1-7-2005;RULE 1171,11-7-2003 RULE 1171,7-14-2006] ; VOC: (10) [40CFR 63 Subpart GG,12-8-2000]</b>	H23.9
RULE 219 EXEMPT EQUIPMENT, DEGREASERS, HEATED, < 1.0 FT2	E433			<b>VOC: (9) [RULE 1171,11-7-2003;RULE 1171,7-14-2006]</b>	H23.1
RULE 219 EXEMPT EQUIPMENT, HAND LAY, BRUSH AND ROLL UP RESIN OPERATIONS	E434			<b>VOC: (9) [RULE 1162,11-17-2000;RULE 1162,7-8-2005;RULE 1171,11-7-2003;RULE 1171,7-14-2006]</b>	H23.9
RULE 219 EXEMPT EQUIPMENT, EXEMPT HAND WIPING OPERATIONS	E438			<b>VOC: (9) [RULE 1171,11-7-2003;RULE 1171,7-14-2006] ; VOC: (10) [40CFR 63 Subpart GG,12-8-2000]</b>	
RULE 219 EXEMPT EQUIPMENT, FIRE EXTINGUISHING EQUIPMENT USING HALONS	E439				H23.4

\* (1)(1A)(1B)Denotes RECLAIM emission factor (2)(2A)(2B)Denotes RECLAIM emission rate  
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit  
 (5)(5A)(5B)Denotes command and control emission limit (6) Denotes air toxic control rule limit  
 (7) Denotes NSR applicability limit (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
<b>Process 3 : 219 EXEMP EQUIPMENT, LBD &amp; C17 SUBJECT TO SOURCE-SPECIFIC RULE</b>					
RULE 219 EXEMPT EQUIPMENT, COOLING TOWERS	E529				H23.10
RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, GLOVE-BOX, < = 53 FT3, WITH DUST FILTER	E530			<b>PM: (9) [RULE 1140,2-1-1980;RULE 1140,8-2-1985;RULE 404,2-7-1986;RULE 405,2-7-1986]</b>	D322.3, D381.1, H23.7, K67.9

\* (1)(1A)(1B)Denotes RECLAIM emission factor  
 (3) Denotes RECLAIM concentration limit  
 (5)(5A)(5B)Denotes command and control emission limit  
 (7) Denotes NSR applicability limit  
 (9) See App B for Emission Limits  
 (2)(2A)(2B)Denotes RECLAIM emission rate  
 (4) Denotes BACT emission limit  
 (6) Denotes air toxic control rule limit  
 (8)(8A)(8B)Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)  
 (10) See Section J for NESHAP/MACT requirements

\*\* Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

**SECTION D: DEVICE ID INDEX**

**The following sub-section provides an index  
to the devices that make up the facility  
description sorted by device ID.**

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D28	8	2	2
D31	8	2	2
D177	1	1	1
D178	2	1	1
D187	1	1	1
D188	1	1	1
D195	3	2	1
D197	3	2	1
D236	4	2	1
D238	4	2	1
D242	11	2	4
D243	12	2	4
D244	12	2	4
D245	12	2	4
D248	12	2	4
D249	12	2	4
D300	11	2	3
D398	13	2	4
D424	13	2	4
D425	13	2	4
D426	14	2	4
D427	14	2	4
E428	17	3	0
E429	17	3	0
E430	18	3	0
E432	18	3	0
E433	18	3	0
E434	18	3	0
E438	18	3	0
E439	18	3	0
D489	2	1	4
D490	2	1	4
D491	3	1	4
D506	14	2	4
D507	15	2	4
D508	4	2	1

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**SECTION D: DEVICE ID INDEX**

<b>Device Index For Section D</b>			
<b>Device ID</b>	<b>Section D Page No.</b>	<b>Process</b>	<b>System</b>
E529	19	3	0
E530	19	3	0
D549	5	2	1
D551	6	2	1
D553	7	2	1
D557	15	2	4
C558	9	2	2
C559	9	2	2
C560	10	2	2
C561	10	2	2
C562	11	2	2
D563	16	2	4
D564	17	2	4

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

#### FACILITY CONDITIONS

F1.1 The operator shall limit the material processed to no more than 25000 lb(s) in any one year.

For the purpose of this condition, material processed shall be defined as 1,1,1-trichloroethane used for general handwipe cleaning.

[H&S 44300, 7-1-1988]

F9.1 Except for open abrasive blasting operations, the operator shall not discharge into the atmosphere from any single source of emissions whatsoever any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:

(a) As dark or darker in shade as that designated No.1 on the Ringelmann Chart, as published by the United States Bureau of Mines; or

(b) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in subparagraph (a) of this condition.

[RULE 401, 3-2-1984; RULE 401, 11-9-2001]

F14.1 The operator shall not purchase diesel fuel containing sulfur compounds in excess of 15 ppm by weight as supplied by the supplier.

This condition shall become effective on or after June 1, 2004.

[RULE 431.2, 9-15-2000]

F14.2 The operator shall not use diesel fuel containing sulfur compounds in excess of 0.05 percent by weight.

[RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

F16.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

show compliance with condition F1-1 for use of 1,1,1 trichloroethane

[H&S 44300, 7-1-1988]

F16.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

In addition to the recordkeeping requirements of Rule 109, the operator shall keep adequate records to demonstrate compliance with VOC conditions for all spray booth coating operations. All records shall be prepared in a format that is acceptable to the District, retained on the premises for at least five years, and made available upon request of the Executive Officer or his representative

[**RULE 109, 5-2-2003; RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004**]

F24.1 Accidental release prevention requirements of Section 112(r)(7):

a). The operator shall comply with the accidental release prevention requirements pursuant to 40 CFR Part 68 and shall submit to the Executive Officer, as a part of an annual compliance certification, a statement that certifies compliance with all of the requirements of 40 CFR Part 68, including the registration and submission of a risk management plan (RMP).

b). The operator shall submit any additional relevant information requested by the Executive Officer or designated agency.

[**40CFR 68 - Accidental Release Prevention, 5-24-1996**]

F48.1 The operator shall not use at this facility methylene chloride for general handwipe cleaning.

[H&S 44300, 7-1-1988]

### **DEVICE CONDITIONS**

#### **A. Emission Limits**

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A63.2 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 150 LBS IN ANY ONE DAY

For the purposes of this condition, and for exemption under Rule 1132 by (h)(2), the VOC emissions from this spray booth shall be defined as the monthly average for each calendar month, calculated by dividing the total emissions from this spray booth for the calendar month by the number of calendar days in that month. If the records generated after the end of any calendar month show that the VOC emissions from this equipment for the calendar month exceed the emission cap of this condition, the operator shall submit the appropriate applications and achieve compliance pursuant to the requirements specified in Rule 1132.

The operator shall calculate the emission limit(s) as described above. Exceedance of the VOC emission limit of this condition shall not subject this equipment to New Source Review requirements if the operator complies with the usage limit specified in Condition no. C1.2

**[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]**

[Devices subject to this condition : D28]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A63.6 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 225 LBS IN ANY ONE DAY

For the purposes of this condition, and for exemption under Rule 1132(h)(2), the VOC emissions from this spray booth shall be defined as the monthly average for each calendar month, calculated by dividing the total emissions from this spray booth for the calendar month by the number of calendar days in that month. If the records generated after the end of any calendar month show that the VOC emissions from this equipment for the calendar month exceed the emission cap of this condition, the operator shall submit the appropriate applications and achieve compliance pursuant to the requirements specified in Rule 1132.

The operator shall calculate the emission limit(s) as described above. Exceedance of the VOC emission limit of this condition shall not subject this equipment to New Source Review requirements if the operator complies with the usage limit specified in Condition no. C1.2

[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]

[Devices subject to this condition : D31, C558, C559, C560, C561, C562]

### **B. Material/Fuel Type Limits**

B61.1 The operator shall only use diesel fuel containing the following specified compounds:

Compound	quantity	ppm by weight
sulfur	less than or equal to	15

This condition shall be effective January 1, 2006

[RULE 1303(a)(1)-BACT, 5-10-1996]

[Devices subject to this condition : D557, D563, D564]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

B61.2 The operator shall not use fuel oil containing the following specified compounds:

Compound	weight percent
Sulfur less than or equal to	0.05

**[RULE 1303(a)(1)-BACT, 5-10-1996]**

[Devices subject to this condition : D248, D424, D426, D427, D490, D491, D508]

### **C. Throughput or Operating Parameter Limits**

C1.1 The operator shall limit the operating time to no more than 125 hour(s) in any one year.

**[RULE 1304(a)-Modeling and O set Exemption, 6-14-1996]**

[Devices subject to this condition : D248]

C1.2 The operator shall limit the material processed to no more than 341 gallon(s) per day.

For the purpose of this condition, material processed shall be defined as coatings and solvents, excluding chemical milling maskant, that are used in all spray booths at this facility.

**[RULE 1303(b)(2)-O set, 5-10-1996]**

[Devices subject to this condition : D28, D31, C558, C559, C560, C561, C562]

C1.3 The operator shall limit the heat input to no more than 23000 MM Btu in any one year.

The purpose(s) of this condition is to ensure that this equipment qualifies as a process unit.

**[RULE 2012, 5-6-2005]**

[Devices subject to this condition : D197]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- C1.9 The operator shall limit the operating time to no more than 200 hour(s) in any one year.

**[RULE 1304(a)-Modeling and O set Exemption, 6-14-1996]**

[Devices subject to this condition : D506]

- C1.10 The operator shall limit the operation to no more than 300 hour(s) in any one year.

**[RULE 1303(b)(2)-O set, 5-10-1996]**

[Devices subject to this condition : D507]

- C1.17 The operator shall limit the natural gas fuel usage to no more than 274,826 therm(s) in any one calendar month.

This limit shall be based on the total combined limit for equipment described in D549, D551 and D553.

**[RULE 1303(b)(2)-O set, 5-10-1996; RULE 1303(b)(2)-O set, 12-6-2002]**

[Devices subject to this condition : D549, D551, D553]

- C6.1 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, does not exceed 2 inches water column.

To comply with this condition, the operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the first and second stage filters.

**[RULE 1303(a)(1)-BACT, 5-10-1996]**

[Devices subject to this condition : C558, C559, C560, C561, C562]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- C6.2 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, does not exceed 1.5 inches water column.

To comply with this condition, the operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the third stage filter.

**[RULE 1303(a)(1)-BACT, 5-10-1996]**

[Devices subject to this condition : C558, C559, C560, C561, C562]

- C6.4 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, does not exceed 3 inches water column.

To comply with this condition, the operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the exhaust filters.

**[RULE 1303(a)(1)-BACT, 5-10-1996]**

[Devices subject to this condition : D28]

- C177.1 The operator shall set and maintain the fuel injection timing of the engine at 4 degrees retarded relative to standard timing.

**[RULE 1303(a)(1)-BACT, 5-10-1996]**

[Devices subject to this condition : D425]

### **D. Monitoring/Testing Requirements**

- D12.2 The operator shall install and maintain a(n) non-resettable totalizing fuel flow meter to accurately indicate the fuel usage of the equipment.

**[RULE 2012, 5-6-2005]**

[Devices subject to this condition : D197, D549, D551, D553]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- D12.3 The operator shall install and maintain a(n) non-resettable elapsed time meter to accurately indicate the elapsed operating time of the engine.

**[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1304(a)-Modeling and O set Exemption, 6-14-1996; RULE 2012, 5-6-2005]**

[Devices subject to this condition : D236, D238, D242, D243, D244, D245, D248, D249, D398, D424, D425, D426, D427, D490, D491, D506, D507, D508, D557, D563, D564]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D29.2 The operator shall conduct source test(s) for the pollutant(s) identified below.

Pollutant(s) to be tested	Required Test Method(s)	Averaging Time	Test Location
CO emissions	Approved District method	District-approved averaging time	Outlet

The test shall be conducted on an annual basis to determine compliance with the CO emission factors and CO concentration limits specified in this permit. The test shall be conducted using a District approved test protocol.

A written notice of the source tests shall be submitted to the District engineer Shailesh Patel at least 14 days prior to the source testing date so that an observer from the District may be present.

A testing laboratory certified by the California Air Resources Board in the required test methods for criteria pollutants to be measured, and in compliance with District Rule 304 (no conflict of interest) shall conduct the test.

Sampling facilities shall comply with the District guidelines for construction of sampling and testing facilities, pursuant to Rule 217.

Two complete copies of the source test reports shall be submitted to District engineer Shailesh Patel within 45 days after the source testing date. The source test report shall include, but not be limited to all testing data required by this condition.

Emission data shall be expressed in terms of concentration (ppmv), corrected to 3 percent oxygen for CO, dry basis.

**[RULE 1146, 11-17-2000; RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(b)(2)-O set, 5-10-1996; RULE 2012, 5-6-2005]**

[Devices subject to this condition : D549, D551, D553]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D29.4 The operator shall conduct source test(s) for the pollutant(s) identified below.

Pollutant(s) to be tested	Required Test Method(s)	Averaging Time	Test Location
PM emissions	Approved District method	District-approved averaging time	Outlet

The test(s) shall be conducted at least once every five years.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D398, D425, D426, D427, D507]

D322.1 The operator shall perform a weekly inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D28, C558, C559, C560, C561, C562]

D322.3 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : E530]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D398, D425, D426, D427, D489, D507]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- D328.1 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 1146 concentration limit. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D197]

- D332.1 The operator shall determine compliance with the CO emission limit(s) by conducting a test at least every five years using a portable analyzer and AQMD-approved test method or, if not available, a non-AQMD approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 1146 concentration limit. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D178, D187, D188, D195]

- D332.2 The operator shall determine compliance with the CO emission limit(s) by conducting a test at least every five years using a portable analyzer and AQMD-approved test method or, if not available, a non-AQMD approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 1146.1 concentration limit. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D177]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : E530]

### **E. Equipment Operation/Construction Requirements**

E71.4 The operator shall only operate this equipment if the exhaust fans located near the area where the coating application is performed are operating at 130,000 scfm or greater. If an exhaust fan is repaired, modified or replaced, the operator shall conduct tests pursuant to an appropriate AQMD approved test method to determine the exhaust flow rate within 60 days of such repair, modification, or replacement.

**[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]**

[Devices subject to this condition : D28]

E71.6 The operator shall only operate this equipment if the exhaust fan of this equipment is operating at 275,000 scfm or greater. If the exhaust fan is repaired, modified or replaced, the operator shall conduct tests pursuant to an appropriate AQMD approved test method to determine the exhaust flow rate within 60 days of such repair, modification, or replacement.

**[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]**

[Devices subject to this condition : D31, C558, C559, C560, C561, C562]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E133.3 The operator shall maintain an interlock device, so that the boiler can only be operated when the natural gas firing rate is at 25 percent or more of the maximum heat input rating of the equipment.

[**RULE 1303(b)(2)-O set, 5-10-1996**; **RULE 1303(b)(2)-O set, 12-6-2002**]

[Devices subject to this condition : D549, D551, D553]

E175.1 The operator shall not use this equipment unless all exhaust air passes through the following:

filter media at least 2 inches thick

[**RULE 1303(a)(1)-BACT, 5-10-1996**]

[Devices subject to this condition : D28]

E175.2 The operator shall not use this equipment unless all exhaust air passes through the following:

at least four out of five exhaust systems

[**RULE 1303(a)(1)-BACT, 5-10-1996**]

[Devices subject to this condition : D31]

E175.3 The operator shall not use this equipment unless all exhaust air passes through the following:

three stage filters

[**RULE 1303(a)(1)-BACT, 5-10-1996**]

[Devices subject to this condition : D31, C558, C559, C560, C561, C562]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E448.5 The operator shall comply with the following requirements:

The engine shall not be operated more than 200 hours in any one year

Engine operation shall be terminated immediately after the utility distribution company advises that a rotating outage is no longer imminent or in effect

[**RULE 1303(a)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D236, D238, D242, D243, D244, D245, D249, D424, D490, D491, D508]

E448.7 The operator shall comply with the following requirements:

The engine shall not be operated more than 200 hours in any one year, which includes no more than 50 hours in any one year for maintenance and testing

Operation beyond 50 hours per year allotted for engine maintenance and testing shall be allowed only in the event of a loss of grid power or up to 30 minutes prior to a rotating outage, provided that the utility distribution company has ordered rotating outages in the control area where the engine is located or has indicated that it expects to issue such an order at a certain time, and the engine is located in a utility service block that is subject to the rotating outage

Engine operation shall be terminated immediately after the utility distribution company advises that a rotating outage is no longer imminent or in effect

This engine shall not be used as part of an interruptible service contract in which a facility receives a payment or reduced rates in return for reducing electric load on the grid when requested by the utility or grid operator

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 1470, 6-1-2007]

[Devices subject to this condition : D557, D563, D564]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E448.8 The operator shall comply with the following requirements:

The engine shall not be operated more than 200 hours in any one year, which includes no more than 20 hours in any one year for maintenance and testing

Operation beyond 20 hours per year allotted for engine maintenance and testing shall be allowed only in the event of a loss of grid power or up to 30 minutes prior to a rotating outage, provided that the utility distribution company has ordered rotating outages in the control area where the engine is located or has indicated that it expects to issue such an order at a certain time, and the engine is located in a utility service block that is subject to the rotating outage

Engine operation shall be terminated immediately after the utility distribution company advises that a rotating outage is no longer imminent of in effect

This engine shall not be used as part of an interruptible service contract in which a facility receives a payment or reduced rates in return for reducing electric load on the grid when requested by the utility or grid operator

[RULE 1470, 6-1-2007]

[Devices subject to this condition : D236, D238, D242, D243, D244, D245, D249, D424, D490, D491, D506, D508]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E448.9 The operator shall comply with the following requirements:

The engine shall not be operated more than 125 hours in any one year, which includes no more than 20 hours in any one year for maintenance and testing

Operation beyond 20 hours per year allotted for engine maintenance and testing shall be allowed only in the event of a loss of grid power or up to 30 minutes prior to a rotating outage, provided that the utility distribution company has ordered rotating outages in the control area where the engine is located or has indicated that it expects to issue such an order at a certain time, and the engine is located in a utility service block that is subject to the rotating outage

Engine operation shall be terminated immediately after the utility distribution company advises that a rotating outage is no longer imminent of in e ct

This engine shall not be used as part of an interruptible service contract in which a facility receives a payment or reduced rates in return for reducing electric load on the grid when requested by the utility or grid operator

[RULE 1470, 6-1-2007]

[Devices subject to this condition : D248]

### H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	1122

[RULE 1122, 10-1-2004]

[Devices subject to this condition : E428, E433]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.3 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415
Refrigerants	40CFR82, SUBPART	F

[RULE 1415, 10-14-1994; **40CFR 82 Subpart F, 5-14-1993**]

[Devices subject to this condition : E430]

H23.4 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Halon	District Rule	1418

[RULE 1418, 9-10-1999]

[Devices subject to this condition : E439]

H23.6 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	109
PM	District Rule	481

[**RULE 109, 5-2-2003; RULE 481, 1-11-2002**]

[Devices subject to this condition : D28, D31, C558, C559, C560, C561, C562]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.7 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	1140

[**RULE 109, 5-2-2003; RULE 481, 1-11-2002**]

[Devices subject to this condition : E530]

H23.8 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
PM10	District Rule	1470
Sulfur compounds	District Rule	431.2

[**RULE 1470, 6-1-2007; RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000**]

[Devices subject to this condition : D557, D563, D564]

H23.9 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	109

[**RULE 109, 5-2-2003**]

[Devices subject to this condition : E432, E434]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.10 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Chromium, Hexavalent	District Rule	1404

[RULE 1404, 4-6-1990]

[Devices subject to this condition : E529]

H23.11 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
HAPs	40CFR63, SUBPART	DDDDD

[40CFR 63 Subpart DDDDD, 12-6-2006]

[Devices subject to this condition : D549, D551, D553]

### **K. Record Keeping/Reporting**

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

annual elapsed time in hours

[RULE 1303(b)(2)-O set, 5-10-1996]

[Devices subject to this condition : D424, D426, D427, D490, D491, D507, D508]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

annual elapsed time in hours and records showing that the engine has been retarded 4 degrees

**[RULE 1303(a)(1)-BACT, 5-10-1996]**

[Devices subject to this condition : D425]

K67.3 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : E429]

K67.4 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

the name of the person performing the inspection and/or maintenance of the filter media

the date, time, and results of the inspection

weekly record of pressure drop across the filter

the date, time, and description of any maintenance or repairs resulting from the inspection

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : D28, C558, C559, C560, C561, C562]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K67.7 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

The engine operating log shall be kept and maintained on file to record when the engine is started manually. The log shall list the date of operation, the timer reading in hours at the beginning and end of operation, and the reason for operation.

By January 15th of each year, the operator shall total and record the total hours of operation (including hours for both manual and automatic operation) for the previous calendar year

All records required by this permit shall be kept in a format that is acceptable to the District, shall be retained on the premises for five years, and made available to any District representative upon request.

**[RULE 1304(a)-Modeling and O set Exemption, 6-14-1996; RULE 1470, 6-1-2007; RULE 2012, 5-6-2005]**

[Devices subject to this condition : D236, D238, D242, D243, D244, D245, D248, D249, D424, D490, D491, D506, D508, D557, D563, D564]

K67.8 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Calendar monthly natural gas usage in therms.

Within 15 days after the end of each month, total and record the natural gas usage of devices D549, D551 and D553 in therms.

**[RULE 1303(b)(2)-O set, 5-10-1996; RULE 1303(b)(2)-O set, 12-6-2002]**

[Devices subject to this condition : D549, D551, D553]

K67.9 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

the name of the person performing the inspection and/or maintenance of the filter media

the date, time, and results of the inspection

the date, time, and description of any maintenance or repairs resulting from the inspection

**[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : E530]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION E: ADMINISTRATIVE CONDITIONS**

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
  - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
  - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
  - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]
5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation.[204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least: [204]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION E: ADMINISTRATIVE CONDITIONS

- a. Three years for a facility not subject to Title V; or
  - b. Five years for a facility subject to Title V.
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
- a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134, 204]
  - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
  - c. For a large NO<sub>x</sub> source, compliance with a RECLAIM concentration limit shall be measured over a continuous 60 minutes for that source; [2012]
  - d. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes. [204]
  - e. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compound which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO<sub>2</sub>) and be averaged over 15 consecutive minutes; [407]
  - f. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent carbon dioxide (CO<sub>2</sub>) at standard conditions and averaged over 15 consecutive minutes. [409]
  - g. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O<sub>2</sub>) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. All equipment operating under the RECLAIM program shall comply concurrently with all provisions of AQMD Rules and Regulation, except those listed in Table 1 of Rule 2001 for NO<sub>x</sub> RECLAIM sources and Table 2 of Rule 2001 for SO<sub>x</sub> RECLAIM sources. Those provisions listed in Tables 1 or 2 shall not apply to NO<sub>x</sub> or SO<sub>x</sub> emissions after the date the facility has demonstrated compliance with all monitoring and reporting requirements of Rules 2011 or 2012, as applicable. Provisions of the listed AQMD rules in Tables 1 or 2 which have initial implementation dates in 1994 shall not apply to a RECLAIM NO<sub>x</sub> or SO<sub>x</sub> source, respectively. [2001]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION E: ADMINISTRATIVE CONDITIONS

9. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
  - a. Brief description of the equipment tested.
  - b. Brief process description, including maximum and normal operating temperatures, pressures, through-put, etc.
  - c. Operating conditions under which the test will be performed.
  - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
  - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
  - f. Description of calibration and quality assurance procedures.
  - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (no conflict of interest).
  
10. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD Rules or equipment-specific conditions. The report shall contain the following information: [204]
  - a. The results of the source test.
  - b. Brief description of the equipment tested.
  - c. Operating conditions under which the test will be performed.
  - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
  - e. Field and laboratory data forms, strip charts and analyses.
  - f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
  
11. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION E: ADMINISTRATIVE CONDITIONS**

12. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS**

The Facility shall comply with all applicable monitoring and source testing requirements in Regulation XX. These requirements may include but are not limited to the following:

#### **I. NOx Monitoring Conditions**

A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

B. The Operator of a NOx Large Source, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter and any device specified by the Executive Officer as necessary to determine monthly fuel usage or other applicable variables specified in Rule 2012, Appendix A, Table 3-A. The sharing of totalizing fuel meter may be allowed by the Executive Officer if the fuel meter serves large sources which have the same emission factor, concentration limit, or emission rate. The sharing of totalizing fuel meters shall not be allowed for large sources which are required to comply with an annual heat input limit. [2012]
2. Comply at all times with the specified NOx concentration limit in PPM measured over any continuous 60 minutes for that source or establish an equipment-specific emission rate that is reliable, accurate, representative of that sources emissions, and in accordance with the requirements specified in Rule 2012, Appendix A, Chapter 5. [2012]

C. The Operator of a NOx Process Unit, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2012, Table 2012-1, and Rule 2012, Appendix A, Table 4-A. The sharing of totalizing fuel meters may be allowed by the Executive Officer if the fuel meter serves process units which have the same emission factor or emission rate. The sharing of totalizing meter shall not be allowed for process units which are required to comply with an annual heat input limit. [2012]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS**

#### **II. NO<sub>x</sub> Source Testing and Tune-up Conditions**

1. The operator shall conduct all required NO<sub>x</sub> source testing in compliance with an AQMD-approved source test protocol. [2012]
2. The operator shall, as applicable, conduct source tests for every large NO<sub>x</sub> source no later than June 30, 1997 and every 3 years thereafter. The source test shall include the determination of NO<sub>x</sub> concentration and a relative accuracy audit of the exhaust stack flow determination (e.g. in-stack flow monitor or fuel flow monitor based F-factor calculation). Such source test results shall be submitted per the schedule described by APEP. In lieu of submitting the first source test report, the facility permit holder may submit the results of a source test not more than 3 years old which meets the requirements when conducted. [2012]
3. All NO<sub>x</sub> large sources and NO<sub>x</sub> process units shall be tuned-up in accordance with the schedule specified in Rule 2012, Appendix A, Chapter 5, Table 5-B. [2012]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR RECLAIM SOURCES**

The Facility shall comply with all applicable reporting and recordkeeping requirements in Regulation XX. These requirements may include but are not limited to the following:

#### **I. Recordkeeping Requirements for all RECLAIM Sources**

1. The operator shall maintain all monitoring data required to be measured or reported pursuant to Rule 2011 and Rule 2012, whichever is applicable. All records shall be made available to AQMD staff upon request and be maintained for at least:
  - a. Three years after each APEP report is submitted to AQMD for a facility not subject to Title V, unless a different time period is required in Rule 2011 or Rule 2012 [2011 & 2012]; or
  - b. Five years after each APEP report is submitted to AQMD for a facility subject to Title V. [3004(a)(4)(E)]
  - c. Notwithstanding the above, all data gathered or computed for intervals of less than 15 minutes shall only be maintained a minimum of 48 hours. [2011 & 2012]
2. The operator shall store on site and make available to the Executive Officer upon request: records used to determine emissions, maintenance records, sources test reports, relative accuracy test audit reports, relative accuracy audit reports and fuel meter calibration records. [2011 & 2012]

#### **II. Reporting Requirements for all RECLAIM Sources**

1. The operator shall submit a quarterly certification of emissions including the facility's total NO<sub>x</sub> or SO<sub>x</sub> emissions, whichever is applicable, for the quarter within 30 days after the end of the first three quarters and 60 days after the end of the fourth quarter of a compliance year. [2011 & 2012]

#### **NO<sub>x</sub> Reporting Requirements**

- A. The Operator of a NO<sub>x</sub> Major Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR  
RECLAIM SOURCES**

B. The Operator of a NO<sub>x</sub> Large Source, as defined in Rule 2012, shall:

1. Install, maintain and operate a modem or any reporting device approved by the Executive Officer to report, to the AQMD, the total monthly NO<sub>x</sub> mass emissions from each large NO<sub>x</sub> source. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. Such data shall be reported within 15 days after the end of each calendar month. [2012]

C. The Operator of a NO<sub>x</sub> Process Unit, as defined in Rule 2012, shall:

1. Electronically report the calculated quarterly NO<sub>x</sub> emissions for each NO<sub>x</sub> process unit. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. [2012]

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

NONE

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION I: PLANS AND SCHEDULES**

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION J: AIR TOXICS [40CFR 63 Subpart GG 12-8-2000]

#### NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR AEROSPACE MANUFACTURING AND REWORK FACILITIES

1. The operator shall comply with all applicable requirements of 40 CFR 63, Subpart GG and of 40 CFR 63, Subpart A - General Provisions by the compliance date(s) specified in these subparts.
2. The operator shall conduct all cleaning operations pursuant to all applicable requirements specified in Section 63.744.
3. The operator shall comply with all applicable requirements of Sections 63.745 and 63.747 for all primer, topcoat, and chemical milling maskant application operations. Primers, topcoats, and chemical milling maskants that are applied to aerospace parts without being vented to a control system shall comply with the following limits.

Coating Type	Organic HAP Limits (g/l) (less water)	VOC Limit (g/l) (less water/exempt solvents)
Primer	350	350
Topcoats	420	420
Self-priming Topcoats	420	420
Chemical Milling Maskant Type I	622	622
Chemical Milling Maskant Type II	160	160

For primer, topcoat, and chemical milling maskant application operations that are vented to a control system, each control system shall reduce the operation's organic HAP and VOC emissions to the atmosphere by 81% or greater, taking into account capture and destruction or removal efficiencies, as determined using the procedures in Section 63.750(g) when a carbon adsorber is used and in Section 63.750(h) when a control device other than a carbon adsorber is used.

4. The operator shall comply with all applicable requirements of Section 63.746 for all depainting operations.
5. The operator shall conduct the handling and transfer of the waste to and from containers, tanks, vats, vessels, and piping systems in such a manner that minimizes spills pursuant to Section 63.748.

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION J: AIR TOXICS [40CFR 63 Subpart GG 12-8-2000]**

6. The operator shall comply with all applicable requirements of this subpart by the compliance dates specified in Section 63.749.
7. The operator of a facility using any HAP-containing chemicals or control equipment venting such chemicals, that are required by this subpart to conduct chemical analyses and/or performance testing, shall submit a protocol to the AQMD for approval of no less than 60 days prior to testing. The tests shall be conducted in accordance with the test methods and procedures specified in Section 63.750.
8. The operator shall comply with all applicable monitoring requirements specified in Section 63.751.
9. The operator shall keep all records pursuant to Section 63.752 of this subpart and Subpart A to demonstrate compliance with all applicable requirements. All records including data, calculations and any supporting documentation shall be prepared in a format which is acceptable to the AQMD.
10. The operator shall submit all reports, notifications, plans, submittals and other communications required by Section 63.753 of this subpart or Subpart A to the AQMD and, unless notified to the contrary by AQMD or US EPA, to US EPA Region IX (See Sections E and K of this permit for addresses).
11. Alternative plans, compliance plans, and the construction and operation of new or modified air pollution control equipment that are required by this subpart shall be approved through the AQMD permit system.

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION K: TITLE V Administration

#### **GENERAL PROVISIONS**

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

#### **Permit Renewal and Expiration**

3. (A) Except for solid waste incineration facilities subject to standards under Section 129(e) of the Clean Air Act, this permit shall expire five years from the date that the initial Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]  
  
(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

#### **Duty to Provide Information**

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

#### **Payment of Fees**

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

#### **Reopening for Cause**

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
  - (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION K: TITLE V Administration

- (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
- (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

### **COMPLIANCE PROVISIONS**

- 8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
  - (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
  - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

- 9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
  - (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
  - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
  - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
  - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
- 10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION K: TITLE V Administration

11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]
14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
  - (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
  - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
  - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
  - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
  - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
  - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **SECTION K: TITLE V Administration**

commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION K: TITLE V Administration

#### EMERGENCY PROVISIONS

17. An emergency<sup>1</sup> constitutes an affirmative defense to an action brought for non-compliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
    - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
    - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
    - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
    - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
  - (B) The operator complies with the breakdown provisions of Rule 430 - Breakdown Provisions, or subdivision (i) of Rule 2004 - Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

---

<sup>1</sup> "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION K: TITLE V Administration

#### **RECORDKEEPING PROVISIONS**

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
  - (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
  - (B) The date(s) analyses were performed;
  - (C) The company or entity that performed the analyses;
  - (D) The analytical techniques or methods used;
  - (E) The results of such analyses; and
  - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

#### **REPORTING PROVISIONS**

22. The operator shall comply with the following requirements for prompt reporting of deviations:
  - (A) Breakdowns shall be reported as required by Rule 430 - Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.
  - (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION K: TITLE V Administration

- (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
  - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;
  - (B) The compliance status during the reporting period;
  - (C) Whether compliance was continuous or intermittent;
  - (D) The method(s) used to determine compliance over the reporting period and currently, and
  - (E) Any other facts specifically required by the Executive Officer to determine compliance.
- The EPA copy of the certification shall be sent to: Director of the Air Division Attn: Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]
25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### SECTION K: TITLE V Administration

#### **PERIODIC MONITORING**

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the Title V application file. [3004(a)(4)]

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION K: TITLE V Administration

*FACILITY RULES*

*This facility is subject to the following rules and regulations:*

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 109	5-2-2003	Federally enforceable
RULE 1107	1-6-2006	Non federally enforceable
RULE 1107	11-9-2001	Federally enforceable
RULE 1110.2	6-3-2005	Non federally enforceable
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	6-9-2006	Non federally enforceable
RULE 1122	10-1-2004	Federally enforceable
RULE 1124	9-21-2001	Federally enforceable
RULE 1132(h)(2) - Exemptions	3-5-2004	Federally enforceable
RULE 1132(h)(2) - Exemptions	5-7-2004	Non federally enforceable
RULE 1136	6-14-1996	Federally enforceable
RULE 1140	2-1-1980	Federally enforceable
RULE 1140	8-2-1985	Non federally enforceable
RULE 1146	11-17-2000	Federally enforceable
RULE 1146.1	5-13-1994	Federally enforceable
RULE 1162	11-17-2000	Federally enforceable
RULE 1162	7-8-2005	Non federally enforceable
RULE 1168	1-7-2005	Non federally enforceable
RULE 1168	10-3-2003	Federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	7-14-2006	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(a)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-O set	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-O set	5-10-1996	Federally enforceable
RULE 1304(a)-Modeling and O set Exemption	6-14-1996	Federally enforceable

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION K: TITLE V Administration

<b>RULE SOURCE</b>	<b>Adopted/Amended Date</b>	<b>FEDERAL Enforceability</b>
RULE 1401	8-18-2000	Non federally enforceable
RULE 1402	3-4-2005	Non federally enforceable
RULE 1403	4-8-1994	Non federally enforceable
RULE 1404	4-6-1990	Non federally enforceable
RULE 1415	10-14-1994	Non federally enforceable
RULE 1418	9-10-1999	Non federally enforceable
RULE 1420	9-11-1992	Non federally enforceable
RULE 1470	6-1-2007	Non federally enforceable
RULE 2001	5-6-2005	Federally enforceable
RULE 2004	4-6-2007	Non federally enforceable
RULE 2004	5-11-2001	Federally enforceable
RULE 2005	5-6-2005	Federally enforceable
RULE 2012	5-6-2005	Federally enforceable
RULE 204	10-8-1993	Federally enforceable
RULE 217	1-5-1990	Federally enforceable
RULE 219	6-1-2007	Non federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 2202	2-6-2004	Non federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3003	3-16-2001	Non federally enforceable
RULE 3004	12-12-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3005	3-16-2001	Non federally enforceable
RULE 3007	10-8-1993	Federally enforceable
RULE 304	6-9-2006	Non federally enforceable
RULE 401	11-9-2001	Non federally enforceable
RULE 401	3-2-1984	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable
RULE 431.2	5-4-1990	Federally enforceable

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### SECTION K: TITLE V Administration

<b>RULE SOURCE</b>	<b>Adopted/Amended Date</b>	<b>FEDERAL Enforceability</b>
RULE 431.2	9-15-2000	Non federally enforceable
RULE 442	12-15-2000	Federally enforceable
H&S 44300	7-1-1988	Non federally enforceable
RULE 480	10-7-1977	Federally enforceable
RULE 481	1-11-2002	Federally enforceable
40CFR 63 Subpart A	3-16-1994	Federally enforceable
40CFR 63 Subpart DDDDD	12-6-2006	Federally enforceable
40CFR 63 Subpart GG	12-8-2000	Federally enforceable
40CFR 68 - Accidental Release Prevention	5-24-1996	Federally enforceable
RULE 701	6-13-1997	Federally enforceable
40CFR 82 Subpart F	5-14-1993	Federally enforceable
40CFR 89 Subpart B	7-1-2000	Federally enforceable

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN PERMIT PURSUANT TO RULE 219**

1. BOILERS, NATURAL GAS
2. BURN CHAMBERS, NATURAL GAS
3. I.C. ENGINES, GASOLINE
4. I.C. ENGINES, NATURAL GAS
5. I.C. ENGINES, PROPANE
6. I.C. ENGINES, DIESEL
7. CURING OVENS, NATURAL GAS
8. HEAT TREATING EQUIPMENT, NATURAL GAS
9. HEAT TREATING METAL OVENS, NATURAL GAS
10. HOT WATER HEATERS, NATURAL GAS
11. POLYGLYCOL TANK HEATERS, NATURAL GAS
12. PROCESS TANK HEATERS, NATURAL GAS
13. STEAM CLEANING EQUIPMENT, NATURAL GAS
14. SPACE HEATERS, NATURAL GAS

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### APPENDIX B: RULE EMISSION LIMITS [RULE 1107 1-6-2006]

Except as otherwise provided in Rule 1107

(1) VOC Content of Coatings

A person shall not apply to metal parts and products subject to the provisions of this rule any coatings, including any VOC-containing materials added to the original coating supplied by the manufacturer, which contain VOC in excess of the limits specified below:

<b>VOC LIMITS</b>								
<b>Less Water and Less Exempt Compounds</b>								
<b>Effective Dates</b>								
<b>Coating</b>	<b>Air-Dried</b>				<b>Baked</b>			
	<b>gm/l</b>		<b>lb/gal</b>		<b>gm/l</b>		<b>lb/gal</b>	
	<b>Current</b>	<b>7/1/07</b>	<b>Current</b>	<b>7/1/07</b>	<b>Current</b>	<b>7/1/07</b>	<b>Current</b>	<b>7/1/07</b>
General One-Component	275	275	2.3	2.3	275	275	2.3	2.3
General Multi-Component	340	340	2.8	2.8	275	275	2.3	2.3
Military Specification	340	340	2.8	2.8	275	275	2.3	2.3
Etching Filler	420	420	3.5	3.5	420	420	3.5	3.5
Solar-Absorbent	420	420	3.5	3.5	360	360	3.0	3.0
Heat-Resistant	420	420	3.5	3.5	360	360	3.0	3.0
Extreme High-Gloss	420	340	3.5	2.8	360	360	3.0	3.0
Metallic	420	420	3.5	3.5	420	420	3.5	3.5

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1107 1-6-2006]**

<b>VOC LIMITS</b>								
<b>Less Water and Less Exempt Compounds</b>								
<b>Effective Dates, cont.</b>								
<b>Coating</b>	<b>Air-Dried</b>				<b>Baked</b>			
	<b>gm/l</b>		<b>lb/gal</b>		<b>gm/l</b>		<b>lb/gal</b>	
	<b>Current</b>	<b>7/1/07</b>	<b>Current</b>	<b>7/1/07</b>	<b>Current</b>	<b>7/1/07</b>	<b>Current</b>	<b>7/1/07</b>
Extreme Performance	420	420	3.5	3.5	360	360	3.0	3.0
Prefabricated Architectural One-Component	420	275	3.5	2.3	275	275	2.3	2.3
Prefabricated Architectural Multi-Component	420	340	3.5	2.8	275	275	2.3	2.3
Touch Up	420	420	3.5	3.5	360	360	3.0	3.0
Repair	420	420	3.5	3.5	360	360	3.0	3.0
Silicone Release	420	420	3.5	3.5	420	420	3.5	3.5
High-Performance Architectural	420	420	3.5	3.5	420	420	3.5	3.5
Camouflage	420	420	3.5	3.5	420	420	3.5	3.5
Vacuum-Metalizing	420	420	3.5	3.5	420	420	3.5	3.5
Mold-Seal	420	420	3.5	3.5	420	420	3.5	3.5
High-Temperature	420	420	3.5	3.5	420	420	3.5	3.5
Electric-Insulating Varnish	420	420	3.5	3.5	420	420	3.5	3.5
Pan Backing	420	420	3.5	3.5	420	420	3.5	3.5
Pretreatment Coatings	420	420	3.5	3.5	420	420	3.5	3.5

- (2) A person shall not use VOC-containing materials which have a VOC content of more than 200 grams per liter of material for stripping any coating governed by this rule.

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1107 11-9-2001]**

Except as otherwise provided in Rule 1107

(1) VOC Content of Coatings

A person shall not apply to metal parts and products subject to the provisions of this rule any coatings, including any VOC-containing materials added to the original coating supplied by the manufacturer, which contain VOC in excess of the limits specified below:

<u>Coating</u>	<b>LIMITS</b>			
	<b>Grams of VOC Per Liter of Coating, Less Water and Less Exempt Compounds</b>			
	<u>Air Dried</u>	<u>(lb/gal)</u>	<u>Baked</u>	<u>(lb/gal)</u>
General				
One-Component	275	(2.3)	275	(2.3)
Multi-Component	340	(2.8)	275	(2.3)
Military Specification	340	(2.8)	275	(2.3)
Etching Filler	420	(3.5)	420	(3.5)
Solar-Absorbent	420	(3.5)	360	(3.0)
Heat-Resistant	420	(3.5)	360	(3.0)
Extreme High-Gloss	420	(3.5)	360	(3.0)
Metallic	420	(3.5)	420	(3.5)
Extreme Performance	420	(3.5)	360	(3.0)
Prefabricated Architectural Component	420	(3.5)	275	(2.3)
Touch Up	420	(3.5)	360	(3.0)
Repair	420	(3.5)	360	(3.0)
Silicone Release	420	(3.5)	420	(3.5)
High Performance Architectural	420	(3.5)	420	(3.5)
Camouflage	420	(3.5)	420	(3.5)
Vacuum-Metalizing	420	(3.5)	420	(3.5)
Mold-Seal	420	(3.5)	420	(3.5)
High-Temperature	420	(3.5)	420	(3.5)
Electric-Insulating Varnish	420	(3.5)	420	(3.5)
Pan Backing	420	(3.5)	420	(3.5)
Pretreatment Coatings	420	(3.5)	420	(3.5)

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1107 11-9-2001]**

- (2) A person shall not use VOC-containing materials which have a VOC content of more than 200 grams per liter of material for stripping any coating governed by this rule.

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1113 11-8-1996]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

**TABLE OF STANDARDS**

**VOC LIMITS**

**Grams of VOC Per Liter of Coating,  
 Less Water And Less Exempt Compounds**

<b>COATING</b>	<b>Limit*</b>	<b>Effective Date of Adoption</b>	<b>Effective 1/1/1998</b>	<b>Effective 1/1/1999</b>	<b>Effective 7/1/2001</b>	<b>Effective 1/1/2005</b>	<b>Effective 7/1/2008</b>
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250					100	
Graphic Arts (Sign) Coatings	500						50
Industrial Maintenance							

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-8-1996]

Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550		275	
Pre-Treatment Wash Primers	780					
Primers, Sealers, and	350					
Undercoaters						
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

\* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1113 11-8-1996]**

**TABLE OF STANDARDS (cont.)**

**VOC LIMITS**

**Grams of VOC Per Liter of Material**

COATING	Limit
Low-Solids Coating	120

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **APPENDIX B: RULE EMISSION LIMITS [RULE 1113 6-9-2006]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), (c)(4), and specified coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage any architectural coating for use in the District which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, and no person shall apply or solicit the application of any architectural coating within the District that exceeds 250 grams of VOC per liter of coating as calculated in this paragraph.
- (2) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified, and no person shall apply or solicit the application of any architectural coating within the District that exceeds the VOC limit as specified in this paragraph. No person shall apply or solicit the application within the District of any industrial maintenance coatings for residential use or for use in areas such as office space and meeting rooms of industrial, commercial or institutional facilities not exposed to such extreme environmental conditions described in the definition of industrial maintenance coatings; or of any rust-preventative coating for industrial use, unless such a rust preventative coating complies with the Industrial Maintenance Coating VOC limit specified in the Table of Standards.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### APPENDIX B: RULE EMISSION LIMITS [RULE 1113 6-9-2006]

#### TABLE OF STANDARDS VOC LIMITS

**Grams of VOC Per Liter of Coating,  
 Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Bond Breakers	350							
Clear Wood Finishes	350					275		
Varnish	350					275		
Sanding Sealers	350					275		
Lacquer	680	550			275			
Clear Brushing Lacquer	680				275			
Concrete-Curing Compounds	350						100	
Concrete-Curing Compounds For Roadways and Bridges**	350							
Dry-Fog Coatings	400						150	
Fire-Proofing Exterior Coatings	450	350						
Fire-Retardant Coatings***								
Clear	650							
Pigmented	350							
Flats	250	100						50
Floor Coatings	420		100			50		
Graphic Arts (Sign) Coatings	500							
Industrial Maintenance (IM) Coatings	420			250		100		
High Temperature IM Coatings			420					
Zinc-Rich IM Primers	420		340			100		
Japans/Faux Finishing Coatings	700	350						
Magnesite Cement Coatings	600	450						
Mastic Coatings	300							
Metallic Pigmented Coatings	500							
Multi-Color Coatings	420	250						
Nonflat Coatings	250		150			50		
Nonflat High Gloss	250		150				50	
Pigmented Lacquer	680	550			275			

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1113 6-9-2006]**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Pre-Treatment Wash Primers	780		420					
Primers, Sealers, and Undercoaters	350		200			100		
Quick-Dry Enamels	400		250			150	50	
Quick-Dry Primers, Sealers, and Undercoaters	350		200			100		
Recycled Coatings			250					
Roof Coatings	300		250		50			
Roof Coatings, Aluminum	500				100			
Roof Primers, Bituminous	350		350					
Rust Preventative Coatings	420		400			100		
Shellac								
Clear	730							
Pigmented	550							
Specialty Primers	350					250	100	
Stains	350		250				100	
Stains, Interior	250							
Swimming Pool Coatings								
Repair	650		340					
Other	340							
Traffic Coatings	250	150					100	
Waterproofing Sealers	400		250			100		
Waterproofing Concrete/Masonry Sealers	400					100		
Wood Preservatives								
Below-Ground	350							
Other	350							

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### APPENDIX B: RULE EMISSION LIMITS [RULE 1113 6-9-2006]

- \* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.
- \*\* Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.
- \*\*\* The Fire-Retardant Coating category will be eliminated on January 1, 2007 and subsumed by the coating category for which they are formulated.

#### TABLE OF STANDARDS (cont.) VOC LIMITS

##### Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1124 9-21-2001]**

Except as otherwise provided in Rule 1124

- (1) VOC Content of Aerospace Materials
  - (A) A person shall not apply to aerospace components any materials, including any VOC-containing materials added to the original material supplied by the manufacturer, which contain VOC in excess of the limits specified below:

<b>VOC Limit</b>			
<b>Grams of VOC per Liter, Less Water and Less Exempt Compounds</b>			
<b>Primers</b>	<b>Current VOC Limit</b>	<b>VOC Limit Effective 1-1-03</b>	<b>VOC Limit Effective 1-1-05</b>
General Primer	350	350	350
Low-Solids Corrosion Resistant Primer	350	350	350
Pretreatment Primer	780	780	780
Rain Erosion-Resistant Coating Compatible Primer	850	850	850
Adhesion Promoter	850	850	250
<b>Adhesive Bonding Primer</b>			
New Commercial Aircraft	805	250	250
All Military Aircraft	805	805	805
Remanufactured Commercial Aircraft Parts	805	805	805
Sonic and Acoustic Applications	805	805	805
<b>Adhesive Bonding Primer</b>			
Long Term	250	250	250
Short Term	250	250	250

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1124 9-21-2001]**

Coatings	Current VOC Limit	VOC Limit Effective 3-01-02
Topcoat	420	420
Clear Topcoat	520	520
Unicoat	420	420
Wing Coating	750	750
Impact Resistant Coating	420	420
High-Temperature Coating	850	850
Antichafe Coating	600	420
Rain Erosion-Resistant Coating	800	800
Conformal Coating	750	750
Optical Anti-Reflective Coating	700	700
Scale Inhibitor	880	880
Metallized Epoxy Coating	700	700
Electric or Radiation Effect Coating	800	800
Temporary Protective Coating	250	250
Fuel Tank Coatings	420	420
Mold Release Coatings	780	780
Flight Test Coatings		
Used on Missiles or Single Use Target Craft	420	420
All Other	840	840
Fire Resistant Coatings		
Commercial	650	650
Military	970	800
Wire Coatings		
Phosphate Ester Resistant Ink	925	925
Other	420	420
Space Vehicle Coatings		
Electrostatic Discharge Protection Coating	800	800
Other	1000	1000

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1124 9-21-2001]**

<b>Adhesives</b>	<b>Current VOC Limit</b>
Non-Structural Adhesive	250
Structural Adhesive	
Autoclavable	50
Non-Autoclavable	850
Space Vehicle Adhesive	800
Fuel Tank Adhesive	620

<b>Sealants</b>	<b>Current VOC Limit</b>	<b>VOC Limit Effective 3-01-02</b>
Fastener Sealant	675	675
Extrudable, Rollable or Brushable Sealant	600	280
Other	600	600

<b>Maskants</b>	<b>Current VOC Limit</b>
For Chemical Processing	250
For Chemical Milling	
Type I	250
Type II	160
Photolithographic	850
Touch-up, Line Sealer Maskants	750

<b>Lubricants</b>	<b>Current VOC Limit</b>
Fastener Installation	
Solid-Film Lubricant	880
Dry Lubricative Materials	675
Fastener-Lubricative Coatings, Fastener Manufacturing	
Solid Film Lubricant	250
Dry Lubricative Materials	120
Barrier Coating	420
Non-Fastener Lubricative Coatings, Fastener Manufacturing	
Solid Film Lubricant	880
Dry Lubricative Materials	675

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1124 9-21-2001]**

<b>VOC LIMIT</b>	
<b>Grams of VOC per Liter of Material</b>	
<b>Cleaning Solvents and Strippers</b>	<b>Current VOC Limit</b>
Cleaning Solvents	200 g/L or 45 mm Hg VOC Composite Partial Pressure
Strippers	300 g/L or 9.5 mm Hg VOC Composite Partial Pressure

- (B) Documents shall be provided to the Executive Officer or his designee demonstrating that unicoat is being used in lieu of the application of a primer and topcoat, and the applicant must receive written approval for the use of unicoat specifying the conditions of application from the Executive Officer or his designee.
- (C) For low-solids adhesives, coatings, primers or sealants, the appropriate limits in subparagraph (c)(1)(A) shall be expressed in grams of VOC per liter of material.
- (2) Solvent Cleaning Operations; Storage and Disposal of VOC-Containing Materials
  - (A) Cleaning of material application equipment and storage of solvent laden cloth and paper shall comply with provisions of Rule 1171.
  - (B) A person shall not atomize any solvent into open air.

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1136 6-14-1996]**

Except as otherwise provided in Rule 1136

- (a) The operator shall not apply any coating to a wood product which has a VOC content, including any VOC-containing material added to the original coating supplied by the manufacturer, which exceeds the applicable limit specified below:

<u>COATING</u>	<b>VOC LIMITS</b>			<b>On and After 7/1/2005</b>
	Grams Per Liter (lb/gal) of Coating, [lbs VOC/lb of solids], <u>Less Water and Less Exempt Compounds</u>			
	<u>Current Limit</u>			
	<u>I</u>	<u>or</u>	<u>II</u>	
Clear Sealers	550 (4.6) [1.39]	680 (5.7) [3.36]		275 (2.3) [0.36]
Clear Topcoat	550 (4.6) [1.37]	275 (2.3) [0.35]		275 (2.3) [0.35]
Pigmented Primers, Sealers & Undercoats	550 (4.6) [1.06]	600 (5.0) [1.08]		275 (2.3) [0.21]
Pigmented Topcoats	550 (4.6) [1.10]	275 (2.3) [0.25]		275 (2.3) [0.25]

The operator shall use coatings on a wood product that comply with either all VOC limits in column I or all VOC limits in column II. The operator that applies a primer, sealer or undercoat, but not a topcoat, to a wood product, shall be subject to column I for that wood product.

- (2) Notwithstanding the requirements of clause (a)(1), an operator that applies a topcoat and a primer, sealer or undercoat to a shutter may, until July 1, 2005, choose to comply with the VOC limits specified below for that shutter:

<b>VOC LIMITS</b>	
Grams Per Liter, (lb/gal) of Coating, [lbs VOC/lb of solids], <u>Less Water and Less Exempt Compounds</u>	
<u>COATING</u>	
Clear Sealers	275 (2.3) [0.36]
Clear Topcoat	680 (5.7) [2.99]
Pigmented Primers, Sealers & Undercoats	275 (2.3) [0.33]
Pigmented Topcoats	600 (5.0) [1.38]

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1136 6-14-1996]**

(3)

**VOC LIMITS**

Grams Per Liter, (lb/gal) of Coating, [lbs VOC/lb of solids],  
Less Water and Less Exempt Compounds

<u>COATING</u>	<u>Current Limit</u>	<b>On and After</b>
		<u>7/1/2005</u>
Barrier Coat - Plastic Components	760 (6.3) [3.9]	275 (2.3) [0.28]
Composite Wood Edge Filler	550 (4.6) [1.15]	275 (2.3) [0.31]
Extreme Performance Coatings	420 (3.5) [0.51]	275 (2.3) [0.33]
Fillers	500 (4.2) [0.66]	275 (2.3) [0.18]
High-Solid Stains	550 (4.6) [1.23]	350 (2.9) [0.42]
Inks	500 (4.2) [0.96]	500 (4.2) [0.96]
Mold-Seal Coatings	750 (6.3) [4.2]	750 (6.3) [4.2]
Multi-Colored Coatings	685 (5.7) [2.6]	275 (2.3) [0.33]

**VOC LIMITS**

Grams Per Liter (lb/gal) of Material

<u>COATING</u>	<u>Current Limit</u>	<b>On and After</b>
		<u>7/1/2005</u>
Low-Solids Barrier Coat - Plastic Components	760 (6.3)	120 (1.0)
Low-Solid Stains, Toners, and Washcoats	480 (4.0)	120 (1.0)

Any coating subject to this rule that meets any of the three VOC limit formats (grams per liter, lb/gal, or lbs VOC/lb of solids) is in compliance with this subparagraph.

- (4) The VOC limit for japan coatings is 700 grams per liter of coatings, less water and exempt compounds, as applied.
- (b) A person shall not use a stripper on wood products unless:
  - (1) it contains less than 350 grams of VOC per liter of material; or
  - (2) the VOC composite vapor pressure is 2 mm Hg (0.04 psia) or less at 20°C (68°F).

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **APPENDIX B: RULE EMISSION LIMITS [RULE 1140 2-1-1980]**

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines,  
or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).
  
- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines,  
or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **APPENDIX B: RULE EMISSION LIMITS [RULE 1140 8-2-1985]**

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).
  
- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

## **FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM**

### **APPENDIX B: RULE EMISSION LIMITS [RULE 1162 11-17-2000]**

The operator shall not use a polyester resin material in a polyester resin operation which has a monomer content in excess of the limits specified in the Table below.

Polyester Resin Materials	Monomer Content in Polyester Resin Materials as Applied (By Weight Percent)
General Purpose Polyester Resin	35
Corrosion-Resistant	48
Fire Retardant	42
High Strength	48
Clear Gel Coat	50
Pigmented Gel Coat	45

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1162 7-8-2005]**

The operator shall not use polyester resin material in an open molding system, which has a monomer content in excess of the limits specified in the following Table.

Polyester Resin Materials	Monomer Percentage by Weight as Applied	
	Prior to 11-09-2001	Current Limits
Clear Gel Coat	50	-
For Marble Resins	-	40
For Other Resins	-	44
Pigmented Gel Coat	45	-
White and Off White	-	30
Non-White	-	37
Primer	-	28
Specialty Gel Coats	-	48
General Purpose Resin	35	-
Marble Resins	-	10 or (32 % as supplied, no fillers) 17
Solid Surface Resins	-	24 or
Tub/Shower Resins	-	(35 % as supplied, no fillers)
Lamination Resins	-	31 or (35 % as supplied, no fillers)
Others	-	35
Fire Retardant Resin	42	38
Corrosion Resistant Resin	48	48
High Strength Resin	48	40

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1168 1-7-2005]**

- (1) Unless otherwise specified in paragraph (c)(2), a person shall not apply any adhesives, adhesive bonding primers, adhesive primers, or any other primer which have a VOC content in excess of 250 g/L less water and less exempt compounds.
- (2) A person shall not apply adhesives, adhesive bonding primers, adhesive primers, sealants, sealant primers, or any other primer which have a VOC content in excess of the limits specified below:

**VOC Limit\*, Less Water and Less Exempt Compounds in Grams per Liter**

Architectural Applications	Current VOC Limit*
Indoor Carpet Adhesives	50
Carpet Pad Adhesives	50
Outdoor Carpet Adhesives	150
Wood Flooring Adhesive	100
Rubber Floor Adhesives	60
Subfloor Adhesives	50
Ceramic Tile Adhesives	65
VCT and Asphalt Tile Adhesives	50
Dry Wall and Panel Adhesives	50
Cove Base Adhesives	50
Multipurpose Construction Adhesives	70
Structural Glazing Adhesives	100
Single Ply Roof Membrane Adhesives	250

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1168 1-7-2005]**

Specialty Applications	VOC Limits and Effective Dates**			
	Current VOC Limit*	1-1-05	7-1-05	1-1-07
PVC Welding	510			
CPVC Welding	490			
ABS Welding	400		325	
Plastic Cement Welding	350	250		
Adhesive Primer for Plastic	650		550	
Computer Diskette Manufacturing	350			
Contact Adhesive	80			
Special Purpose Contact Adhesive	250			
Tire Retread	100			
Adhesive Primer for Traffic Marking Tape	150			
Structural Wood Member Adhesive	140			
Sheet Applied Rubber Lining Operations	850			
Top and Trim Adhesive	540			250

\*\* The specified limits remain in effect unless revised limits are listed in subsequent columns.

## FACILITY PERMIT TO OPERATE THE BOEING COMPANY - C17 PROGRAM

### APPENDIX B: RULE EMISSION LIMITS [RULE 1168 1-7-2005]

For adhesives, adhesive bonding primers, or any other primer not regulated by the above two tables and applied to the following substrates, the following limits shall apply:

Substrate Specific Applications	Current VOC Limit*
Metal to Metal	30
Plastic Foams	50
Porous Material (except wood)	50
Wood	30
Fiberglass	80

If an adhesive is used to bond dissimilar substrates together the adhesive with the highest VOC content shall be allowed.

Sealants	Current VOC Limit*
Architectural	250
Marine Deck	760
Nonmembrane Roof	300
Roadway	250
Single-Ply Roof Membrane	450
Other	420

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1168 1-7-2005]**

<b>Sealant Primers</b>	<b>Current VOC Limit*</b>
Architectural	
Non Porous	250
Porous	775
Modified Bituminous	500
Marine Deck	760
Other	750

\* For low-solid adhesives or sealants the VOC limit is expressed in grams per liter of material as determined in paragraph (b)(32); for all other adhesives and sealants, VOC limits are expressed as grams of VOC per liter of adhesive or sealant less water and less exempt compounds as determined in paragraph (b)(31).

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1168 10-3-2003]**

- (1) Unless otherwise specified in paragraph (c)(2), a person shall not apply any adhesives, adhesive bonding primers, adhesive primers, or any other primer which have a VOC content in excess of 250 g/L less water and less exempt compounds.
- (2) A person shall not apply adhesives, adhesive bonding primers, adhesive primers, sealants, sealant primers, or any other primer which have a VOC content in excess of the limits specified below:

**VOC Limit\*, Less Water and Less Exempt Compounds in Grams per Liter**

<b>Architectural Applications</b>	<b>Current VOC Limit</b>
Indoor Carpet Adhesives	50
Carpet Pad Adhesives	50
Outdoor Carpet Adhesives	150
Wood Flooring Adhesive	100
Rubber Floor Adhesives	60
Subfloor Adhesives	50
Ceramic Tile Adhesives	65
VCT and Asphalt Tile Adhesives	50
Dry Wall and Panel Adhesives	50
Cove Base Adhesives	50
Multipurpose Construction Adhesives	70
Structural Glazing Adhesives	100
Single Ply Roof Membrane Adhesives	250

\* For low-solid adhesives or sealants the VOC limit is expressed in grams per liter of material as determined in paragraph (b)(32); for all other adhesives and sealants, VOC limits are expressed as grams of VOC per liter of adhesive or sealant less water and less exempt compounds as determined in paragraph (b)(31).

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1168 10-3-2003]**

.Specialty Applications	VOC Limits and Effective Dates**			
	Current VOC Limit	6-7-02	1-1-03	1-1-05
PVC Welding	510			285
CPVC Welding	490			270
ABS Welding	400			
Plastic Cement Welding	350			250
Adhesive Primer for Plastic	650			250
Computer Diskette Manufacturing	350			
Contact Adhesive	250		80	
Special Purpose Contact Adhesive	250			
Tire Retread	100			
Adhesive Primer for Traffic Marking Tape	150			
Structural Wood Member Adhesive	140			
Sheet Applied Rubber Lining Operations	850			
Top and Trim Adhesive	250	540		250

\*\* The specified limits remain in effect unless revised limits are listed in subsequent columns.

Substrate Specific Applications	Current VOC Limit
Metal to Metal	30
Plastic Foams	50
Porous Material (except wood)	50

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1168 10-3-2003]**

<b>Substrate Specific Applications</b>	<b>Current VOC Limit</b>
Wood	30
Fiberglass	80

If an adhesive is used to bond dissimilar substrates together the adhesive with the highest VOC content shall be allowed.

<b>Sealants</b>	<b>Current VOC Limit</b>
Architectural	250
Marine Deck	760
Nonmembrane Roof	300
Roadway	250
Single-Ply Roof Membrane	450
Other	420

<b>Sealant Primers</b>	<b>Current VOC Limit</b>
Architectural	
Non Porous	250
Porous	775
Modified Bituminous	500
Marine Deck	760
Other	750

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1171 11-7-2003]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1171 11-7-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)

**FACILITY PERMIT TO OPERATE  
THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 11-7-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1171 7-14-2006]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

	<b>CURRENT LIMITS*</b>	<b>EFFECTIVE 1/1/2008</b>
<b>SOLVENT CLEANING ACTIVITY</b>	<b>VOC g/l (lb/gal)</b>	<b>VOC g/l (lb/gal)</b>
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	
(iii) Medical Devices & Pharmaceuticals	800 (6.7)	
(B) Repair and Maintenance Cleaning		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1171 7-14-2006]**

	<b>CURRENT LIMITS*</b>	<b>EFFECTIVE 1/1/2008</b>
<b>SOLVENT CLEANING ACTIVITY (cont.)</b>	<b>VOC g/l (lb/gal)</b>	<b>VOC g/l (lb/gal)</b>
(iii) Medical Devices & Pharmaceuticals		
(A) Tools, Equipment, & Machinery	800 (6.7)	
(B) General Work Surfaces	600 (5.0)	
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)	
(D) Cleaning of Ink Application Equipment		
(i) General	25 (0.21)	
(ii) Flexographic Printing	25 (0.21)	
(iii) Gravure Printing		
(A) Publication	100 (0.83)	
(B) Packaging	25 (0.21)	
(iv) Lithographic (Offset) or Letter Press Printing		
(A) Roller Wash, Blanket Wash, & On-Press Components		
(I) Newsprint	100 (0.83)	

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 1171 7-14-2006]**

	<b>CURRENT LIMITS*</b>	<b>EFFECTIVE 1/1/2008</b>
<b>SOLVENT CLEANING ACTIVITY (cont.)</b>	<b>VOC g/l (lb/gal)</b>	<b>VOC g/l (lb/gal)</b>
(II) Other Substrates	500 (4.2)	100 (0.83)
(B) Removable Press Components	25 (0.21)	
(v) Screen Printing	500 (4.2)	100 (0.83)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)	
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)	

\* The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 404 2-7-1986]**

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a).

Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

**TABLE 404(a)**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 404 2-7-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 405 2-7-1986]**

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

**TABLE 405(a)**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9

**FACILITY PERMIT TO OPERATE  
 THE BOEING COMPANY - C17 PROGRAM**

**APPENDIX B: RULE EMISSION LIMITS  
 [RULE 405 2-7-1986]**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

**Section I - General Information**

1. Facility Name: <u>The Boeing Company-C17 Program</u>	Facility ID (6-Digit): <u>800038</u>
---	--------------------------------------

**PROCEDURES FOR DETERMINING COMPLIANCE STATUS**

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements\*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.  
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.  
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements\*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. \*\*
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

\* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.  
\*\* Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, $\geq 555$ Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input checked="" type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.2 (09/15/00)	<input checked="" type="checkbox"/> Rule 431.2(g)	<input checked="" type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input checked="" type="checkbox"/> Rule 1703 (10/07/88) <input checked="" type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3  N/A  See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b)   See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input checked="" type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input checked="" type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input checked="" type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input checked="" type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input checked="" type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 2 of 2

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input checked="" type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input checked="" type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 2011 (12/05/03) <u>or</u> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3  <input checked="" type="checkbox"/> Rule 1146(d)  <input checked="" type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input checked="" type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input checked="" type="checkbox"/> Coating Operation, Adhesive Application Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1168 (01/07/05)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1168(f) & (g)	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1168(e)

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1124 (09/21/01) <input checked="" type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input checked="" type="checkbox"/> 40 CFR63 SUBPART GG	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1124(e) & (f) <input checked="" type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1124(j) <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Coating	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input checked="" type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1125(c)(6)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1136 (06/14/96) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1136(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1136(d) & (g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input checked="" type="checkbox"/> Degreasers	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1122 (10/01/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1122(h) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1122(i) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 9 of 9

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Internal Combustion Engines, Reciprocating	<input checked="" type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart
<input checked="" type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input checked="" type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input checked="" type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input checked="" type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1 Page 11 of 11

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input checked="" type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO <sub>2</sub> Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4)  <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input checked="" type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1  <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f)     <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input checked="" type="checkbox"/> Polyester Resin Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1162 (07/09/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1162(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1162(e) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input checked="" type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

KEY	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form Rev. 05/05
ABBREVIATIONS:	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1 Page 13 of 13

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input checked="" type="checkbox"/> Site Remediation	<input checked="" type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Soil Decontamination	<input checked="" type="checkbox"/> Rule 1166 (05/11/01)	<input checked="" type="checkbox"/> Rule 1166(e)	<input checked="" type="checkbox"/> Rule 1166(c)(1)(C)
	<input checked="" type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC		
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	See Applicable Subpart See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	
<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart		
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1 Page 14 of 14



**Section IV - SIP-Approved Rules That Are Not The Most Current AQMD Rules**

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input checked="" type="checkbox"/>
403	12/11/98	<input checked="" type="checkbox"/>	1166	07/14/95	<input checked="" type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input checked="" type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input checked="" type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input checked="" type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input checked="" type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input checked="" type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input checked="" type="checkbox"/>
1122	07/11/97	<input checked="" type="checkbox"/>	2010	05/11/01	<input checked="" type="checkbox"/>
1132	03/05/04	<input checked="" type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input checked="" type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Section V - AQMD Rule That Are Not SIP-Approved (Continued on Following Page)**

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input checked="" type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input checked="" type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input checked="" type="checkbox"/>
480	10/07/77	<input checked="" type="checkbox"/>	1404	04/06/90	<input checked="" type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input checked="" type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input checked="" type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input checked="" type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input checked="" type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

Section 4 - AQMD Rules That Are Not Still Approved/Committed on Following Date					
1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input checked="" type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input checked="" type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

The Boeing Company  
2401 E. Wardlow Road  
Long Beach, CA 90807-5309

May 18, 2007  
IDS-PAD-WRP-07-107



SCAQMD  
21865 E. Copley Drive  
Diamond Bar, CA 91765

Attn: Brian Yeh

Please find enclosed the application and associated attachments for renewal of the Title V permit for The Boeing Company-C17 Program (Facility ID 800038). If you should have any questions or require additional information, please contact the undersigned at 562-593-0217.

A handwritten signature in black ink, appearing to read "William Pearce".

William Pearce  
SHEA Program Specialist  
Environmental Services  
Safety, Health, and  
Environmental Affairs



South Coast Air Quality Management District

**Form 400-CEQA**

**California Environmental Quality Act (CEQA) Applicability**

Mail Application To:  
P.O. Box 4944  
Diamond Bar, CA 91765  
Tel: (909) 396-3385  
**www.aqmd.gov**

The SCAQMD is required by state law, the California Environmental Quality Act (CEQA), to review discretionary permit project applications for potential air quality and other environmental impacts. This form is a screening tool to assist the SCAQMD in clarifying whether or not the project has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document [CEQA Guidelines §15060(a)].<sup>2</sup> Refer to the attached instructions for guidance in completing this form.<sup>3</sup> For each Form 400-A application, also complete and submit one Form 400-CEQA. If submitting multiple Form 400-A applications for the same project at the same time, only one 400-CEQA form is necessary for the entire project. If you need assistance completing this form, contact Lori Inga at (909) 396-3109.

<b>FACILITY INFORMATION</b>	
Business Name of Operator to Appear on the Permit: The Boeing Company-C17 Program	Facility ID (6-Digit): 800038
Project Description: Title V Renewal	

<b>REVIEW FOR EXEMPTION FROM FURTHER CEQA ACTION</b>			
Check "Yes" or "No" as applicable			
	Yes	No	<b>Is this application for:</b>
A.	<input type="radio"/>	<input checked="" type="radio"/>	A CEQA and/or NEPA document previously or currently prepared that specifically evaluates this project? If yes, a permit cannot be issued until a Final CEQA document and Notice of Determination is submitted.
B.	<input type="radio"/>	<input checked="" type="radio"/>	A request for a change of permittee only (without equipment modifications)?
C.	<input type="radio"/>	<input checked="" type="radio"/>	Equipment certification or equipment registration (qualifies for Rule 222)?
D.	<input type="radio"/>	<input checked="" type="radio"/>	A functionally identical permit unit replacement with no increase in rating or emissions?
E.	<input type="radio"/>	<input checked="" type="radio"/>	A change of daily VOC permit limit to a monthly VOC permit limit?
F.	<input type="radio"/>	<input checked="" type="radio"/>	Equipment damaged as a result of a disaster during state of emergency?
G.	<input checked="" type="radio"/>	<input type="radio"/>	A Title V (i.e., Regulation XXX) permit renewal (without equipment modifications)?
H.	<input type="radio"/>	<input checked="" type="radio"/>	A Title V administrative permit revision?
I.	<input type="radio"/>	<input checked="" type="radio"/>	The conversion of an existing permit into an initial Title V permit?
If "Yes" is checked for any question above, your application does not require additional evaluation for CEQA applicability. Skip to page 2, "SIGNATURES" and sign and date this form.			

<b>REVIEW OF IMPACTS WHICH MAY TRIGGER CEQA</b>			
Complete Sections I-VI by checking "Yes" or "No" as applicable. To avoid delays in processing your application(s), explain all "Yes" responses on a separate sheet and attach it to this form.			
	Yes	No	<b>Section I - General</b>
1.	<input type="radio"/>	<input type="radio"/>	Has this project generated any known public controversy regarding potential adverse impacts that may be generated by the project? Controversy may be construed as concerns raised by local groups at public meetings; adverse media attention such as negative articles in newspapers or other periodical publications, local news programs, environmental justice issues, etc.
2.	<input type="radio"/>	<input type="radio"/>	Is this project part of a larger project?
<b>Section II - Air Quality</b>			
3.	<input type="radio"/>	<input type="radio"/>	Will there be any demolition, excavating, and/or grading construction activities that encompass an area exceeding 20,000 square feet?
4.	<input type="radio"/>	<input type="radio"/>	Does this project include the open outdoor storage of dry bulk solid materials that could generate dust? If Yes, include a plot plan with the application package.

<sup>1</sup> A "project" means the whole of an action which has a potential for resulting in physical change to the environment, including construction activities, clearing or grading of land, improvements to existing structures, and activities or equipment involving the issuance of a permit. For example, a project might include installation of a new, or modification of an existing internal combustion engine, boiler, gas turbine, spray coating booth, solvent cleaning tank, etc.

<sup>2</sup> To download the CEQA guidelines, visit [http://ceres.ca.gov/env\\_law/state.html](http://ceres.ca.gov/env_law/state.html).

<sup>3</sup> To download this form and the instructions, visit <http://www.aqmd.gov/ceqa> or <http://www.aqmd.gov/permit>

	Yes	No	
5.	<input type="radio"/>	<input type="radio"/>	<b>Would this project result in noticeable off-site odors from activities that may not be subject to SCAQMD permit requirements?</b> For example, compost materials or other types of greenwaste (i.e., lawn clippings, tree trimmings, etc.) have the potential to generate odor complaints subject to Rule 402 – Nuisance.
6.	<input type="radio"/>	<input type="radio"/>	<b>Does this project cause an increase of emissions from marine vessels, trains and/or airplanes?</b>
7.	<input type="radio"/>	<input type="radio"/>	<b>Will the proposed project increase the QUANTITY of hazardous materials stored aboveground onsite or transported by mobile vehicle to or from the site by greater than or equal to the amounts associated with each compound on the attached Table 1?*</b>
<b>Section III – Water Resources</b>			
8.	<input type="radio"/>	<input type="radio"/>	<b>Will the project increase demand for water at the facility by more than 5,000,000 gallons per day?</b> The following examples identify some, but not all, types of projects that may result in a “yes” answer to this question: 1) projects that generate steam; 2) projects that use water as part of the air pollution control equipment; 3) projects that require water as part of the production process; 4) projects that require new or expansion of existing sewage treatment facilities; 5) projects where water demand exceeds the capacity of the local water purveyor to supply sufficient water for the project; and 6) projects that require new or expansion of existing water supply facilities.
9.	<input type="radio"/>	<input type="radio"/>	<b>Will the project require construction of new water conveyance infrastructure?</b> Examples of such projects are when water demands exceed the capacity of the local water purveyor to supply sufficient water for the project, or require new or modified sewage treatment facilities such that the project requires new water lines, sewage lines, sewage hook-ups, etc.
<b>Section IV – Transportation/Circulation</b>			
10.			<b>Will the project result in (Check all that apply):</b>
	<input type="radio"/>	<input type="radio"/>	a. the need for more than 350 new employees?
	<input type="radio"/>	<input type="radio"/>	b. an increase in heavy-duty transport truck traffic to and/or from the facility by more than 350 truck round-trips per day?
	<input type="radio"/>	<input type="radio"/>	c. increase customer traffic by more than 700 visits per day?
<b>Section V – Noise</b>			
11.	<input type="radio"/>	<input type="radio"/>	<b>Will the project include equipment that will generate noise GREATER THAN 90 decibels (dB) at the property line?</b>
<b>Section VI – Public Services</b>			
12.			<b>Will the project create a permanent need for new or additional public services in any of the following areas (Check all that apply):</b>
	<input type="radio"/>	<input type="radio"/>	a. <b>Solid waste disposal?</b> Check “No” if the projected potential amount of wastes generated by the project is less than five tons per day.
	<input type="radio"/>	<input type="radio"/>	b. <b>Hazardous waste disposal?</b> Check “No” if the projected potential amount of hazardous wastes generated by the project is less than 42 cubic yards per day (or equivalent in pounds).

**\*\*REMINDER: For each “Yes” checked in the sections above, attach all pertinent information including but not limited to estimated quantities, volumes, weights, etc.\*\***

**SIGNATURES**

I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT THIS FORM IS A SCREENING TOOL AND THAT THE SCAQMD RESERVES THE RIGHT TO CONSIDER OTHER PERTINENT INFORMATION IN DETERMINING CEQA APPLICABILITY. *RP 5-8-07*

SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM: <i>[Signature]</i>		TITLE OF RESPONSIBLE OFFICIAL OF FIRM: Robert P. Stanger	
TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM: Director, Production Operations/IPT		RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER: (562) 4967-747	DATE Signed: <i>11 MAY 07.</i>
SIGNATURE OF PREPARER, IF PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM: <i>[Signature]</i>		TITLE OF PREPARER: SHEA Program Specialist	
TYPE OR PRINT NAME OF PREPARER: William Pearce		PREPARER'S TELEPHONE NUMBER: (562) 5930-217	DATE Signed: <i>5/2/07</i>

**THIS CONCLUDES FORM 400-CEQA. INCLUDE THIS FORM AND THE ATTACHMENTS WITH FORM 400-A.**

\* Table 1 – Regulated Substances List and Threshold Quantities for Accidental Release Prevention can be found in the Instructions for Form 400-CEQA.



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

**Section I - General Information**

1. Facility Name: The Boeing Company-C17 Program

Facility ID (6-Digit): 800038

**PROCEDURES FOR DETERMINING COMPLIANCE STATUS**

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements\*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.  
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.  
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements\*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. \*\*
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

\* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

\*\* Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, $\geq$ 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input checked="" type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.2 (09/15/00)	<input checked="" type="checkbox"/> Rule 431.2(g)	<input checked="" type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input checked="" type="checkbox"/> Rule 1703 (10/07/88) <input checked="" type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3  N/A  See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b)   See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input checked="" type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input checked="" type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input checked="" type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input checked="" type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input checked="" type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1	Rev. 05/05 Page 2 of 2
---------------------------	--	---	---	------------------	---------------------------

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input checked="" type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input checked="" type="checkbox"/> Rule 1146.1(d)  See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1146.1(c)(2) & (c)(3)  See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3  <input checked="" type="checkbox"/> Rule 1146(d)  <input checked="" type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input checked="" type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

KEY ABBREVIATIONS:	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 3 of 3

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) <u>or</u> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input checked="" type="checkbox"/> Coating Operation, Adhesive Application Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1168 (01/07/05)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1168(f) & (g)	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1168(e)

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1	Rev. 05/05 Page 4 of 4
---------------------------	--	---	---	---------------------	---------------------------

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1124 (09/21/01) <input checked="" type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input checked="" type="checkbox"/> 40 CFR63 SUBPART GG	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1124(e) & (f) <input checked="" type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1124(j) <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Coating	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input checked="" type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1125(c)(6)

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1136 (06/14/96) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1136(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1136(d) & (g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input checked="" type="checkbox"/> Degreasers	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1122 (10/01/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1122(h) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1122(i) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

KEY ABBREVIATIONS:	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 7 of 7

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1	Rev. 05/05 Page 9 of 9
---------------------------	--	---	---	---------------------	---------------------------

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Internal Combustion Engines, Reciprocating	<input checked="" type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

KEY ABBREVIATIONS:	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form	Rev. 05/05
	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1	Page 10 of 10

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart
<input checked="" type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input checked="" type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input checked="" type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input checked="" type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

**KEY ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form Rev. 05/05  
500-C1 Page 11 of 11

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input checked="" type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO <sub>2</sub> Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4)  <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input checked="" type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1  <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f)     <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g)  See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input checked="" type="checkbox"/> Polyester Resin Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1162 (07/09/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1162(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1162(e) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input checked="" type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	<b>AQMD Form</b> Rev. 05/05 <b>500-C1</b> Page 13 of 13
---------------------------	--	---	---	--

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input checked="" type="checkbox"/> Site Remediation	<input checked="" type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Soil Decontamination	<input checked="" type="checkbox"/> Rule 1166 (05/11/01)	<input checked="" type="checkbox"/> Rule 1166(e)	<input checked="" type="checkbox"/> Rule 1166(c)(1)(C)
	<input checked="" type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC		
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	<b>AQMD Form</b> Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	<b>500-C1</b> Page 14 of 14



**Section IV – SIP-Approved Rules That Are Not The Most Current AQMD Rules**

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input checked="" type="checkbox"/>
403	12/11/98	<input checked="" type="checkbox"/>	1166	07/14/95	<input checked="" type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input checked="" type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input checked="" type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input checked="" type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input checked="" type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input checked="" type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input checked="" type="checkbox"/>
1122	07/11/97	<input checked="" type="checkbox"/>	2010	05/11/01	<input checked="" type="checkbox"/>
1132	03/05/04	<input checked="" type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input checked="" type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)**

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input checked="" type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input checked="" type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input checked="" type="checkbox"/>
480	10/07/77	<input checked="" type="checkbox"/>	1404	04/06/90	<input checked="" type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input checked="" type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input checked="" type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input checked="" type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input checked="" type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

**Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)**

1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input checked="" type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input checked="" type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>



South Coast Air Quality Management District

**Form 500-H (Title V)**

**Applicability Determination for Initial, Renewal, & Significant Permit Revision**

Mail Application To:  
P.O. Box 4944  
Diamond Bar, CA 91765  
Tel: (909) 396-3385  
[www.aqmd.gov](http://www.aqmd.gov)

This form is required as part of an initial, significant permit revision, or renewal Title V application. If your Title V facility has control devices in use, the CAM rule may apply. Follow the instructions on the reverse side of this form to determine whether your facility is subject to CAM requirements.

**Section I – CAM Status Summary for Emission Units**

1. Permit to be issued to (Business name of operator to appear on permit):

The Boeing Company-C17 Program

2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD):

800038

3. Based on the criteria in the instructions (check one and attach additional pages as necessary):

a.  The emission units identified below are subject to the CAM rule<sup>1</sup> and a CAM plan<sup>2</sup> is attached for each affected emissions unit:

b.  There are no emission units with control devices at this Title V facility that are subject to the CAM rule.

Emission Unit <sup>3</sup> Application, Permit or Device No.	Equipment Description <sup>4</sup>	Uncontrolled Emissions		Connected to Control Unit <sup>3</sup> Application, Permit or Device No.	Equipment <sup>4</sup> Description	Controlled Emissions	
		Pollutant	PTE <sup>5</sup> (tons/year)			Pollutant	PTE <sup>5</sup> (tons/year)

<sup>1</sup> For more detailed information regarding the CAM rule applicability, refer to Title 40, Chapter I, Part 64, Section 64.1 of the Code of Federal Regulations (40 CFR Part 64, Section 64.1). This also can be accessed via the internet at: [http://www.access.gpo.gov/nara/cfr/waisidx\\_99/40cfr64\\_99.html](http://www.access.gpo.gov/nara/cfr/waisidx_99/40cfr64_99.html).

<sup>2</sup> Only one CAM plan is required for a control device that is common to more than one emissions unit, or if an emissions unit is controlled by more than one control device similar in design and operation. If the control devices are not similar in design and operation, one plan is required for each control device.

<sup>3</sup> List all new and existing emission units and the connected control devices either by AQMD application, permit or device number. When the emission unit is new and has not yet been assigned an application number, leave this column blank.

<sup>4</sup> Provide a brief equipment description of the emission units and control devices by indicating equipment type, make, and model and serial numbers as appropriate.

<sup>5</sup> Potential to Emit