



South Coast Air Quality Management District

Form 400-A

Application For Permit To Construct and Permit To Operate

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765

Tel: (909) 398-3385 www.sqmd.gov

Section A: Operator Information

1. Business Name of Operator To Appear On The Permit: Ditty Container, Inc.
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): 094529
3. Owner's Business Name (only if different from Business Name of Operator):

Section B: Equipment Location

4. Equipment Location Address: For equipment operated at various locations in AQMD's jurisdiction, provide address of initial site
2226 N Rosemead Blvd
Street Address
South El Monte CA 91733
City State Zip Code
County: [X] Los Angeles [ ] Orange [ ] San Bernardino [ ] Riverside
Contact Name: Tim Ditty
Contact Title: President Phone: (626) 454-1182
Fax: (626) 454-4265 E-Mail:

Section C: Permit Mailing Address

5. Permit and Correspondence Information:
[X] Check here if same as equipment location address
Street Address
City State Zip Code
Contact Name
Contact Title: Phone:
Fax: E-Mail:

Section D: Application Type The facility is in [ ] RECLAIM [X] Title V [ ] RECLAIM & Title V Program (please check if applicable)

6. Reason for Submitting Application (Select only ONE):
[ ] New Construction (Permit to Construct)
[ ] Equipment Operating Without A Permit or Expired Permit
[ ] Administrative Change
[ ] Equipment On-Site But Not Constructed or Operational (74)
[X] Title V Application (Initial, Revisions, Modifications, etc.)
[ ] Compliance Plan
[ ] Facility Permit Amendment
[ ] Registration/Certification
[ ] Streamlined Standard Permit
Existing Or Previous Permit/Application Number: (If you checked any of the items in this column, you MUST provide a existing Permit/ Application Number)

7. Estimated Start Date of Operation/Construction (MM/DD/YYYY):
8. Description of Equipment: Title V Renewal Application.
9. Is this equipment portable AND will it be operated at different locations within AQMD's jurisdiction? [X] No [ ] Yes
10. For identical equipment, how many additional applications are being submitted with this application? (Form 400-A required for each)
11. Are you a Small Business as per AQMD's Rule 102 definition? (10 employees or less and total gross receipts are \$500,000 or less, or a not-for-profit training center?) [X] No [ ] Yes
12. Has a Notice of Violation (NOV) or a Notice To Comply (NC) been issued for this equipment? [X] No [ ] Yes If yes, provide NOV/NC #

Section E: Facility Business Information

13. What type of business is being conducted at this equipment location? Metal Drum Refurbishing
14. What is your business's primary NAICS Code (North American Industrial Classification System)? 811310
15. Are there other facilities in the SCAQMD jurisdiction operated by the same operator? [X] No [ ] Yes
16. Are there any schools (K-12) within a 1000-ft. radius of the equipment physical location? [X] No [ ] Yes

Section F: Authorization/Signature I hereby certify that all information contained herein and information submitted with this application is true and correct.

17. Signature of Responsible Official: [Signature]
18. Title: President
19. Print Name: Tim Ditty
20. Date: 11-6-09
Check List:
[X] Form(s) signed and dated by authorized official
[X] Supplemental Equipment Form (400-E-JX or 400-E-GEN)
[X] CEQA Form (400-CEQA) attached
[X] Payment for permit processing fee attached
Your application will be rejected if any of the above items are missing.

Table with columns: AQMD USE ONLY, APPLICATION/TRACKING#, TYPE, EQUIPMENT CATEGORY CODE, FEE SCHEDULE, VALIDATION, ENG. A R, ENG. A R, CLASS, ASSIGNMENT, CHECK/MONEY ORDER, AMOUNT, TRACKING #

9 NOV 17 AM 10:07

S. C. A. R. H. O. U. S.  
REVENUE RECEIVING



**A**DVANCED  
**E**NVIRONMENTAL  
**C**ONTROLS

CONSULTING AND ENGINEERING  
SERVICES, INC.

October 21, 2010

Mr. Hamed Mandilawi  
Senior AQ Engineer  
**SCAQMD**  
21865 Copley Drive  
Diamond Bar, CA 91765-4178

**Subject: Ditty Container, Inc.**  
**Draft Title V Permit**

Dear Mr. Mandilawi,

On behalf of Ditty Container Inc. (Ditty Container), Advanced Environmental Controls, Consulting and Engineering Services, Inc. (AEC) has reviewed the Draft Title V Permit prepared for Ditty Container. A copy of the Draft Title V Permit is presented in Attachment 1.

A list of our comments is presented below:

- Section D, Page 4: condition number 10 of the Facility Wide Conditions is a provision to comply with the Accidental Release Prevention Requirements of 40 CFR Part 68. In November 2007, AEC & Ditty Container submitted an administrative change application to remove this condition from the permit (A/N: 475917, a copy of the application is presented in Attachment 2). Until this time this application has not been processed. Please incorporate this change into the permit simultaneously with this renewal.
- Section D, Page 11 (P/N: F10793, Dixon Boiler): there is an emission limit for NO<sub>x</sub> of 9 ppmv, per Rule 1146. However, as a Group III unit, this requirement does not take effect until January 1, 2012.
- Section D, Page 19 (P/N: F87451, afterburner): there is an emissions limit for NO<sub>x</sub> of 60 ppmv, per Rule 1147. However, as this afterburner was manufactured in 2003, this requirement does not take effect until 2018.

20250 ACACIA STREET, SUITE 210, NEWPORT BEACH, CALIFORNIA 92660  
1-800-546-1604 • (949) 756-3160 • FAX (949) 756-8220  
AECNO1@aol.com • www.advancedenvironmentalcontrols.com


*Mr. Hamed Mandilawi*

*October 21, 2010*

*Page 2 of 2*

The AQMD forms 500-C1 and 500-A2 are included in Attachment 3 for your review. If you have any questions or require any additional information, please contact Mr. Richard Jarowski or Mr. Mark Anderson, Project Engineers, or myself at (949) 756-3160. Thank you.

Respectfully,

A handwritten signature in black ink, appearing to read 'Viji C. Sadasivan', written in a cursive style.

Viji C. Sadasivan  
Senior Operations Manager

c: Mr. Tim Ditty, President, Ditty Container

**ATTACHMENT 1**  
**Draft Title V Permit**



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov

September 30, 2010

Tim Ditty  
President  
Ditty Container, Inc. (Facility ID # 094529)  
2226 North Rosemead Boulevard  
South El Monte, CA 91733

**Reference: DRAFT PERMIT FOR TITLE V RENEWAL APPLICATION**

Dear Mr. Ditty:

The South Coast Air Quality Management District (AQMD) has completed the preliminary work on your Application No. 503773 for the renewal of your Title V permit for your facility located at 2226 North Rosemead Boulevard, South El Monte, CA 91733. Enclosed for your review is a copy of the statement of basis, permit summary, and draft permit for your facility under the Title V permit renewal application (Application No. 503773). This draft permit has incorporated the updates of all facility information that are provided in your Title V permit renewal application and all rules and regulations that are currently applicable to your facility. We are planning to release the proposed Title V permit for concurrent United States Environmental Protection Agency (USEPA) and public review in October 2010. Please take this opportunity to review these updates and submit your comments by **October 21, 2010** in order to be considered for incorporation into the proposed permit.

The AQMD has also reviewed the Compliance Status Report Form 500-C1 that you prepared for the permit renewal application package. Enclosed you will find a copy of this report if the information that you originally sent was incomplete or the requirements that were checked do not apply to your facility. If this is the case, please note our corrections to the report. We are also enclosing a new Form 500-C1 (Rev. 01/06), updated to current regulatory requirements, and a new Form 500-A2 that you must fill out and resubmit. Please incorporate any corrections into the new form. Since the new form has changed, please review it carefully to ensure that your submittal is complete and accurate.

When your review is complete, please prepare the following and return to us:


Comments on the statement of basis, permit summary, and draft permit  
Compliance Status Report, Form 500-C1  
Application Certification, Form 500-A2  
Non-Compliant Operations Report and Compliance Plan, Form 500-C2 (if applicable)

**Please return the above documents by October 21, 2010 to:**

South Coast Air Quality Management District  
Coating, Printing, Aerospace & Metal Finishing Operations Team  
21865 Copley Drive  
Diamond Bar, CA 91765-4178  
Attention: Hamed Mandilawi

If you have any questions regarding your Title V permit renewal, please contact Hamed Mandilawi at (909) 396-3275.

Sincerely,



Fred Lettice  
Senior Manager  
Coating, Printing, Aerospace  
& Metal Finishing Operations

FL:Baich R2\_Draft\_Ditty Cover Letter

Enclosures:

Statement of Basis  
Permit Summary  
Draft Title V renewal permit  
Form 500-C1 (revised 01/06)  
Form 500-A2  
Corrected Form 500-C1

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID: 94529	Company Name: Ditty Container, Inc.		
Equipment Location: 2226 North Rosemead Boulevard, South El Monte, CA 91733	SIC Code: 3412		
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 503773	Application Submittal Date(s): 11/18/09		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
<b>Project Description:</b> This is an existing facility applying for a Title V permit renewal that is engaged metal drum refurbishing. The facility operates a drum flushing system, a dryer, a drum coating and curing system, a boiler, an abrasive blasting machine, a baghouse, a scrubber, a thermal oxidizer, and other supporting equipment.			
<b>Permit Type:</b> <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
<b>Permit Features:</b> <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
<b>Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009</b>		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:	
		Ammonia	Emissions (lbs/yr): 40.8
		Benzene	0.101
		Formaldehyde	0.216
		Naphthalene	0.003
		Nickel	0.001
		PAHs	0.001
<b>Health Risk From Toxic Air Contaminants:</b> <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input checked="" type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____			
<b>Criteria Pollutant Emissions</b>		<input checked="" type="checkbox"/> NOx 0.828	<input checked="" type="checkbox"/> PM 0.341
<b>Annual Reported Emissions (tons/year) for Reporting Year: 2009</b>		<input checked="" type="checkbox"/> CO 0.223	<input checked="" type="checkbox"/> SOx 0.003
		<input checked="" type="checkbox"/> VOC 0.290	<input type="checkbox"/> Other: _____
<b>Compliance History:</b> <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years ( 0 ) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years ( 0 ) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years ( 1 )			
<b>Comments:</b>			

# South Coast Air Quality Management District

## Statement of Basis

### Proposed Title V Renewal Permit

**Facility Name:** Ditty Container, Inc.  
**Facility ID:** 094529  
**SIC Code:** 3412  
**Equipment Location:** 2226 North Rosemead Boulevard  
South El Monte, CA 91733

**Application #(s):** 503773  
**Application Submittal Date(s):** 11/18/09

**AQMD Contact Person:** Hamed Mandilawi, Senior Engineer  
**Phone Number:** (909) 396-3275  
**E-Mail Address:** hmandilawi@aqmd.gov

---

#### 1. Introduction and Scope of Permit

Title V is a national operating permit program for air pollution sources. Facilities subject to Title V must obtain a Title V permit and comply with specific Title V procedures to modify the permit. This permit replaces the facility's other existing permits. Title V does not necessarily include any new requirements for reducing emissions. It does, however, include new permitting, noticing, recordkeeping, and reporting requirements.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance unless such permit has been renewed. Accordingly, each facility is required to submit a Title V renewal application and requested the AQMD to renew their Title V permit. The proposed permit incorporates updates to the facility information provided in the facility's Title V renewal application and all rules and regulations that are currently applicable to the facility.

The AQMD implements Title V through Regulation XXX – Title V Permits, adopted by the AQMD Governing Board in order to comply with EPA's requirement that local air permitting authorities develop a Title V program. Regulation XXX was developed with the participation of the public and affected facilities through a series of public workshops, working group meetings, public hearings and other meetings.

The Title V major source threshold for a particular pollutant depends on the attainment status of the pollutant. NO<sub>2</sub>, SO<sub>2</sub>, CO, and lead are in attainment with federal standards. The status for PM-10 is serious nonattainment. The status for ozone is currently extreme nonattainment.

A Title V renewal permit is proposed to be issued to cover the operations of Ditty Container, Inc. located at 2226 North Rosemead Boulevard, South El Monte, CA 91733. This facility is subject to Title V requirements because it is a major source.

## **2. Facility Description**

This is an existing facility that is engaged in metal drum refurbishing. The facility operates a drum flushing system and associated air pollution control equipment scrubber, a dryer, a drum coating and curing system, a boiler, an abrasive blasting machine, and other supporting equipment. Particulate matter (PM) emissions from the abrasive blasting operation are controlled by an air pollution control equipment baghouse. Volatile organic compound (VOC) emissions from the drum coating and curing system are vented to an air pollution control equipment thermal oxidizer.

## **3. Construction and Permitting History**

The facility has been in constant operation with a Title V permit at this location since 2005. Numerous permits to construct and or permits to operate have been issued to the facility since August 2005. A Title V renewal permit was issued to the facility on August 15, 2005.

## **4. Regulatory Applicability Determinations**

Applicable legal requirements for which this facility is required to comply are required to be identified in the Title V permit (for example, Section D, E, and H of the proposed Title V permit). Applicability determinations (i.e., determinations made by the District with respect to what legal requirements apply to a specific piece of equipment, process, or operation) can be found in the Engineering Evaluations. This facility is not subject to any NSPS or NESHAP requirements. To ensure that the facility is exempt from the requirements of 40CFR63 Subpart MMMM-National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products, facility wide permit conditions are specified in the Title V permit limiting the quantity of a volatile hazardous air pollutant emissions (VHAP) from the facility to less than 10 tons per year and a combination of VHAPs to less than 25 tons per year.

## **5. Monitoring and Operational Requirements**

Applicable monitoring and operational requirements for which the facility is required to comply are identified in the Title V permit (for example, Section D, F, and J and Appendix B of the proposed Title V permit). Discussion of any applicable operational requirements can be found in the Engineering Evaluations. All periodic monitoring requirements were developed using strict adherence to the following applicable guidance documents: SCAQMD Periodic Monitoring Guidelines for Title V Facilities (November 1997); CAPCOA/CARB/EPA Region IX Periodic Monitoring Recommendations for Generally Applicable Requirements in SIP (June 1999); and CAPCOA/CARB/EPA Region IX Recommended Periodic Monitoring for Generally Applicable Grain Loading Standards in the SIP: Combustion Sources (July 2001).

The VOC emissions from the drum coating and curing system are vented to air pollution control equipment thermal oxidizer. The uncontrolled VOC emissions to the thermal oxidizer is greater than the major source threshold for VOC of 10 tons per year. As a result, the air pollution control equipment is subject to the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64. Permit conditions have been added to satisfy the CAM requirements. Such permit conditions were developed using the design criteria and other pertinent requirements identified in 40 CFR 64- Compliance Assurance Monitoring and Technical Guidance Document and in the August 1998 Revised Draft CAM.

PM emissions from a metal container flushing system and from an abrasive blasting machine are vented to air pollution control equipment scrubber and baghouse respectively to control the PM emissions. However, since the uncontrolled PM10 emissions to each air pollution control system is less than 70 tons per year, the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 are not applicable to the scrubber or the baghouse.

## 6. Permit Features

### Permit Shield

A permit shield is an optional part of a Title V permit that gives the facility an explicit protection from requirements that do not apply to the facility. A permit shield is a provision in a permit that states that compliance with the conditions of the permit shall be deemed compliance with all identified regulatory requirements. To incorporate a permit shield into the Title V permit involves submission of applications for change of conditions for each equipment affected by the permit shield. Permit shields are addressed in Rule 3004 (c). This facility has not applied for a permit shield.

### Streamlining Requirements

Some emission units may be subject to multiple requirements which are closely related or redundant. The conditions may be streamlined to simplify the permit conditions and compliance. Emission limits, work practice standards, and monitoring, recordkeeping, and reporting requirements may be streamlined. Compliance with a streamlined condition will be deemed compliance with the underlying requirements whether or not the emission unit is actually in compliance with the specific underlying requirement. This facility has not applied for any streamlined conditions.

## 7. Summary of Emissions and Health Risks

**Criteria Pollutant Emissions (tons/year)**  
**Annual Reported Emissions for Reporting Period 2009**

Pollutant	Emissions (tons/year)
NOx	0.828
CO	0.223
VOC	0.29
PM	0.341
SOx	0.003

**Toxic Air Contaminants Emissions (TAC)  
Annual Reported Emissions for Reporting Period 2009**

The Following TACs Were Reported	Emissions (lbs/yr)
Ammonia	40.8
Benzene	0.101
Formaldehyde	0.216
Naphthalene	0.003
Nickel	0.001
PAH's	0.001

**Health Risk from Toxic Air Contaminants**

The facility is subject to review by the Air Toxics Information and Assessment Act (AB2588). The facility was determined to be exempt from AB2588 requirements.

**8. Compliance History**

As noted, the facility has been in constant operation with a Title V permit since 2005. The facility has been subject to both self-reporting requirements and AQMD inspections. The facility has had no citizen complaints, or Notices to Comply issued in the last two years. However, the facility was issued a Notice of Violation on 7/14/2009 for failure to submit the Annual Compliance Certification for year 2008 and the Semi-Annual Monitoring report for July 1 - Dec. 31, 2008 by the due dates. The facility is currently operating in compliance with all applicable rules and permit conditions.

**9. Compliance Certification**

By virtue of the Title V permit application and issuance of this Title V renewal permit, the reporting frequency for compliance certification for the facility shall be annual.



---

## FACILITY PERMIT TO OPERATE

---

**DITTY CONTAINER INC  
2226 N ROSEMEAD BLVD  
SOUTH EL MONTE, CA 91733**

### NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.  
EXECUTIVE OFFICER

By \_\_\_\_\_  
Mohsen Nazemi, P.E.  
Deputy Executive Officer  
Engineering & Compliance



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**TABLE OF CONTENTS**

Section	Description	Revision #	Date Issued
A	Facility Information	DRAFT	09/30/2010
B	RECLAIM Annual Emission Allocation	DRAFT	09/30/2010
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	DRAFT	09/30/2010
E	Administrative Conditions	DRAFT	09/30/2010
F	RECLAIM Monitoring and Source Testing Requirements	DRAFT	09/30/2010
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	DRAFT	09/30/2010
H	Permit To Construct and Temporary Permit to Operate	DRAFT	09/30/2010
I	Compliance Plans & Schedules	DRAFT	09/30/2010
J	Air Toxics	DRAFT	09/30/2010
K	Title V Administration	DRAFT	09/30/2010
<b>Appendix</b>			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	DRAFT	09/30/2010
B	Rule Emission Limits	DRAFT	09/30/2010



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**SECTION A: FACILITY INFORMATION**

**LEGAL OWNER &/OR OPERATOR:** DITTY CONTAINER INC

**LEGAL OPERATOR (if different than owner):**

**EQUIPMENT LOCATION:** 2226 N ROSEMEAD BLVD  
SOUTH EL MONTE, CA 91733-1520

**MAILING ADDRESS:** 2226 N ROSEMEAD BLVD  
SOUTH EL MONTE, CA 91733-1520

**RESPONSIBLE OFFICIAL:** TIM DITTY

**TITLE:** PRESIDENT

**TELEPHONE NUMBER:** (626) 454-1182

**CONTACT PERSON:** TIM DITTY

**TITLE:** PRESIDENT

**TELEPHONE NUMBER:** (626) 454-1182

**INITIAL TITLE V PERMIT ISSUED:** August 15, 2005

**TITLE V PERMIT EXPIRATION DATE:** August 14, 2010

<b>TITLE V</b>	<b>RECLAIM</b>
<b>YES</b>	<b>NOx: NO</b> <b>SOx: NO</b> <b>CYCLE: 0</b> <b>ZONE: COASTAL</b>



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION**

NOT APPLICABLE



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**SECTION C: FACILITY PLOT PLAN**

(TO BE DEVELOPED)



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
21865 Copley Drive, Diamond Bar, CA 91765





---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**Facility Equipment and Requirements  
(Section D)**

This section consists of a table listing all permitted equipment at the facility, facility wide requirements, copies of all individual Permits to Construct and Permits to Operate issued to various equipment at the facility, and Rule 219-exempt equipment subject to source-specific requirements. Each permit and Rule 219-exempt equipment will list operating conditions including periodic monitoring requirements, and applicable emission limits and requirements that the equipment is subject to. Also included is the rule origin and authority of each emission limit and permit condition.



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**PERMITTED EQUIPMENT LIST**

The following is a list of all permits to construct and permits to operate at this facility:

<b>Application number</b>	<b>Permit number</b>	<b>Equipment description</b>
278981	D70888	BAGHOUSE
278986	D70890	ABRASIVE BLASTING
438706	F73797	DRYER
319965	F10795	BOILER
426566	F81182	SCRUBBER
429236	F81183	FLUSHING LINE
447666	F87451	APC (PSB, PTE, AFTERBURNER)

**NOTE:** EQUIPMENT LISTED ABOVE THAT HAVE NO CORRESPONDING PERMITS TO OPERATE NUMBER ARE ISSUED PERMITS TO CONSTRUCT. THE ISSUANCE OR DENIAL OF THEIR PERMITS TO OPERATE IS SUBJECT TO ENGINEERING FINAL REVIEW. ANY OTHER APPLICATIONS THAT ARE STILL BEING PROCESSED AND HAVE NOT BEEN ISSUED PERMITS TO CONSTRUCT OR PERMITS TO OPERATE WILL NOT BE FOUND IN THIS TITLE V PERMIT.



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**FACILITY WIDE CONDITION(S)**

**Condition(s):**

1. EXCEPT FOR OPEN ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMIN FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
  - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGELMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
  - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOES SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION.  
[RULE 401]
2. COATINGS USED AT THIS FACILITY SHALL NOT CONTAIN ANY LEAD OR CHROMIUM COMPOUNDS.  
[AB 2588]
3. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS FROM THIS FACILITY SHALL BE LESS THAN 677 POUNDS IN ANY ONE DAY.  
[RULE 1303(b)(2)-OFFSET]
4. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS FACILITY TO VERIFY DAILY VOC EMISSIONS IN POUNDS.  
[RULE 109, 1303(b)(2)-OFFSET]
5. TO MAINTAIN EXEMPTION FROM THE RULE 1132 REQUIREMENTS, THE TOTAL QUANTITY OF VOC EMISSIONS FROM THIS FACILITY SHALL NOT EXCEED 20 TONS (40,000 POUNDS) IN ANY EMISSION INVENTORY YEAR. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, THE FACILITY OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FROM ALL EQUIPMENT AND OPERATIONS THAT ARE REQUIRED TO HAVE WRITTEN PERMITS OR ARE EXEMPT FROM WRITTEN PERMITS PURSUANT TO RULE 219. THE EMISSION INVENTORY YEAR SHALL BE THE ANNUAL EMISSION REPORTING PERIOD BEGINNING FROM JULY 1 OF THE PREVIOUS YEAR THROUGH JUNE 30 OF A GIVEN YEAR. BY JULY 15, 2005 AND JULY 15 OF EVERY YEAR THEREAFTER, THE OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FROM THE FACILITY FOR THE EMISSION INVENTORY YEAR. IF THE TOTAL FACILITY VOC EMISSIONS FROM THE MONTHLY RECORDS FOR THE EMISSION INVENTORY YEAR EXCEED THE EMISSION CAP OF THIS CONDITION, THE OPERATOR SHALL SUBMIT APPROPRIATE APPLICATIONS AND ACHIEVE COMPLIANCE PURSUANT TO THE REQUIREMENTS SPECIFIED IN RULE 1132. EXCEEDANCE OF THE VOC EMISSION LIMIT OF THIS CONDITION SHALL NOT SUBJECT THIS FACILITY TO NEW SOURCE REVIEW REQUIREMENTS IF THE OPERATOR COMPLIES WITH THE VOC EMISSION LIMIT SPECIFIED IN CONDITION NO. 3.  
[RULE 1132]
6. THE TOTAL HAZARDOUS AIR POLLUTANT (HAP) EMISSIONS FROM THIS FACILITY SHALL NOT EXCEED 1,666 POUNDS OF A SINGLE HAP OR 4,166 POUNDS OF A COMBINATION OF HAPS IN ANY CALENDAR MONTH.



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

[40CFR63 SUBPART MMMM]

7. TO ENSURE COMPLIANCE WITH THE MONTHLY EMISSION CAPS OF THIS PERMIT, THE FACILITY OPERATOR SHALL:
- (A) IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT AND THIS FACILITY TO VERIFY THE DAILY AND MONTHLY VOC/HAP EMISSIONS IN POUNDS AND THE VOC/HAP CONTENT OF EACH MATERIAL AS APPLIED (INCLUDING WATER AND EXEMPT COMPOUNDS). THE RECORDS SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT.
  - (B) WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, TOTAL AND RECORD VOC/HAP EMISSIONS FOR THE MONTH FROM ALL EQUIPMENT AND OPERATIONS THAT ARE REQUIRED TO HAVE WRITTEN PERMITS OR ARE EXEMPT FROM WRITTEN PERMITS PURSUANT TO RULE 219. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
  - (C) MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC/HAP-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
  - (D) RETAIN ALL PURCHASE INVOICES FOR ALL VOC/HAP-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC/HAP-CONTAINING MATERIAL REMOVED FROM THE FACILITY, FOR FIVE YEARS.

[RULE 109, 1132, 1303(b)(2)-OFFSET, 40CFR63 SUBPART MMMM]

8. MATERIAL SAFETY DATA SHEETS FOR ALL MATERIALS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.  
[RULE 109, 1303(b)(2)-OFFSET]
9. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT, SHALL BE RETAINED AT THE FACILITY FOR FIVE YEARS, AND SHALL BE MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.  
[RULE 109, 1303(b)(2)-OFFSET]
10. ACCIDENTAL RELEASE PREVENTION REQUIREMENTS OF SECTION 112(r)(7):  
THE OPERATOR SHALL COMPLY WITH THE ACCIDENTAL RELEASE PREVENTION REQUIREMENTS PURSUANT TO 40 CFR Part 68 AND SHALL SUBMIT TO THE EXECUTIVE OFFICER, AS PART OF ANNUAL COMPLIANCE CERTIFICATION, A STATEMENT THAT CERTIFIES COMPLIANCE WITH ALL THE REQUIREMENTS OF 40 CFR Part 68, INCLUDING THE REGISTRATION AND SUBMISSION OF A RISK MANAGEMENT PLAN (RMP).  
THE OPERATOR SHALL SUBMIT ANY ADDITIONAL RELEVANT INFORMATION REQUESTED BY THE EXECUTIVE OFFICER OR DESIGNATED AGENCY.  
[40 CFR68-ACCIDENTAL RELEASE PREVENTION]



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**PERMIT TO OPERATE**

**Permit No. D70888  
A/N278981**

**Equipment Description:**

**AIR POLLUTION CONTROL SYSTEM CONSISTING OF:**

1. BAGHOUSE, WHEELABRATOR, MODEL 126-D, SIZE NO. 6, SERIAL NO. A-131366, 2016 SQ. FT. TOTAL FILTER AREA, WITH A 0.5-HP BAG SHAKER.
2. EXHAUST SYSTEM WITH A 10-HP BLOWER VENTING AN ABRASIVE BLAST CLEANING MACHINE

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. DUST COLLECTED IN HE BAGHOUSE SHALL BE DISCHARGED ONLY INTO ENCLOSED CONTAINERS  
[RULE 1303(a)(1)-BACT]

**Periodic Monitoring:**

4. THE OPERATOR SHALL INSTALL AND MAINTAIN A DIFFERENTIAL PRESSURE GAUGE TO ACCURATELY INDICATE THE DIFFERENTIAL PRESSURE ACROSS THE BAGS. THE OPERATOR SHALL DETERMINE AND RECORD THE PARAMETER BEING MONITORED ONCE EVERY WEEK.  
[RULE 3004 (a)(4)]
5. THE OPERATOR SHALL PERFORM AN ANNUAL INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
  - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
  - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
  - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.

[RULE 3004 (a)(4)]



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

6. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON A QUARTERLY BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE QUARTERLY PERIOD. THE ROUTINE QUARTERLY INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED, THE OPERATOR SHALL TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT.
- THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:
- A. STACK OR EMISSION POINT IDENTIFICATION;
  - B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS; AND
  - C. DATE AND TIME VISIBLE EMISSION WAS ABATED.
- [RULE 3004 (a)(4)]

### Emissions and Requirements:

7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- PM RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
  - PM: 0 PERCENT OPACITY, RULE 1155
  - PM: RULE 1155



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### PERMIT TO OPERATE

Permit No. D70890  
A/N 278986

#### Equipment Description:

ABRASIVE-BLASTING MACHINE, WHEELABRATOR, DRUM-CLEANING, SERIAL NO. A-131365, WITH TWO BLASTING WHEELS, 15-HP EACH, A 30-HP BLASTING WHEEL, A 2-HP CHAIN CONVEYOR, A 2-HP BUCKET ELEVATOR WITH A 1-HP CHARGING SCREW CONVEYOR, AND A 1-HP DRUM-SPINNING MECHANISM.

#### Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS DRUM LOADING STATION CLASSIFYING SCREEN, BUCKET ELEVATOR, DRUM CLEANOUT CABINET, AND BLASTING STATION ARE VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE DISTRICT.  
[RULE 1303(a)(1)-BACT]

#### Periodic Monitoring:

4. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS.

IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED THAT LAST MORE THAN THREE MINUTES IN ANY ONE-HOUR, THE OPERATOR SHALL VERIFY AND CERTIFY WITHIN 24 HOURS THAT THE EQUIPMENT CAUSING THE EMISSION AND ANY ASSOCIATED AIR POLLUTION CONTROL EQUIPMENT ARE OPERATING NORMALLY ACCORDING TO THEIR DESIGN AND STANDARD PROCEDURES AND UNDER THE SAME CONDITIONS UNDER WHICH COMPLIANCE WAS ACHIEVED IN THE PAST, AND EITHER:

- A. TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT; OR



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

- B. HAVE A CARB-CERTIFIED SMOKE READER DETERMINE COMPLIANCE WITH THE OPACITY STANDARD, USING EPA METHOD 9 OR THE PROCEDURES IN THE CARB MANUAL "VISIBLE EMISSION EVALUATION", WITHIN THREE BUSINESS DAYS AND REPORT ANY DEVIATIONS TO AQMD.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

- A. STACK OR EMISSION POINT IDENTIFICATION;
- B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS;
- C. DATE AND TIME VISIBLE EMISSION WAS ABATED; AND
- D. VISIBLE EMISSION OBSERVATION RECORDED BY A CERTIFIED SMOKE READER.  
[RULE 3004 (a)(4)]

**Emissions and Requirements:**

5. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 405, SEE APPENDIX B FOR EMISSION LIMITS  
PM: RULE 1140, SEE APPENDIX B FOR EMISSION LIMITS



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**PERMIT TO OPERATE**

**Permit No. F73797  
A/N 438706**

**Equipment Description:**

DRYER, 4'-0" W. X 29'-6" L. X 4'-3" H., STEAM HEATED.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. COATINGS PROCESS IN THIS EQUIPMENT SHALL MEET THE VOC CONTENT LIMITATIONS OF RULE 1125  
[RULE 1125]

**Emissions and Requirements:**

4. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:  
  
VOC: RULE 1125, SEE APPENDIX B FOR EMISSION LIMITS  
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**PERMIT TO OPERATE**

**Permit No. F10793  
A/N 319965**

**Equipment Description:**

BOILER, DIXON, MODEL SMWW-5, SERIAL NO. 477, RATED AT 10,580,000 BTU PER HOUR, NATURAL GAS FIRED, WITH A FULLY MODULATED AUTOMATIC INDUCED-DRAFT FLUE GAS RECIRCULATION SYSTEM.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. THIS BOILER SHALL BE FIRED WITH NATURAL GAS ONLY.  
[RULE 1303(a)(1)-BACT]
4. THIS EQUIPMENT SHALL NOT BURN MORE THAN 1,746,000 CUBIC FEET OF NATURAL GAS IN ANY CALENDAR MONTH.  
[RULE 1303(b)(2)-OFFSET]
5. THIS BOILER SHALL BE EQUIPPED WITH A NON-RESETABLE TOTALIZING FUEL METER TO ACCURATELY INDICATE THE FUEL USAGE BEING SUPPLIED TO THE BOILER.  
[RULE 1303(b)(2)-OFFSET]
6. MONTHLY RECORDS OF FUEL USAGE SHALL BE MAINTAINED AND KEPT FOR AT LEAST FIVE YEARS AND SHALL BE MADE AVAILABLE TO SCAQMD PERSONNEL UPON REQUEST.  
[RULE 1303(b)(2)-OFFSET]
7. THE BOILER SHALL EMIT NO MORE THAN 30 PPM OF OXIDES OF NITROGEN (NO<sub>x</sub>), CALCULATED AS NO<sub>2</sub>, AND NO MORE THAN 400 PPM OF CARBON MONOXIDE (CO), ALL MEASURED BY VOLUME ON A DRY BASIS AT 3% O<sub>2</sub>.  
[RULE 1303(a)(1)-BACT]
8. THE FLUE GAS RECIRCULATION SYSTEM SHALL BE IN FULL OPERATION WHENEVER THIS BOILER IS IN OPERATION.  
[RULE 1303(a)(1)-BACT]
9. THE BOILER SHALL BE EQUIPPED WITH A CONTROL SYSTEM TO AUTOMATICALLY REGULATE COMBUSTION AIR, FUEL, AND RECIRCULATED FLUE GAS AS THE BOILER LOAD VARIES. THIS



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

AUTOMATIC CONTROL SYSTEM SHALL BE ADJUSTED AND TUNED ACCORDING TO THE MANUFACTURE'S SPECIFICATIONS TO MAINTAIN ITS ABILITY TO REPEAT THE SAME PERFORMANCE AT THE SAME FIRING RANGE.  
[RULE 1303(a)(1)-BACT]

**Periodic Monitoring:**

10. THE OPERATOR SHALL DETERMINE COMPLIANCE WITH THE NOX EMISSION LIMIT(S) BY CONDUCTING A SOURCE TEST AT LEAST ONCE EVERY YEAR USING AQMD METHOD 100.1, 7.1, OR OTHER AQMD-APPROVED TEST METHOD. THE TEST SHALL BE CONDUCTED WHEN THE EQUIPMENT IS OPERATING UNDER NORMAL CONDITIONS TO DEMONSTRATE COMPLIANCE WITH RULE 1146 AND BACT CONCENTRATION LIMITS. THE OPERATOR SHALL COMPLY WITH ALL GENERAL TESTING, REPORTING, AND RECORDKEEPING REQUIREMENTS IN SECTIONS E AND K OF THIS PERMIT.  
[RULE 3004 (a)(4)]
  
11. THE OPERATOR SHALL DETERMINE COMPLIANCE WITH THE CO EMISSION LIMIT(S) BY CONDUCTING A SOURCE TEST AT LEAST ONCE EVERY YEAR USING AQMD METHOD 100.1, 10.1, OR OTHER AQMD-APPROVED TEST METHOD. THE TEST SHALL BE CONDUCTED WHEN THE EQUIPMENT IS OPERATING UNDER NORMAL CONDITIONS TO DEMONSTRATE COMPLIANCE WITH RULE 1146 AND BACT CONCENTRATION LIMITS. THE OPERATOR SHALL COMPLY WITH ALL GENERAL TESTING, REPORTING, AND RECORDKEEPING REQUIREMENTS IN SECTIONS E AND K OF THIS PERMIT.  
[RULE 3004 (a)(4)]

**Emissions and Requirements:**

12. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:  
  
PM: 0.1 gr/scf, RULE 409  
NOx: 30 PPMV, RULE 1303(a)(1)-BACT  
NOx: 30 PPMV, RULE 1146  
NOx: 9 PPMV, RULE 1146  
CO: 400 PPMV, RULE 1146  
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**PERMIT TO OPERATE**

**Permit No. F81182  
A/N 426566**

**Equipment Description:**

**AIR POLLUTION CONTROL SYSTEM, SERVING A METAL CONTAINER FLUSHING LINE, CONSISTING OF:**

1. SCRUBBER, WATER, DUALL, MODEL PT500-92, 23000-CFM MAXIMUM CAPACITY, WITH ONE BUILT-IN MIST ELIMINATOR, ONE 2-HP RECIRCULATING WATER PUMP MOTOR, 97 CUBIC FEET OF 2" RAUSCHERT POLYPROPYLENE (MAIN) PACKING, AND 32 CUBIC FEET OF 2" JAEGER TRI-PACK POLYPROPYLENE (MIST ELIMINATOR) PACKING.
2. EXHAUST SYSTEM WITH ONE 30-HP EXHAUST BLOWER MOTOR, ONE 3'-4" W. X 20'-0" L. HOOD, ONE 3'-4" W. X 22'-9" L. HOOD, AND ONE 5'-6" W. X 22'-3" L. HOOD VENTING A HARD FLUSHING TANK, A SINGLE FLUSHING TANK, AND A MAIN FLUSHING TANK.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. FLOW METERS INDICATING GALLONS PER MINUTE (GPM) SHALL BE INSTALLED AND MAINTAINED IN THE MAKE-UP WATER SUPPLY LINE AND THE SCRUBBING WATER RECIRCULATING LINE.  
[RULE 1303(a)(1)-BACT]
4. NOT LESS THAN TWO GALLONS PER MINUTE OF MAKE-UP WATER SHALL BE SUPPLIED TO THE SCRUBBER WHEN THE EQUIPMENT IT SERVES IS IN OPERATION.  
[RULE 1303(a)(1)-BACT]
5. NOT LESS THAN SIXTY GALLONS PER MINUTE OF SCRUBBING WATER SHALL BE SUPPLIED TO THE RECIRCULATING LINE IN THE SCRUBBER WHEN THE EQUIPMENT IT SERVES IS IN OPERATION.  
[RULE 1303(a)(1)-BACT]

**Periodic Monitoring:**

6. THE OPERATOR SHALL DETERMINE AND RECORD THE FLOW RATE OF THE MAKE-UP WATER



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

SUPPLY LINE AND THE SCRUBBING WATER RECIRCULATING LINE ONCE EVERY DAY.  
[RULE 3004 (a)(4)]

**Emissions and Requirements:**

7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS  
PM: 0 PERCENT OPACITY, RULE 1155  
PM: RULE 1155



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### PERMIT TO OPERATE

Permit No. F81183  
A/N 429236

#### Equipment Description:

#### METAL CONTAINER FLUSHING LINE, CONSISTING OF:

1. HARD FLUSHING TANK, HEATED SODIUM HYDROXIDE AND WATER, SOLUTION, 3' W. X 32' L. X 4' H. OVERALL DIMENSIONS.
2. SINGLE FLUSHING TANK, HEATED SODIUM HYDROXIDE AND WATER SOLUTION, 3' W. X 23' L. X 4' H. OVERALL DIMENSIONS.
3. MAIN FLUSHING TANK, HEATED SODIUM HYDROXIDE AND WATER SOLUTION, 4.5' W. X 23' L. X 4' H. OVERALL DIMENSIONS.
4. RINSING TANK, HOT WATER, 5.5' W. X 45' L. X 4' H. OVERALL DIMENSIONS.

#### Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AN AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED A PERMIT TO OPERATE BY THE EXECUTIVE OFFICER.  
[RULE 1303(a)(1)-BACT]
4. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS ALL METAL CONTAINERS ARE DRAINED IN A DESIGNATED DRAINAGE AREA FOR AT LEAST TWO MINUTES AND UNTIL NO LIQUID DROPLETS ARE VISIBLE PRIOR TO FLUSHING.  
[RULE 1303(a)(1)-BACT]
5. MATERIALS USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401, TABLE 1 WITH AN EFFECTIVE DATE OF MAY 2, 2003 OR EARLIER, EXCEPT SODIUM HYDROXIDE (CAS NO. 1310-73-2).  
[RULE 1401]



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**PERMIT TO OPERATE**

**Permit No. F87451  
A/N 447666**

**Equipment Description:**

**DRUM COATING AND CURING SYSTEM, CONVEYORIZED, CONSISTING OF:**

1. SPRAY BOOTH, 10'-0" W. X 17'-0" L. X 10'-0" H., WITH THIRTY-SEVEN 20" X 20" X 2" FIBERGLASS ARRESTOR EXHAUST FILTERS, WORKING AS A PERMANENT TOTAL ENCLOSURE.
2. FLASH OFF TUNNEL, L-SHAPE, 6'-0" TO 7'-0" W. X 41'-0" L. X 7'-0" H, WORKING AS A PERMANENT TOTAL ENCLOSURE.
3. STEAM DRYING TUNNEL, HEATED BY THE WASTE HEAT BOILER, 4'-0" W. X 33'-0" L. X 4'-3" H., WORKING AS A PERMANENT TOTAL ENCLOSURE.
4. THERMAL OXIDIZER, SPENCER, WITH ONE 5-MMBTU/HR DIRECT NATURAL-GAS FIRED BURNER.
5. ONE 125-HP WASTE HEAT BOILER, WITH ONE 20-HP EXHAUST BLOWER.
6. ONE 10-HP EXHAUST BLOWER, VENTING THE SPRAY BOOTH, FLASH OFF TUNNEL, AND STEAM DRYING TUNNEL.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY DAILY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED (INCLUDING WATER AND EXEMPT COMPOUNDS).  
[RULE 109, 1303(b)(2)-OFFSET]



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

4. MATERIALS USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401, TABLE 1 WITH A DATE OF LISTING OF MAY 2, 2003 OR EARLIER, EXCEPT XYLENES (CAS NO. 1330-20-7), ETHYL BENZENE (CAS NO. 100-41-4), ISOPROPYL ALCOHOL (CAS NO. 67-63-0), AND ETHYLENE GLYCOL BUTYL ETHER (CAS NO. 111-76-2) [RULE 1401]

5. THE OPERATOR SHALL OPERATE AND MAINTAIN THE THERMAL OXIDIZER ACCORDING TO THE FOLLOWING REQUIREMENTS:

THE COMBUSTION CHAMBER TEMPERATURE SHALL BE MAINTAINED AT A MINIMUM OF 1,400 DEGREES FAHRENHEIT WHENEVER THE EQUIPMENT IT SERVES IS IN OPERATION.

THE OPERATOR SHALL OPERATE AND MAINTAIN A TEMPERATURE MEASURING AND RECORDING SYSTEM TO CONTINUOUSLY MEASURE AND RECORD THE COMBUSTION CHAMBER TEMPERATURE PURSUANT TO THE OPERATION AND MAINTENANCE REQUIREMENTS SPECIFIED IN 40 CFR PART 64.7. SUCH A SYSTEM SHALL HAVE AN ACCURACY OF WITHIN 1% OF THE TEMPERATURE BEING MONITORED AND SHALL BE INSPECTED, MAINTAINED, AND CALIBRATED ON AN ANNUAL BASIS IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS.

FOR THE PURPOSE OF THIS CONDITION, A DEVIATION SHALL BE DEFINED AS WHEN A COMBUSTION CHAMBER TEMPERATURE OF LESS THAN 1,400 DEGREES FAHRENHEIT OCCURS DURING NORMAL OPERATION OF THE EQUIPMENT IT SERVES. THE OPERATOR SHALL REVIEW THE RECORDS OF THE COMBUSTION CHAMBER TEMPERATURE ON A DAILY BASIS TO DETERMINE IF A DEVIATION OCCURS OR SHALL INSTALL AN ALARM SYSTEM TO ALERT THE OPERATOR WHEN A DEVIATION OCCURS.

WHENEVER A DEVIATION OCCURS, THE OPERATOR SHALL INSPECT THIS EQUIPMENT TO IDENTIFY THE CAUSE OF SUCH A DEVIATION, TAKE IMMEDIATE CORRECTIVE ACTION TO MAINTAIN THE COMBUSTION CHAMBER TEMPERATURE AT OR ABOVE 1,400 DEGREES FAHRENHEIT, AND KEEP RECORDS OF THE DURATION AND CAUSE (INCLUDING UNKNOWN CAUSE, IF APPLICABLE) OF THE DEVIATION AND THE CORRECTIVE ACTION TAKEN.

ALL DEVIATIONS SHALL BE REPORTED TO THE AQMD PURSUANT TO THE REQUIREMENTS SPECIFIED IN 40 CFR PART 64.9 AND CONDITION NOS. 22 AND 23 IN SECTION K OF THIS PERMIT. THE REPORT SHALL INCLUDE THE TOTAL OPERATING TIME OF THIS EQUIPMENT AND THE TOTAL ACCUMULATED DURATION OF ALL DEVIATIONS FOR EACH SEMI-ANNUAL REPORTING PERIOD SPECIFIED IN CONDITION NO. 23 IN SECTION K OF THIS PERMIT.

THE OPERATOR SHALL SUBMIT AN APPLICATION WITH A QUALITY IMPROVEMENT PLAN (QIP) IN ACCORDANCE WITH 40 CFR PART 64.8 TO THE AQMD IF AN ACCUMULATION OF DEVIATIONS EXCEEDS 5 PERCENT DURATION OF THIS EQUIPMENT'S TOTAL OPERATING TIME FOR ANY SEMI-ANNUAL REPORTING PERIOD SPECIFIED IN CONDITION NO. 23 IN SECTION K OF THIS PERMIT. THE REQUIRED QIP SHALL BE SUBMITTED TO THE AQMD WITHIN 90 CALENDAR DAYS AFTER THE DUE DATE FOR THE SEMI-ANNUAL MONITORING REPORT.

THE OPERATOR SHALL INSPECT AND MAINTAIN ALL COMPONENTS OF THIS EQUIPMENT ON AN ANNUAL BASIS IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS.

THE OPERATOR SHALL KEEP ADEQUATE RECORDS IN A FORMAT THAT IS ACCEPTABLE TO



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

THE AQMD TO DEMONSTRATE COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS SPECIFIED IN THIS CONDITION AND 40 CFR PART 64.9 FOR A MINIMUM OF FIVE YEARS. [RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; 40CFR Part 64, 10-22-1997]

6. THIS EQUIPMENT SHALL MEET A MINIMUM DESTRUCTION EFFICIENCY OF 95% AND A MINIMUM OVERALL CONTROL EFFICIENCY (COLLECTION AND DESTRUCTION EFFICIENCIES) OF 95%.  
[RULE 1303(a)(1)-BACT]
7. THE OPERATOR SHALL MAINTAIN AND OPERATE THE PERMANENT TOTAL ENCLOSURE TO COMPLY WITH ALL CRITERIA SPECIFIED IN EPA METHOD 204.  
[RULE 1303(a)(1)-BACT]
8. THE OWNER OR OPERATOR OF THIS EQUIPMENT SHALL CONDUCT SOURCE TESTS UNDER THE FOLLOWING CONDITIONS TO DEMONSTRATE COMPLIANCE WITH THE PERMIT CONDITIONS:
  - A. THE SOURCE TESTS SHALL BE CONDUCTED AT LEAST ONCE DURING THE LIFE OF THIS PERMIT UNLESS OTHERWISE APPROVED IN WRITING BY THE DISTRICT.
  - B. THE SOURCE TESTS SHALL CONSIST OF, BUT MAY NOT BE LIMITED TO, TESTING AT THE INLET AND THE EXHAUST OF THE OXIDIZER FOR:
    1. VOLATILE ORGANIC COMPOUND (VOC) IN PPMV AND LBS/HR
    2. OXIDES OF NITROGEN (OXIDIZER EXHAUST ONLY)
    3. CARBON MONOXIDE (OXIDIZER EXHAUST ONLY)
    4. VOC DESTRUCTION EFFICIENCY
    5. VOC COLLECTION EFFICIENCY
    6. USAGE OF ALL VOC-CONTAINING MATERIALS (COATINGS, INKS, SOLVENTS, ETC.) DURING THE TEST
    7. OXYGEN CONTENT
    8. MOISTURE CONTENT
    9. FLOW RATE
    10. TEMPERATURE
  - C. THE SOURCE TESTS SHALL BE CONDUCTED WHILE THE OXIDIZER IS OPERATING AT A TEMPERATURE OF NOT LESS THAN THE MINIMUM OPERATING TEMPERATURE SPECIFIED IN THIS PERMIT. IF THE OPERATING TEMPERATURE DURING THE SOURCE TESTS IS GREATER THAN THE MINIMUM OPERATING TEMPERATURE SPECIFIED IN THIS PERMIT, THE MINIMUM OPERATING TEMPERATURE MAY BE INCREASED AT THE TIME A PERMIT TO OPERATE IS ISSUED TO REFLECT THE OPERATING TEMPERATURE DURING THE SOURCE TESTS.
  - D. A TESTING LABORATORY CERTIFIED BY THE CALIFORNIA AIR RESOURCES BOARD IN THE REQUIRED TEST METHODS FOR CRITERIA POLLUTANTS TO BE MEASURED, AND IN COMPLIANCE WITH DISTRICT RULE 304 (NO CONFLICT OF INTEREST) SHALL CONDUCT THE TESTS
  - E. SAMPLING FACILITIES SHALL COMPLY WITH THE DISTRICT GUIDELINES FOR CONSTRUCTION OF SAMPLING AND TESTING FACILITIES, PURSUANT TO RULE 217.



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

[RULE 1303(a)(1)-BACT]

9. A SOURCE TEST PROTOCOL SHALL BE SUBMITTED TO THE DISTRICT (ADDRESSED TO SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT, P.O. BOX 4941, DIAMOND BAR, CA 91765) AND APPROVED IN WRITING BY THE DISTRICT BEFORE THE TEST COMMENCES. THE TEST PROTOCOL SHALL INCLUDE THE COMPLETED DISTRICT FORMS ST-1 AND ST-2 SPECIFYING THE PROPOSED OPERATING CONDITIONS OF THE EQUIPMENT DURING THE TEST, THE IDENTITY OF THE TESTING LABORATORY, A STATEMENT FROM THE TESTING LABORATORY CERTIFYING IT MEETS THE CRITERIA IN DISTRICT RULE 304(K), AND A DESCRIPTION OF THE SAMPLING AND ANALYTICAL PROCEDURES TO BE USED.  
[RULE 1303(a)(1)-BACT]
10. A WRITTEN NOTICE OF THE SOURCE TESTS SHALL BE SUBMITTED TO THE DISTRICT (ADDRESSED TO SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT, P.O. BOX 4941, DIAMOND BAR, CA 91765) AT LEAST 14 DAYS PRIOR TO THE SOURCE TESTING DATE SO THAT AN OBSERVER FROM THE DISTRICT MAY BE PRESENT.  
[RULE 1303(a)(1)-BACT]
11. TWO COMPLETE COPIES OF THE SOURCE TEST REPORT SHALL BE SUBMITTED TO THE DISTRICT (ADDRESSED TO SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT, P.O. BOX 4941, DIAMOND BAR, CA 91765) WITHIN 45 DAYS AFTER THE SOURCE TESTING DATE. THE SOURCE TEST REPORT SHALL INCLUDE, BUT MAY NOT BE LIMITED TO, ALL TESTING DATA REQUIRED BY THIS CONDITION.  
[RULE 1303(a)(1)-BACT]
12. THE OWNER OR OPERATOR OF THIS EQUIPMENT SHALL SUBMIT THE RESULTS OF ALL TESTS (INCLUDING PRELIMINARY TESTS) THAT ARE CONDUCTED ON THIS EQUIPMENT FOR INFORMATIONAL PURPOSES TO THE DISTRICT (ADDRESSED TO SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT, P.O. BOX 4941, DIAMOND BAR, CA 91765) WITHIN 45 DAYS AFTER THE TESTING DATE.  
[RULE 1303(a)(1)-BACT]
13. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.  
[RULE 1147]

**Periodic Monitoring:**

14. THE OPERATOR SHALL CONDUCT SOURCE TEST(S) IN ACCORDANCE WITH THE FOLLOWING SPECIFICATIONS:
  - A. THE TEST SHALL BE CONDUCTED AT LEAST ONCE EVERY FIVE YEARS.
  - B. THE TEST SHALL BE CONDUCTED NO LATER THAN AUGUST 15, 2014 UNLESS OTHERWISE APPROVED IN WRITING BY THE DISTRICT.
  - C. THE TEST SHALL BE CONDUCTED TO DETERMINE THE VOC EMISSIONS USING AN APPROVED DISTRICT METHOD TO DEMONSTRATE COMPLIANCE WITH ALL APPLICABLE PERMIT CONDITION(S), RULES AND REGULATIONS.
  - D. THE SOURCE TEST SHALL BE CONDUCTED WHILE THE OXIDIZER IS OPERATING AT A TEMPERATURE OF NOT LESS THAN THE MINIMUM OPERATING TEMPERATURE SPECIFIED



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

IN THIS PERMIT. IF THE OPERATING TEMPERATURE DURING THE SOURCE TEST IS GREATER THAN THE MINIMUM OPERATING TEMPERATURE SPECIFIED IN THIS PERMIT, THE MINIMUM OPERATING TEMPERATURE SPECIFIED IN THIS PERMIT MAY BE INCREASED TO REFLECT THE OPERATING TEMPERATURE DURING THE SOURCE TEST.

- E. THE OPERATOR SHALL COMPLY WITH ADMINISTRATIVE CONDITIONS NOS. 8, 9, AND 10 OF SECTION E OF THIS FACILITY PERMIT.
- F. THE OPERATOR SHALL SUBMIT TWO COMPLETE COPIES OF THE SOURCE TEST REPORT SPECIFIED IN CONDITION NO. 9 OF SECTION E OF THIS FACILITY PERMIT TO THE DISTRICT ENGINEERING AND COMPLIANCE DIVISION. THE ENGINEERING COPY OF THE REPORT SHALL BE SENT TO: SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT, COATING, PRINTING AND AEROSPACE OPERATIONS, ATTN: AIR QUALITY AND COMPLIANCE SUPERVISOR, 21865 COPLEY DRIVE, DIAMOND BAR, CA 91765. THE COMPLIANCE COPY OF THE REPORT SHALL BE SENT TO: SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT, P.O. BOX 4941, DIAMOND BAR, CA 91765

[RULE 3004(a)(4)]

### Emissions and Requirements:

- 15. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

- VOC: RULE 109
- VOC: RULE 1125, SEE APPENDIX B FOR EMISSION LIMITS
- VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS
- VOC: RULE 481
- NOx: 60 PPMV, RULE 1147
- CO: 2000 PPMV, RULE 407
- PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
- PM: 0.1 GR/SCF, RULE 409



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### RULE 219 EQUIPMENT

#### Equipment Description:

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS.

#### Periodic Monitoring:

1. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):

FOR ARCHITECTURAL APPLICATIONS WHERE NO THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN SEMI-ANNUAL RECORDS OF ALL COATINGS CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS SUPPLIED IN GRAMS PER LITER (g/l) OF MATERIALS FOR LOW-SOLIDS COATINGS, AND (c) VOC CONTENT AS SUPPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATING.

FOR OTHER ARCHITECTURAL APPLICATIONS WHERE THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN DAILY RECORDS FOR EACH COATING CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS APPLIED IN GRAMS PER LITER (g/l) OF MATERIALS USED FOR LOW-SOLIDS COATINGS, AND (c) VOC CONTENT AS APPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATING.  
[RULE 3004(a)(4)]

#### Emissions and Requirements:

2. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1113, SEE APPENDIX B FOR EMISSION LIMITS  
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**RULE 219 EQUIPMENT**

**Equipment Description:**

RULE 219 EXEMPT EQUIPMENT, HAND WIPING OPERATIONS.

**Emissions and Requirements:**

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 109



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**RULE 219 EQUIPMENT**

**Equipment Description:**

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, LOW USE OR EMISSIONS

**Emissions and Requirements:**

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 1125, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 109



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
  - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
  - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
  - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations, or statues of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION E: ADMINISTRATIVE CONDITIONS

5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least five years. [204]
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
  - a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134]
  - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
  - c. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes; [204]
  - d. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compounds which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO<sub>2</sub>) and be averaged over 15 consecutive minutes; [407]
  - e. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent of carbon dioxide (CO<sub>2</sub>) at standard conditions and averaged over a minimum of 15 consecutive minutes. [409]



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION E: ADMINISTRATIVE CONDITIONS

- f. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O<sub>2</sub>) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
  - a. Brief description of the equipment tested.
  - b. Brief process description, including maximum and normal operating temperatures, pressures, throughput, etc.
  - c. Operating conditions under which the test will be performed.
  - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts and stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
  - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
  - f. Description of calibration and quality assurance procedures.
  - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (conflict of interest).
9. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD rules or equipment-specific conditions. The report shall contain the following information: [204]
  - a. The results of the source test.



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION E: ADMINISTRATIVE CONDITIONS

- b. Brief description of the equipment tested.
  - c. Operating conditions under which the test was performed.
  - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts and stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
  - e. Field and laboratory data forms, strip charts and analyses.
  - f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
10. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]
11. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS**

NOT APPLICABLE



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR  
RECLAIM SOURCES**

NOT APPLICABLE



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

See Section D of this permit for any Permit to Construct issued to this facility.



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
21865 Copley Drive, Diamond Bar, CA 91765





---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

SECTION J: AIR TOXICS

NOT APPLICABLE



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION K: TITLE V Administration

#### GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

#### Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]  
  
(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

#### Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

#### Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### SECTION K: TITLE V Administration

#### Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
- (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.
  - (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
  - (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

#### COMPLIANCE PROVISIONS

8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
- (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
  - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### SECTION K: TITLE V Administration

9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
- (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
  - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
  - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
  - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]
11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### SECTION K: TITLE V Administration

14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
- (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
  - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
  - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
  - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
  - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
  - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION K: TITLE V Administration EMERGENCY PROVISIONS

17. An emergency<sup>1</sup> constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
    - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
    - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
    - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
    - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
  - (B) The operator complies with the breakdown provisions of Rule 430 – Breakdown Provisions, or subdivision (i) of Rule 2004 – Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

---

<sup>1</sup> "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION K: TITLE V Administration RECORDKEEPING PROVISIONS

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
  - (B) The date(s) analyses were performed;
  - (C) The company or entity that performed the analyses;
  - (D) The analytical techniques or methods used;
  - (E) The results of such analyses; and
  - (F) The operating conditions as existing at the time of sampling or measurement.  
[3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

### REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 – Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### SECTION K: TITLE V Administration

- (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.
  - (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
  - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**SECTION K: TITLE V Administration**

- (B) The compliance status during the reporting period;
- (C) Whether compliance was continuous or intermittent;
- (D) The method(s) used to determine compliance over the reporting period and currently, and
- (E) Any other facts specifically required by the Executive Officer to determine compliance.

The EPA copy of the certification shall be sent to: Director of the Air Division Attn:  
Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]

25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

**PERIODIC MONITORING**

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the TitleV application file. [3004(a)(4)]



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### SECTION K: TITLE V Administration

#### *FACILITY RULES*

*This facility is subject to the following rules and regulations*

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

<b>RULE SOURCE</b>	<b>Adopted/Amended Date</b>	<b>FEDERAL Enforceability</b>
RULE 109	5-2-2003	Federally enforceable
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	7-13-2007	Non federally enforceable
RULE 1125	1-13-1995	Federally enforceable
RULE 1125	3-7-2008	Non federally enforceable
RULE 1132	3-5-2004	Federally enforceable
RULE 1132	5-7-2004	Non federally enforceable
RULE 1140	2-1-1980	Federally enforceable
RULE 1140	8-2-1985	Non federally enforceable
RULE 1146	11-17-2000	Federally enforceable
RULE 1146	9-5-2008	Non federally enforceable
RULE 1147	12-5-2008	Non federally enforceable
RULE 1155	12-4-2009	Non federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	5-1-2009	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable
RULE 1401	5-2-2003	Non federally enforceable
RULE 204	10-8-1993	Federally enforceable



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### SECTION K: TITLE V Administration

<b>RULE SOURCE</b>	<b>Adopted/Amended Date</b>	<b>FEDERAL Enforceability</b>
RULE 217	1-5-1990	Federally enforceable
RULE 219	6-1-2007	Non federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3003	3-16-2001	Non federally enforceable
RULE 3004	12-12-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3005	3-16-2001	Non federally enforceable
RULE 3007	10-8-1993	Federally enforceable
RULE 304	6-5-2009	Non federally enforceable
RULE 401	11-9-2001	Non federally enforceable
RULE 401	3-2-1984	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable
RULE 442	12-15-2000	Federally enforceable
RULE 480	10-7-1977	Federally enforceable
RULE 481	1-11-2002	Federally enforceable
RULE 701	6-13-1997	Federally enforceable
H&S 44300	7-1-1988	Non federally enforceable
40CFR 60 Subpart Dc	2-27-2006	Federally enforceable
40CFR 63 Subpart MMMM	1-2-2004	Federally enforceable
40CFR 68 - Accidental Release Prevention	5-24-1996	Federally enforceable
40CFR Part 64	10-22-1997	Federally enforceable



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN  
PERMIT PURSUANT TO RULE 219**

NONE



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1113 11-08-1996]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

**TABLE OF STANDARDS**

**VOC LIMITS**

**Grams of VOC Per Liter of Coating,  
Less Water And Less Exempt Compounds**

COATING	Limit*	Effective Date of Adoption	Effective 1/1/1998	Effective 1/1/1999	Effective 7/1/2001	Effective 1/1/2005	Effective 7/1/2008
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250				100		50
Graphic Arts (Sign) Coatings	500						



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1113 11-08-1996]**

Industrial Maintenance						
Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550		275	
Pre-Treatment Wash Primers	780					
Primers, Sealers, and	350					
Undercoaters						
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

\* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

**TABLE OF STANDARDS (cont.)**

**VOC LIMITS**

**Grams of VOC Per Liter of Material**

COATING	Limit
Low-Solids Coating	120



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### APPENDIX B: RULE EMISSION LIMITS [RULE 1113 07-13-2007]

- (1) Except as provided in paragraphs (c)(2), (c)(3), (c)(4), and specified coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage any architectural coating for use in the District which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, and no person shall apply or solicit the application of any architectural coating within the District that exceeds 250 grams of VOC per liter of coating as calculated in this paragraph.
- (2) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified, and no person shall apply or solicit the application of any architectural coating within the District that exceeds the VOC limit as specified in this paragraph. No person shall apply or solicit the application within the District of any industrial maintenance coatings, except anti-graffiti coatings, for residential use or for use in areas such as office space and meeting rooms of industrial, commercial or institutional facilities not exposed to such extreme environmental conditions described in the definition of industrial maintenance coatings; or of any rust-preventative coating for industrial use, unless such a rust preventative coating complies with the Industrial Maintenance Coating VOC limit specified in the Table of Standards.



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1113 07-13-2007]**

**TABLE OF STANDARDS  
VOC LIMITS**

**Grams of VOC Per Liter of Coating,  
Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Bond Breakers	350							
Clear Wood Finishes	350					275		
Varnish	350					275		
Sanding Sealers	350					275		
Lacquer	680	550			275			
Clear Brushing Lacquer	680				275			
Concrete-Curing Compounds	350						100	
Concrete-Curing Compounds For Roadways and Bridges**	350							
Dry-Fog Coatings	400						150	
Fire-Proofing Exterior Coatings	450	350						
Fire-Retardant Coatings***								
Clear	650							
Pigmented	350							
Flats	250	100						50
Floor Coatings	420		100			50		
Graphic Arts (Sign) Coatings	500							
Industrial Maintenance (IM) Coatings	420			250		100		
High Temperature IM Coatings			420					
Zinc-Rich IM Primers	420		340			100		
Japans/Faux Finishing Coatings	700	350						
Magnesite Cement Coatings	600	450						
Mastic Coatings	300							
Metallic Pigmented Coatings	500							
Multi-Color Coatings	420	250						
Nonflat Coatings	250		150			50		



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1113 07-13-2007]**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Nonflat High Gloss	250		150				50	
Pigmented Lacquer	680	550			275			
Pre-Treatment Wash Primers	780		420					
Primers, Sealers, and Undercoaters	350		200			100		
Quick-Dry Enamels	400		250			150	50	
Quick-Dry Primers, Sealers, and Undercoaters	350		200			100		
Recycled Coatings			250					
Roof Coatings	300		250		50			
Roof Coatings, Aluminum	500				100			
Roof Primers, Bituminous	350		350					
Rust Preventative Coatings	420		400			100		
Shellac								
Clear	730							
Pigmented	550							
Specialty Primers	350					250	100	
Stains	350		250				100	
Stains, Interior	250							
Swimming Pool Coatings								
Repair	650		340					
Other	340							
Traffic Coatings	250	150					100	
Waterproofing Sealers	400		250			100		
Waterproofing	400					100		
Concrete/Masonry Sealers								
Wood Preservatives								
Below-Ground	350							
Other	350							

\* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.

\*\* Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

\*\*\* The Fire-Retardant Coating category will be eliminated on January 1, 2007 and subsumed by the coating category for which they are formulated.



---

**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

---

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1113 07-13-2007]**

**TABLE OF STANDARDS (cont.)  
VOC LIMITS**

**Grams of VOC Per Liter of Material**

COATING	Limit
Low-Solids Coating	120



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1125 01-13-1995]**

Except as otherwise provided in Rule 1125, the operator shall not use or apply any coating on any coating line of the type designated below which contains any volatile organic compound in excess of the following limits:

<u>COATING</u>	<u>VOC LIMITS</u>	
	<u>Grams per Liter of Coating, Less Water and Less Exempt Compounds</u>	
	<u>g/L</u>	<u>lb/gal</u>
Can Coating		
(A) Three-Piece Can Sheet Basecoat (exterior and interior and overvarnish)	225	1.9
(B) Two-Piece Can Exterior Basecoat and Overvarnish	250	2.1
(C) Inks	300	2.5
(D) Can Interior Body Spray		
(i) Two-Piece Can	440	3.7
(ii) Three-Piece Can	510	4.2
(E) Three-Piece Can Side Seam Spray	660	5.5
(F) End Sealing Compound		
(i) Food/Beverage Cans	440	3.7
(ii) Non-Food Cans	440	3.7
(After March 1, 1991)	0	0
(G) Drums, Pails, and Lids Coating		
(i) New		
Exterior	340	2.8
Interior	420	3.5
(ii) Reconditioned		
Exterior	420	3.5
Interior	510	4.2
(H) Necker Lubricants	100	0.8
Coil Coating	200	1.7



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1125 03-07-2008]**

Except as otherwise provided in Rule 1125, the operator shall not use or apply any coating on any coating line of the type designated below which contains any volatile organic compound in excess of the following limits, expressed as grams of VOC per liter of coating or pounds per gallon of coating, less water and less exempt compounds, except for inkjet inks and inkjet make-up solvents, where the referenced VOC limit is expressed as grams of VOC per liter of material or pounds per gallon of material:

COATING CATEGORY	VOC LIMITS	
	g/L	Lb/gal
<b>Can Coatings</b>		
Three-Piece Can Sheet Basecoat (Exterior and Interior Overvarnish)	225	1.9
Two-Piece Can Exterior Basecoat and Overvarnish	250	2.1
<b>Can Interior Body Spray</b>		
Two-Piece Can	440	3.7
Three-Piece Can	510	4.2
Three-Piece Can Side Seam Spray	660	5.5
<b>Drums, Pails, and Lids Coatings</b>		
<b>New</b>		
Exterior	340	2.8
Interior	420	3.5
<b>Reconditioned</b>		
Exterior	420	3.5
Interior	510	4.2
<b>Coil Coatings</b>		
Coatings	200	1.7



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1125 03-07-2008]**

<b>All Operations</b>		
Necker Lubricants	100	0.8
<b>End Sealing Compounds</b>		
Food/Beverage Cans	440	3.7
Effective 7-1-08	20	0.17
Non-Food Containers	0	0
<b>Inks</b>		
Other than Inkjet	300	2.5
Inkjet	250*	2.1*
Thermochromic Inkjet	700*	5.8*
<b>Inkjet Make-Up Solvents</b>		
General Inkjet	250*	2.1*
Thermochromic Inkjet	800*	5.8*

\* Different VOC determination method



---

## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

---

### APPENDIX B: RULE EMISSION LIMITS [RULE 1140 02-01-1980]

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).
  
- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### APPENDIX B: RULE EMISSION LIMITS [RULE 1140 08-02-1985]

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).
- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
  - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
  - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 11-07-2003]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 11-07-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 11-07-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 05-01-2009]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

	<b>CURRENT LIMITS*</b>	<b>EFFECTIVE 1/1/2010</b>
<b>SOLVENT CLEANING ACTIVITY</b>	<b>VOC g/l (lb/gal)</b>	<b>VOC g/l (lb/gal)</b>
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	
(iii) Medical Devices & Pharmaceuticals	800 (6.7)	
(B) Repair and Maintenance Cleaning		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 05-01-2009]**

	<b>CURRENT LIMITS*</b>	<b>EFFECTIVE 1/1/2010</b>
<b>SOLVENT CLEANING ACTIVITY (cont.)</b>	<b>VOC g/l (lb/gal)</b>	<b>VOC g/l (lb/gal)</b>
(iii) Medical Devices & Pharmaceuticals		
(A) Tools, Equipment, & Machinery	800 (6.7)	
(B) General Work Surfaces	600 (5.0)	
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)	
(D) Cleaning of Ink Application Equipment		
(i) General	25 (0.21)	
(ii) Flexographic Printing	25 (0.21)	
(iii) Gravure Printing		
(A) Publication	100 (0.83)	
(B) Packaging	25 (0.21)	
(iv) Lithographic (Offset) or Letter Press Printing		
(A) Roller Wash, Blanket Wash, & On-Press Components	100 (0.83)	



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 1171 05-01-2009]**

	<b>CURRENT LIMITS*</b>	<b>EFFECTIVE 1/1/2010</b>
<b>SOLVENT CLEANING ACTIVITY (cont.)</b>	<b>VOC g/l (lb/gal)</b>	<b>VOC g/l (lb/gal)</b>
(B) Removable Press Components	25 (0.21)	
(v) Screen Printing	100 (0.83)	
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)	
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)	

\* The specified limits remain in effect unless revised limits are listed in subsequent columns.



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 404 02-07-1986]**

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a). Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

**TABLE 404(a)**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter <sup>a</sup> Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 404 02-07-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 404 02-07-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 405 02-07-1986]**

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

**TABLE 405(a)**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6



**FACILITY PERMIT TO OPERATE  
DITTY CONTAINER INC**

**APPENDIX B: RULE EMISSION LIMITS  
[RULE 405 02-07-1986]**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
21865 Copley Drive, Diamond Bar, CA 91765



# **ATTACHMENT 2**

**A/N: 475917**



**A**DVANCED  
**E**NVIRONMENTAL  
**C**ONTROLS

CONSULTING AND ENGINEERING  
SERVICES, INC.

November 26, 2007

Mr. Rick Lee  
Air Quality Engineer II  
Coating, Printing and Aerospace Operations (TEAM B)  
**South Coast AQMD**  
21865 Copley Drive  
Diamond Bar, CA 91765

**Subject: Request for Title V Permit Revision to Remove Facility Wide Condition No. 10 (Accidental Release Prevention Requirements) Ditty Container, Inc. (Facility ID No. 94529)**

Dear Mr. Lee:

On behalf of Ditty Container, Inc. (Ditty), Advanced Environmental Controls Consulting and Engineering Services, Inc. (AEC) is requesting the removal of the facility wide condition No. 10 (Accidental Release Prevention Requirements) from their Title V Permit for the facility located at the following address:

**Ditty Container, Inc.**  
2226 N Rosemead Boulevard  
South El Monte, CA 91733  
(Facility ID No. 94529)

The applicable SCAQMD forms are presented in Attachment A. A check in the amount of \$767.09 is also included in this package. Condition No. 10 of the Title V Permit's Facility Wide Conditions is listed below (Please see Attachment B: Facility Permit to Operate):


ACCIDENTAL RELEASE PREVENTION REQUIREMENTS OF SECTION 112(r)(7):  
THE OPERATOR SHALL COMPLY WITH THE ACCIDENTAL RELEASE PREVENTION REQUIREMENTS PURSUANT TO 40 CFR Part 68 AND SHALL SUBMIT TO THE EXECUTIVE OFFICER, AS PART OF ANNUAL COMPLIANCE CERTIFICATION, A STATEMENT THAT CERTIFIES COMPLIANCE WITH ALL THE REQUIREMENTS OF 40 CFR Part 68, INCLUDING THE REGISTRATION AND SUBMISSION OF A RISK MANAGEMENT PLAN (RMP). THE OPERATOR SHALL SUBMIT ANY ADDITIONAL RELEVANT INFORMATION REQUESTED BY THE EXECUTIVE OFFICER OR DESIGNATED AGENCY.  
[40 CFR68-ACCIDENTAL RELEASE PREVENTION]

Mr. Rick Lee  
SCAQMD  
November 9, 2007  
Page 2 of 2

According to 40 CFR68, Ditty would be required to register and submit a Risk Management Plan (RMP) if they stored more than 15,000 lbs of Hydrochloric Acid of 37% or greater concentration (Please see Attachment C: Applicable Sections of Title 40 Chapter 1 Part 68: Chemical Accident Prevention Provisions). The Hydrochloric Acid stored at the Facility is 31% concentration (Please see Attachment C: Sales Order from the Supplier); therefore, the Ditty facility is exempt from the Accidental Release Prevention Requirements stated in 40 CFR68.

If you have any questions or concerns, please do not hesitate to contact Mr. Kedar Desai, Senior Project Engineer or me at (949) 756-3160.

Respectfully,



Viji Sadasivan  
Senior Operations Manager

c: Mr. Tim Ditty, Ditty Container

Enclosure

**Attachment A**

**SCAQMD Forms**

**400-A, 400-CEQA, 500-A2, and 500-C1**



South Coast Air Quality Management District

Form 400-A

Application For Permit To Construct and Permit To Operate

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765

Tel: (909) 398-3385 www.scaqmd.gov

Section A: Operator Information

1. Business Name of Operator To Appear On The Permit: Ditty Container, Inc.
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): 94529
3. Owner's Business Name (only if different from Business Name of Operator):

Section B: Equipment Location

4. Equipment Location Address: For equipment operated at various locations in AQMD's jurisdiction, provide address of initial site
2226 N. Rosemead Boulevard
Street Address
South El Monte CA 91733
City State Zip Code
County: [X] Los Angeles [ ] Orange [ ] San Bernardino [ ] Riverside
Contact Name: Tim Ditty
Contact Title: President Phone: (626) 454-1182
Fax: (626) 454-4265 E-Mail: doowah23@aol.com

Section C: Permit Mailing Address

5. Permit and Correspondence Information:
[X] Check here if same as equipment location address
Street Address
City State Zip Code
Contact Name:
Contact Title: Phone:
Fax: E-Mail:

Section D: Application Type The facility is in [ ] RECLAIM [ ] Title V [ ] RECLAIM & Title V Program (please check if applicable)

6. Reason for Submitting Application (Select only ONE):
[ ] New Construction (Permit to Construct)
[ ] Equipment Operating Without A Permit or Expired Permit\*
[ ] Administrative Change
[ ] Equipment On-Site But Not Constructed or Operational
[X] Title V Application (Initial, Revisions, Modifications, etc.)
[ ] Compliance Plan
[ ] Facility Permit Amendment
[ ] Registration/Certification
[ ] Streamlined Standard Permit
\* A Higher Permit Processing Fee applies to those items with an asterisk (Rule 301 (c) (1) (D))

7. Estimated Start Date of Operation/Construction (MM/DD/YYYY):
8. Description of Equipment:
9. Is this equipment portable AND will it be operated at different locations within AQMD's jurisdiction? [X] No [ ] Yes
10. For identical equipment, how many additional applications are being submitted with this application? (Form 400-A required for each)
11. Are you a Small Business as per AQMD's Rule 102 definition? (10 employees or less and total gross receipts are \$500,000 or less, or a not-for-profit training center?) [X] No [ ] Yes
12. Has a Notice of Violation (NOV) or a Notice To Comply (NC) been issued for this equipment? [X] No [ ] Yes If yes, provide NOV/NC #:

Section E: Facility Business Information

13. What type of business is being conducted at this equipment location? Drum Reconditioning
14. What is your business's primary NAICS Code (North American Industrial Classification System)? 332439
15. Are there other facilities in the SCAQMD jurisdiction operated by the same operator? [X] No [ ] Yes
16. Are there any schools (K-12) within a 1000-ft. radius of the equipment physical location? [X] No [ ] Yes

Section F: Authorization/Signature I hereby certify that all information contained herein and information submitted with this application is true and correct.

17. Signature of Responsible Official: [Signature]
18. Title: President
19. Print Name: Tim Ditty
20. Date: 11/28/07
Check List:
[X] Form(s) signed and dated by authorized official
[ ] Supplemental Equipment Form (400-E-JX or 400-E-GE)
[X] CEQA Form (400-CEQA) attached
[X] Payment for permit processing fee attached
Your application will be rejected if any of the above items are missing.

Table with columns: AQMD USE ONLY, APPLICATION/TRACKING #, TYPE B C D, EQUIPMENT CATEGORY CODE, FEE SCHEDULE, VALIDATION, ENG. A R DATE, ASSIGNMENT Unit Engineer, CHECK/MONEY ORDER #, AMOUNT \$, Tracking #



South Coast Air Quality Management District

**Form 400-CEQA**

**California Environmental Quality Act (CEQA) Applicability**

Mail Application To:  
P.O. Box 4944  
Diamond Bar, CA 91765  
Tel: (909) 398-3385  
[www.aqmd.gov](http://www.aqmd.gov)

The SCQAMD is required by state law, the California Environmental Quality Act (CEQA), to review discretionary permit project applications for potential air quality and other environmental impacts. This form is a screening tool to assist the SCQAMD in determining whether or not the project has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document (CEQA Guidelines §15080(a)). Refer to the attached instructions for guidance in completing this form. For each Form 400-A application, also complete and submit one Form 400-CEQA. If submitting multiple Form 400-A applications for the same project at the same time, only one 400-CEQA form is necessary for the entire project. If you need assistance completing this form, contact Lon Inga at (909) 398-3109.

**FACILITY INFORMATION**

Business Name of Operator to Appear on the Permit

Ditty Container, Inc.

Project Description:

Title V Permit Revision

**REVIEW FOR EXEMPTION FROM FURTHER CEQA ACTION**

Check "Yes" or "No" as applicable

Is this application for:

A.	A CEQA and/or NEPA document previously or currently prepared that specifically evaluates this project? If yes, a permit cannot be issued until a Final CEQA document and Notice of Determination is submitted.	<input type="radio"/>	Yes	<input type="radio"/>	No
B.	A request for a change of permittee only (without equipment modifications)?	<input type="radio"/>		<input type="radio"/>	
C.	Equipment certification or equipment registration (qualifies for Rule 222)?	<input type="radio"/>		<input type="radio"/>	
D.	A functionally identical permit unit replacement with no increase in rating or emissions?	<input type="radio"/>		<input type="radio"/>	
E.	A change of daily VOC permit limit to a monthly VOC permit limit?	<input type="radio"/>		<input type="radio"/>	
F.	Equipment damaged as a result of a disaster during state of emergency?	<input type="radio"/>		<input type="radio"/>	
G.	A Title V (i.e., Regulation XXX) permit renewal (without equipment modifications)?	<input type="radio"/>		<input type="radio"/>	
H.	A Title V administrative permit revision?	<input type="radio"/>		<input type="radio"/>	
I.	The conversion of an existing permit into an initial Title V permit?	<input type="radio"/>		<input type="radio"/>	

If "Yes" is checked for any question above, your application does not require additional evaluation for CEQA applicability. Skip to page 2, "SIGNATURES" and sign and date this form.

**REVIEW OF IMPACTS WHICH MAY TRIGGER CEQA**

Complete Sections I-VI by checking "Yes" or "No" as applicable. To avoid delays in processing your application(s), explain all "Yes" responses on a separate sheet and attach it to this form.

<b>Section I - General</b>		Yes	No
1.	Has this project generated any known public controversy regarding potential adverse impacts that may be generated by the project?	<input type="radio"/>	<input type="radio"/>
2.	Is this project part of a larger project?	<input type="radio"/>	<input type="radio"/>
<b>Section II - Air Quality</b>			
3.	Will there be any demolition, excavating, and/or grading construction activities that encompass an area exceeding 20,000 square feet?	<input type="radio"/>	<input type="radio"/>
4.	Does this project include the open outdoor storage of dry bulk solid materials that could generate dust? If Yes, include a plot plan with the application package.	<input type="radio"/>	<input type="radio"/>

A "project" means the whole of an action which has a potential for resulting in physical change to the environment, including construction activities, clearing or grading of land, improvements to existing structures, and activities or equipment involving the issuance of a permit. For example, a project might include installation of a new, or modification of an existing internal combustion engine, dry-cleaning facility, boiler, gas turbine, spray coating booth, solvent cleaning tank, etc.  
To download the CEQA guidelines, visit <http://www.aqmd.gov/ceqa>, or <http://www.aqmd.gov/ceqa> or <http://www.aqmd.gov/ceqa>.  
To download this form and the instructions, visit <http://www.aqmd.gov/ceqa> or <http://www.aqmd.gov/ceqa>.  
© South Coast Air Quality Management District, Form 400-CEQA (2008 02)

	Yes	No	
5.	<input type="radio"/>	<input checked="" type="radio"/>	<p>Would this project result in noticeable off-site odors from activities that may not be subject to SCAQMD permit requirements?</p> <p>For example, compost materials or other types of greenwaste (i.e., lawn clippings, tree trimmings, etc.) have the potential to generate odor complaints subject to Rule 402 - Nuisance.</p>
6.	<input type="radio"/>	<input checked="" type="radio"/>	Does this project cause an increase of emissions from marine vessels, trains and/or airplanes?
7.	<input type="radio"/>	<input checked="" type="radio"/>	Will the proposed project increase the QUANTITY of hazardous materials stored aboveground onsite or transported by mobile vehicle to or from the site by greater than or equal to the amounts associated with each compound on the attached Table 1?*
<b>Section III - Water Resources</b>			
8.	<input type="radio"/>	<input checked="" type="radio"/>	<p>Will the project increase demand for water at the facility by more than 5,000,000 gallons per day?</p> <p>The following examples identify some, but not all, types of projects that may result in a "yes" answer to this question: 1) projects that generate steam; 2) projects that use water as part of the air pollution control equipment; 3) projects that require water as part of the production process; 4) projects that require new or expansion of existing sewage treatment facilities; 5) projects where water demand exceeds the capacity of the local water purveyor to supply sufficient water for the project; and 6) projects that require new or expansion of existing water supply facilities.</p>
9.	<input type="radio"/>	<input checked="" type="radio"/>	<p>Will the project require construction of new water conveyance infrastructure?</p> <p>Examples of such projects are when water demands exceed the capacity of the local water purveyor to supply sufficient water for the project, or require new or modified sewage treatment facilities such that the project requires new water lines, sewage lines, sewage hook-ups, etc.</p>
<b>Section IV - Transportation/Circulation</b>			
10.			Will the project result in (Check all that apply):
	<input type="radio"/>	<input checked="" type="radio"/>	a. the need for more than 350 new employees?
	<input type="radio"/>	<input checked="" type="radio"/>	b. an increase in heavy-duty transport truck traffic to and/or from the facility by more than 350 truck round-trips per day?
	<input type="radio"/>	<input checked="" type="radio"/>	c. increase customer traffic by more than 700 visits per day?
<b>Section V - Noise</b>			
11.	<input type="radio"/>	<input checked="" type="radio"/>	Will the project include equipment that will generate noise GREATER THAN 90 decibels (dB) at the property line?
<b>Section VI - Public Services</b>			
12.			Will the project create a permanent need for new or additional public services in any of the following areas (Check all that apply):
	<input type="radio"/>	<input checked="" type="radio"/>	a. Solid waste disposal? Check "No" if the projected potential amount of wastes generated by the project is less than five tons per day.
	<input type="radio"/>	<input checked="" type="radio"/>	b. Hazardous waste disposal? Check "No" if the projected potential amount of hazardous wastes generated by the project is less than 42 cubic yards per day (or equivalent in pounds).

\*REMINDER: For each "Yes" checked in the sections above, attach all pertinent information including but not limited to estimated quantities, volumes, weights, etc.\*\*

### SIGNATURES

I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT THIS FORM IS A SCREENING TOOL AND THAT THE SCAQMD RESERVES THE RIGHT TO CONSIDER OTHER PERTINENT INFORMATION IN DETERMINING CEQA APPLICABILITY.

SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM:

*Tim Ditty*

TITLE OF RESPONSIBLE OFFICIAL OF FIRM:

President

TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM:

Tim Ditty

RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER:

(626) 4544-265

DATE Signed:

11/28/07

SIGNATURE OF PREPARER, OR PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM:

*Viji Sadasivan*

TITLE OF PREPARER:

Sr. Operations Manager

TYPE OR PRINT NAME OF PREPARER:

Viji Sadasivan

PREPARER'S TELEPHONE NUMBER:

(949) 7563-160

DATE Signed:

11/26/2007

THIS CONCLUDES FORM 400-CEQA. INCLUDE THIS FORM AND THE ATTACHMENTS WITH FORM 400-A.

\* Table 1 - Regulated Substances List and Threshold Quantities for Accidental Release Prevention can be found in the Instructions for Form 400-CEQA.



South Coast Air Quality Management District  
**Form 500-A2**  
**TITLE V Application Certification**

Mail Application To:  
 P.O. Box 4944  
 Diamond Bar, CA 91765  
 Tel: (909) 398-3385  
 www.aqmd.gov

**Section I - Facility Information**


1. Permit to be issued to (Business name of operator to appear on permit):  
 Ditty Container, Inc.
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD):  
 94529
3. This Certification is submitted with a (Check one):  
 a.  Title V Application (Initial, Revision or Renewal)  
 b.  Supplement/Correction to a Title V Application  
 c.  MACT Part 2
4. Is Form 500-C2 included with this Certification?  Yes  No

**Section II - Responsible Official Certification Statement**

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

1. For Initial, Permit Renewal, and Administrative Application Certifications:  
 a.  The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1,  
 i.  except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.  
 ii.  except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).  
 b.  The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.
2. For Permit Revision Application Certifications:  
 a.  The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.
3. For MACT Hammer Certifications:  
 a.  The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)  
 b.  The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

  
 Signature of Responsible Official

Tim Ditty  
 Type or Print Name of Responsible Official

President  
 Title of Responsible Official

2226 N. Rosemead Boulevard  
 Address of Responsible Official

South El Monte  
 City

CA  
 State

91733  
 Zip Code

11/28/07  
 Date

(626) 454-1182  
 Phone

(626) 454-4265  
 Fax

**Acid Rain Facilities Only: Turn page over & complete Section III**

Acid Rain facilities must certify their compliance status of the devices subject to applicable requirements under Title IV by an individual who meets the definition of Designated (or Alternate) Representative in 40 CFR Part 72.

**Section III - Designated Representative Certification Statement**

1. *For Acid Rain Facilities Only:* I am authorized to make this submission on behalf of the owners and operators of the affected source or affected units for which the submission is made. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment.

Signature of Designated Representative or Alternate

Date

Type or Print Name of Designated Representative or Alternate

Phone

Title of Designated Representative or Alternate

Fax

Address of Designated Representative or Alternate

City

State

Zip Code



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

**Section I - General Information**

1. Facility Name: Ditty Container, Inc.

Facility ID (6-Digit): 94529

**PROCEDURES FOR DETERMINING COMPLIANCE STATUS**

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements\*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.  
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.  
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements\*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. \*\*
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

\* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

\*\* Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input type="checkbox"/> Rule 442(f)	<input type="checkbox"/> Rule 442(g)
<input checked="" type="checkbox"/> All Combustion Equipment, $\geq$ 555 Mmbtu/Hr (except for NO <sub>x</sub> RECLAIM sources)	<input checked="" type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SO <sub>x</sub> RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input type="checkbox"/> Rule 431.1(f)	<input type="checkbox"/> Rule 431.1(d) & (e)
<input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SO <sub>x</sub> RECLAIM sources)	<input type="checkbox"/> Rule 431.2 (09/15/00)	<input type="checkbox"/> Rule 431.2(g)	<input type="checkbox"/> Rule 431.2(f)
<input checked="" type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SO <sub>x</sub> RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input checked="" type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3  N/A  See Applicable Subpart	<input type="checkbox"/> Rule 430(b)   See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input type="checkbox"/> Rule 404 (02/07/86)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> All RECLAIM Equipment (NO <sub>x</sub> & SO <sub>x</sub> )	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 1146.1 (05/13/94) <input checked="" type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3  <input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(c) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (c)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) <u>or</u> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(c) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input type="checkbox"/> Coating Operation, Adhesive Application Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1168 (01/07/05)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1168(f) & (g)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(e)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Coating	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1107 (11/09/01) <input checked="" type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input checked="" type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1125(c)(6)

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form  
500-C1

Rev. 05/05  
Page 5 of 5

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input checked="" type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form  
500-C1

Rev. 05/05  
Page 6 of 6

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Degreasers	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form  
500-C1

Rev. 05/05  
Page 7 of 7

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form  
500-C1

Rev. 05/05  
Page 8 of 8

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (c)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

**KEY ABBREVIATIONS:**

Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CCR = California Code of Regulations

AQMD Form  
 500-C1

Rev. 05/05  
 Page 9 of 9

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Internal Combustion Engines, Reciprocating	<input type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

**KEY ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form Rev. 05/05  
500-C1 Page 10 of 10

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART III	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

**KEY ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form Rev. 05/05  
500-C1 Page 11 of 11

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO <sub>2</sub> Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4)  <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1  <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f)  <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form Rev. 05/05  
500-C1 Page 12 of 12

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input type="checkbox"/> Polyester Resin Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/09/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions of Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	<input type="checkbox"/> Rule 1166 (05/11/01)	<input type="checkbox"/> Rule 1166(e)	<input type="checkbox"/> Rule 1166(c)(1)(C)
	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)		
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(c) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
Rule = AQMD Rule

App. = Appendix  
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
CCR = California Code of Regulations

AQMD Form Rev. 05/05  
500-C1 Page 14 of 14





<b>Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)</b>					
1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Attachment B**

**Facility Wide Conditions**

**of**

**Facility Permit to Operate**

**for**

**Ditty Container, Inc.  
2226 N. Rosemead Boulevard  
South El Monte, CA 91733  
(Facility ID No. 094529)**



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

### FACILITY WIDE CONDITION(S)

#### Condition(s):

1. EXCEPT FOR OPEN ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMINANT FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
  - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGELMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
  - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOGS SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION. [RULE 401]
2. COATINGS USED AT THIS FACILITY SHALL NOT CONTAIN ANY LEAD OR CHROMIUM COMPOUNDS. [AB 2518]
3. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS FROM THIS FACILITY SHALL BE LESS THAN 677 POUNDS IN ANY ONE DAY. [RULE 1303(b)(2)-OFFSET]
4. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS FACILITY TO VERIFY DAILY VOC EMISSIONS IN POUNDS. [RULE 109, 1303(b)(2)-OFFSET]
5. TO MAINTAIN EXEMPTION FROM THE RULE 1132 REQUIREMENTS, THE TOTAL QUANTITY OF VOC EMISSIONS FROM THIS FACILITY SHALL NOT EXCEED 20 TONS (40,000 POUNDS) IN ANY EMISSION INVENTORY YEAR. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, THE FACILITY OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FROM ALL EQUIPMENT AND OPERATIONS THAT ARE REQUIRED TO HAVE WRITTEN PERMITS OR ARE EXEMPT FROM WRITTEN PERMITS PURSUANT TO RULE 219. THE EMISSION INVENTORY YEAR SHALL BE THE ANNUAL EMISSION REPORTING PERIOD BEGINNING FROM JULY 1 OF THE PREVIOUS YEAR THROUGH JUNE 30 OF A GIVEN YEAR. BY JULY 15, 2005 AND JULY 15 OF EVERY YEAR THEREAFTER, THE OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FROM THE FACILITY FOR THE EMISSION INVENTORY YEAR. IF THE TOTAL FACILITY VOC EMISSIONS FROM THE MONTHLY RECORDS FOR THE EMISSION INVENTORY YEAR EXCEED THE EMISSION CAP OF THIS CONDITION, THE OPERATOR SHALL SUBMIT APPROPRIATE APPLICATIONS AND ACHIEVE COMPLIANCE PURSUANT TO THE REQUIREMENTS SPECIFIED IN RULE 1132. EXCEEDANCE OF THE VOC EMISSION LIMIT OF THIS CONDITION SHALL NOT SUBJECT THIS FACILITY TO NEW SOURCE REVIEW REQUIREMENTS IF THE OPERATOR COMPLIES WITH THE VOC EMISSION LIMIT SPECIFIED IN CONDITION NO. 4. [RULE 1132]
6. THE TOTAL HAZARDOUS AIR POLLUTANT (HAP) EMISSIONS FROM THIS FACILITY SHALL NOT EXCEED 1,666 POUNDS OF A SINGLE HAP OR 4,166 POUNDS OF A COMBINATION OF HAPS IN ANY CALENDAR MONTH.



## FACILITY PERMIT TO OPERATE DITTY CONTAINER INC

[40CFR63 SUBPART MMMM, 40CFR63 SUBPART DDDDD]

7. TO ENSURE COMPLIANCE WITH THE MONTHLY EMISSION CAPS OF THIS PERMIT, THE FACILITY OPERATOR SHALL:
- (A) IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT AND THIS FACILITY TO VERIFY THE DAILY AND MONTHLY VOC/HAP EMISSIONS IN POUNDS AND THE VOC/HAP CONTENT OF EACH MATERIAL AS APPLIED (INCLUDING WATER AND EXEMPT COMPOUNDS). THE RECORDS SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT.
  - (B) WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, TOTAL AND RECORD VOC/HAP EMISSIONS FOR THE MONTH FROM ALL EQUIPMENT AND OPERATIONS THAT ARE REQUIRED TO HAVE WRITTEN PERMITS OR ARE EXEMPT FROM WRITTEN PERMITS PURSUANT TO RULE 219. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
  - (C) MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC/HAP-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
  - (D) RETAIN ALL PURCHASE INVOICES FOR ALL VOC/HAP-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC/HAP-CONTAINING MATERIAL REMOVED FROM THE FACILITY, FOR FIVE YEARS.
- [RULE 109, 1132, 1303(b)(2)-OFFSET, 40CFR63 SUBPART MMMM, 40CFR SUBPART DDDDD]
8. MATERIAL SAFETY DATA SHEETS FOR ALL MATERIALS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.  
[RULE 109, 1303(b)(2)-OFFSET]
9. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT, SHALL BE RETAINED AT THE FACILITY FOR FIVE YEARS, AND SHALL BE MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.  
[RULE 109, 1303(b)(2)-OFFSET]
10. ACCIDENTAL RELEASE PREVENTION REQUIREMENTS OF SECTION 112(r)(7): THE OPERATOR SHALL COMPLY WITH THE ACCIDENTAL RELEASE PREVENTION REQUIREMENTS PURSUANT TO 40 CFR Part 68 AND SHALL SUBMIT TO THE EXECUTIVE OFFICER, AS PART OF ANNUAL COMPLIANCE CERTIFICATION, A STATEMENT THAT CERTIFIES COMPLIANCE WITH ALL THE REQUIREMENTS OF 40 CFR Part 68, INCLUDING THE REGISTRATION AND SUBMISSION OF A RISK MANAGEMENT PLAN (RMP). THE OPERATOR SHALL SUBMIT ANY ADDITIONAL RELEVANT INFORMATION REQUESTED BY THE EXECUTIVE OFFICER OR DESIGNATED AGENCY.  
[40 CFR68-ACCIDENTAL RELEASE PREVENTION]

**Attachment C**

**Applicable Sections of Title 40 Chapter 1 Part 68:  
Chemical Accident Prevention Provisions**

**40CFR68-10, 40CFR68-115, and 40CFR-130**

[Code of Federal Regulations]  
[Title 40, Volume 10, Parts 64 to 71]  
[Revised as of July 1, 2000]  
From the U.S. Government Printing Office via GPO Access  
[CITE: 40CFR68.10]

[Page 40-41]

TITLE 40--PROTECTION OF ENVIRONMENT

CHAPTER I--ENVIRONMENTAL PROTECTION AGENCY

PART 68--CHEMICAL ACCIDENT PREVENTION PROVISIONS--Table of Contents

Subpart A--General

Sec. 68.10 Applicability.

(a) An owner or operator of a stationary source that has more than a threshold quantity of a regulated substance in a process, as determined under Sec. 68.115, shall comply with the requirements of this part no later than the latest of the following dates:

- (1) June 21, 1999;
- (2) Three years after the date on which a regulated substance is first listed under Sec. 68.130; or
- (3) The date on which a regulated substance is first present above a threshold quantity in a process.

(b) Program 1 eligibility requirements. A covered process is eligible for Program 1 requirements as provided in Sec. 68.12(b) if it meets all of the following requirements:

(1) For the five years prior to the submission of an RMP, the process has not had an accidental release of a regulated substance where exposure to the substance, its reaction products, overpressure generated by an explosion involving the substance, or radiant heat generated by a fire involving the substance led to any of the following offsite:

- (i) Death;
- (ii) Injury; or
- (iii) Response or restoration activities for an exposure of an environmental receptor;

(2) The distance to a toxic or flammable endpoint for a worst-case release

[[Page 41]]

assessment conducted under Subpart B and Sec. 68.25 is less than the distance to any public receptor, as defined in Sec. 68.30; and

(3) Emergency response procedures have been coordinated between the stationary source and local emergency planning and response organizations.

(c) Program 2 eligibility requirements. A covered process is subject to Program 2 requirements if it does not meet the eligibility requirements of either paragraph (b) or paragraph (d) of this section.

(d) Program 3 eligibility requirements. A covered process is subject to Program 3 if the process does not meet the requirements of paragraph (b) of this section, and if either of the following conditions is met:

(1) The process is in NAICS code 32211, 32411, 32511, 325181, 325188, 325192, 325199, 325211, 325311, or 32532; or

(2) The process is subject to the OSHA process safety management standard, 29 CFR 1910.119.

(e) If at any time a covered process no longer meets the eligibility criteria of its Program level, the owner or operator shall comply with the requirements of the new Program level that applies to the process and update the RMP as provided in Sec. 68.190.

(f) The provisions of this part shall not apply to an Outer Continental Shelf ("OCS") source, as defined in 40 CFR 55.2.

[Code of Federal Regulations]  
[Title 40, Volume 10, Parts 64 to 71]  
[Revised as of July 1, 2000]  
From the U.S. Government Printing Office via GPO Access  
[CITE: 40CFR68.115]

[Page 55-57]

TITLE 40--PROTECTION OF ENVIRONMENT

CHAPTER I--ENVIRONMENTAL PROTECTION AGENCY

PART 68--CHEMICAL ACCIDENT PREVENTION PROVISIONS--Table of Contents

Subpart F--Regulated Substances for Accidental Release Prevention

Sec. 68.115 Threshold determination.

(a) A threshold quantity of a regulated substance listed in Sec. 68.130 is present at a stationary source if the total quantity of the regulated substance contained in a process exceeds the threshold.

(b) For the purposes of determining whether more than a threshold quantity of a regulated substance is present at the stationary source, the following exemptions apply:

(1) Concentrations of a regulated toxic substance in a mixture. If a regulated substance is present in a mixture and the concentration of the substance is below one percent by weight of the mixture, the amount of the substance in the mixture need not be considered when determining whether more than a threshold quantity is present at the stationary source. Except for oleum, toluene 2,4-diisocyanate, toluene 2,6-diisocyanate, and toluene diisocyanate (unspecified isomer), if the concentration of the regulated substance in the mixture is one percent or greater by

[[Page 56]]

weight, but the owner or operator can demonstrate that the partial pressure of the regulated substance in the mixture (solution) under handling or storage conditions in any portion of the process is less than 10 millimeters of mercury (mm Hg), the amount of the substance in the mixture in that portion of the process need not be considered when determining whether more than a threshold quantity is present at the stationary source. The owner or operator shall document this partial pressure measurement or estimate.

(2) Concentrations of a regulated flammable substance in a mixture.  
(i) General provision. If a regulated substance is present in a mixture and the concentration of the substance is below one percent by weight of the mixture, the mixture need not be considered when determining whether more than a threshold quantity of the regulated substance is present at the stationary source. Except as provided in paragraph (b)(2)(ii) and (iii) of this section, if the concentration of the substance is one percent or greater by weight of the mixture, then, for purposes of determining whether a threshold quantity is present at the stationary source, the entire weight of the mixture shall be treated as the regulated substance unless the owner or operator can demonstrate that the mixture itself does not have a National Fire Protection Association flammability hazard rating of 4. The demonstration shall be in accordance with the definition of flammability hazard rating 4 in the NFPA 704, Standard System for the Identification of the Hazards of Materials for Emergency Response, National Fire Protection Association, Quincy, MA, 1996. Available from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269-9101. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be inspected at the Environmental Protection Agency Air Docket (6102), Attn: Docket No. A-96-08, Waterside Mall, 401 M. St. SW.,

Washington DC; or at the Office of Federal Register at 800 North Capitol St., NW, Suite 700, Washington, DC. Boiling point and flash point shall be defined and determined in accordance with NFPA 30, Flammable and Combustible Liquids Code, National Fire Protection Association, Quincy, MA, 1996. Available from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269-9101. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be inspected at the Environmental Protection Agency Air Docket (6102), Attn: Docket No. A-96-08, Waterside Mall, 401 M. St. SW., Washington DC; or at the Office of Federal Register at 800 North Capitol St., NW., Suite 700, Washington, DC. The owner or operator shall document the National Fire Protection Association flammability hazard rating.

(ii) Gasoline. Regulated substances in gasoline, when in distribution or related storage for use as fuel for internal combustion engines, need not be considered when determining whether more than a threshold quantity is present at a stationary source.

(iii) Naturally occurring hydrocarbon mixtures. Prior to entry into a natural gas processing plant or a petroleum refining process unit, regulated substances in naturally occurring hydrocarbon mixtures need not be considered when determining whether more than a threshold quantity is present at a stationary source. Naturally occurring hydrocarbon mixtures include any combination of the following: condensate, crude oil, field gas, and produced water, each as defined in Sec. 68.3 of this part.

(3) Articles. Regulated substances contained in articles need not be considered when determining whether more than a threshold quantity is present at the stationary source.

(4) Uses. Regulated substances, when in use for the following purposes, need not be included in determining whether more than a threshold quantity is present at the stationary source:

- (i) Use as a structural component of the stationary source;
- (ii) Use of products for routine janitorial maintenance;
- (iii) Use by employees of foods, drugs, cosmetics, or other personal items containing the regulated substance; and

[[Page 57]]

(iv) Use of regulated substances present in process water or non-contact cooling water as drawn from the environment or municipal sources, or use of regulated substances present in air used either as compressed air or as part of combustion.

(5) Activities in laboratories. If a regulated substance is manufactured, processed, or used in a laboratory at a stationary source under the supervision of a technically qualified individual as defined in Sec. 720.3(ee) of this chapter, the quantity of the substance need not be considered in determining whether a threshold quantity is present. This exemption does not apply to:

- (i) Specialty chemical production;
- (ii) Manufacture, processing, or use of substances in pilot plant scale operations; and
- (iii) Activities conducted outside the laboratory.

[59 FR 4493, Jan. 31, 1994. Redesignated at 61 FR 31717, June 20, 1996, as amended at 63 FR 645, Jan. 6, 1998]



Formaldehyde (solution).....	50-00-6	15,000	b
Furan.....	110-00-9	5,000	b
Hydrazine.....	302-01-2	15,900	b
Hydrochloric acid (conc 37% or greater).	7647-01-0	15,000	d
Hydrocyanic acid.....	74-90-6	2,500	a, b
Hydrogen chloride (anhydrous) [Hydrochloric acid].	7647-01-0	5,000	a
Hydrogen fluoride, Hydrofluoric acid (conc 40% or greater) [Hydrofluoric acid].	7664-39-3	1,000	a, b
Hydrogen selenide.....	1743-07-6	500	b
Hydrogen sulfide.....	7783-06-4	10,000	a, b
Iron, pentacarbonyl- (Iron carbonyl (Fe(CO) <sub>5</sub> ), (TB-9-11)-1).	13463-40-6	2,500	b
Isobutyronitrile [Propanenitrile, 2-methyl-].	78-82-0	20,000	b
Isopropyl chloroformate [Carbonochloridic acid, 1-methylethyl ester].	108-23-6	15,000	b
Methacrylonitrile [2-Propanenitrile, 2-methyl-].	126-98-7	10,000	b
Methyl chloride [Methane, chloro-].	74-87-3	10,000	a
Methyl chloroformate [Carbonochloridic acid, methylester].	70-28-1	5,000	b
Methyl hydrazine [Hydrazine, methyl-].	60-34-4	15,000	b
Methyl isocyanate [Methane, isocyanato-].	631-83-9	10,000	a, b
Methyl mercaptan [Methanethiol].	74-93-1	10,000	b
Methyl thiocyanate [Thiocyanic acid, methyl ester].	556-64-9	20,000	b
Methyltrichlorosilane [Silane, trichloromethyl-].	75-73-6	5,000	b
Nickel carbonyl.....	13463-30-3	1,000	b
Nitric acid (conc 85% or greater).	7697-37-2	15,000	b
Nitric oxide [Nitrogen oxide (NO)].	10102-43-9	10,000	b
Oleum (Fuming sulfuric acid) [Sulfuric acid, mixture with sulfur trioxide] (1).	8014-95-7	10,000	a
Peroacetic acid [Ethanesperoxoic acid].	79-21-6	10,000	b
Perchloromethylmercaptan [Methanesulfonyl chloride, trichloro-].	194-42-3	10,000	b
Phosgene [Carbonic dichloride].	75-44-5	500	a, b
Phosphine.....	7803-51-2	5,000	b
Phosphorus oxychloride [Phosphoryl chloride].	10025-87-3	1,000	b
Phosphorus trichloride [Phosphorus trichloride].	7719-12-2	15,000	b
Piperidine.....	110-89-1	10,000	b
Propionitrile [Propanenitrile].	107-12-0	10,000	b
Propyl chloroformate [Carbonochloridic acid, propylester].	109-61-5	15,000	b
Propyleneimine [Aziridine, 1-methyl-].	75-55-8	10,000	b
Propylene oxide [Oxirane, methyl-].	75-56-0	10,000	b
Sulfur dioxide (anhydrous).....	7446-09-6	5,000	a, b
Sulfur tetrachloride [Sulfur chloride (SCl <sub>4</sub> ), (1-4)-1].	7783-60-0	2,500	b
Sulfur trioxide.....	7446-11-9	10,000	a, b
Tetraethyllead [Leadone, tetramethyl-].	13-74-1	10,000	b
Tetrahydrofuran [Methane, tetrahydro-].	101-14-3	10,000	b
Page 4011			
Titanium tetrachloride [Titanium chloride (TiCl <sub>4</sub> ), (1-1)-1].	7550-40-0	2,500	b
Toluene 2,4-dinitrobenzoyl- [Toluene, 2,4-dinitrobenzoyl-].	104-84-3	10,000	a
Toluene 2,6-dinitrobenzoyl- [Toluene, 2,6-dinitrobenzoyl-].	11-04-0	10,000	a

Toluene diisocyanate (unspecified isomer) [Benzene, 1,3-diisocyanatomethyl-] (1).	26471-62-5	10,000	a
Trimethylchlorosilane [Silane, chlorotrimethyl-].	15-77-4	10,000	b
Vinyl acetate monomer [Acetic acid ethenyl ester].	109-26-4	10,000	b

\* The mixture exemption in Sec. 68.115(c)(1) does not apply to the substance.

Note: Basis for Listing:

- a. Mandated for listing by Congress.
- b. On EHS list, vapor pressure 10 mmHg or greater.
- c. Toxic gas.
- d. Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.
- e. Toxicity of sulfur trioxide and sulfuric acid, potential to release sulfur trioxide, and history of accidents.

Table 2 to Sec. 68.130.--List of Regulated Toxic Substances and Threshold Quantities for Accidental Release Prevention [CAS Number Order--77 Substances]

CAS No.	Chemical name	Threshold quantity (lbs)	Basis for listing
50-00-0	Formaldehyde (solution).	15,000	b
57-14-7	1,1-Dimethylhydrazine [Hydrazine, 1,1-dimethyl-].	15,000	b
60-34-4	Methyl hydrazine [Hydrazine, methyl-].	15,000	b
67-86-3	Chloroform [Methane, trichloro-].	20,000	b
74-87-1	Methyl chloride [Methane, chloro-].	10,000	a
74-90-6	Hydrocyanic acid.....	2,500	a, b
74-93-1	Methyl mercaptan [Methanethiol].	10,000	b
75-15-0	Carbon disulfide.....	20,000	b
75-21-8	Ethylene oxide [Oxirane].	10,000	a, b
75-44-5	Phosgene [Carbonic dichloride].	500	a, b
75-55-8	Propyleneimine [Aziridine, 2-methyl-].	10,000	b
75-56-9	Propylene oxide [Oxirane, methyl-].	10,000	b
75-74-1	Tetramethyllead [Plumbane, tetramethyl-].	10,000	b
75-77-4	Trimethylchlorosilane [Silane, chlorotrimethyl-].	10,000	b
75-78-5	Dimethyldichlorosilane [Silane, dichlorodimethyl-].	5,000	b
75-79-6	Methyltrichlorosilane [Silane, trichloromethyl-].	5,000	b
78-82-0	Isobutyronitrile [Propenenitrile, 2-methyl-].	20,000	a
79-21-0	Peracetic acid [Ethaneperoxydic acid].	10,000	b
79-23-1	Methyl chloroformate [Carbonochloroformic acid, methyl ester].	5,000	b
81-08-7	Silane 1,1,1-trisubstituted diisocyanate [Benzene, 1,3-diisocyanato-7-methyl-] (1).	10,000	a
106-49-8	Epichlorohydrin [Oxirane, chloromethyl-].	20,000	b
107-13-6	Acrolein [2-Propenal].	5,000	b
107-21-9	Allylamine [2-Propen-1-amine].	10,000	b
107-22-0	Propionitrile [Propenenitrile].	10,000	b

107-13-1.....	Acrylonitrile [2-Propenenitrile].	20,000	b
107-15-3.....	Ethylenediamine (1,2-Ethanediamine).	20,000	b
107-18-6.....	Allyl alcohol [2-Propen-1-ol].	15,000	b
107-10-2.....	Chloromethyl methyl ether (Methane, chloromethoxy-).	5,000	b
109-05-4.....	Vinyl acetate monomer (Acetic acid ethenyl ester).	15,000	b
108-23-6.....	Isopropyl chloroferrate (Carbonochloridic acid, 1-methylethyl ester).	15,000	b
108-91-8.....	Cyclohexylamine (Cyclohexanamine).	15,000	b
109-61-5.....	Propyl chloroformate (Carbonochloridic acid, propyl ester).	15,000	b
110-00-9.....	Furan.....	5,000	b
110-09-4.....	Piperidine.....	15,000	b
103-73-9.....	Crotonaldehyde, (E)- [2-Butenal, (E)-].	20,000	b

[[Page 61]]

126-98-7.....	Methacrylonitrile [2-Propenenitrile, 2-methyl-].	10,000	b
151-56-4.....	Ethyleneimine (Aziridine).	10,000	b
302-01-2.....	Hydrazine.....	15,000	b
353-42-1.....	Boron trifluoride compound with methyl ether (1:1) (Boron, trifluoro[oxylbis(methoxy)]-; T-4-).	15,000	b
506-77-4.....	Cyanogen chloride.....	10,000	c
509-14-3.....	Tetranitromethane (Methane, tetranitro-).	10,000	b
542-98-1.....	Chloromethyl ether (Methane, oxybis(chloro-)).	1,000	b
556-64-9.....	Methyl thiocyanate (Thiocyanic acid, methyl ester).	20,000	b
581-84-9.....	Toluene 2,4-diisocyanate (Benzene, 2,4-diisocyanato-1-methyl-).	15,000	a
594-42-3.....	Perchloromethylmercaptan (Methanesulfenyl chloride, trichloro-).	10,000	b
624-81-9.....	Methyl isocyanate (Methane, isocyanato-).	10,000	a, b
614-68-6.....	Benzyl chloride [2-Propenyl chloride].	10,000	b
6270-00-3.....	Crotonaldehyde (2-Butenal).	20,000	b
7446-09-8.....	Sulfur dioxide (anhydrous).	5,000	a, b
7446-11-9.....	Sulfur trioxide.....	10,000	a, b
7697-45-5.....	Titanium tetrachloride (Titanium chloride (TiCl4) (T-4)-).	2,000	b
7637-07-2.....	Boron trifluoride (Borane, trifluoro-).	10,000	b
7647-01-9.....	Hydrochloric acid (conc 37% or greater).	10,000	a
7647-01-9.....	Hydrogen chloride (anhydrous) (Hydrochloric acid).	1,000	a
7664-19-3.....	Hydrogen fluoride/ Hydrofluoric acid (conc 20% or greater) (Hydrofluoric acid).	1,000	a, b
7664-41-7.....	Ammonia (anhydrous)...	10,000	a, b
7664-41-7.....	Ammonia (conc 28% or greater).	20,000	a, b

7697-37-2.....	Nitric acid (conc 83% or greater).	15,000	b
7719-12-2.....	Phosphorus trichloride [Phosphorus trichloride].	15,000	b
7726-95-6.....	Bromine.....	10,000	a, b
7782-41-4.....	Fluorine.....	1,000	b
7782-50-5.....	Chlorine.....	2,500	a, b
7783-06-4.....	Hydrogen sulfide.....	10,000	a, b
7783-07-5.....	Hydrogen selenide.....	500	b
7783-80-0.....	Sulfur tetrafluoride [Sulfur fluoride (SF4), (T-4)-].	2,500	b
7784-34-1.....	Arsenic trichloride..	15,000	b
7784-42-1.....	Arsine.....	1,000	b
7821-51-2.....	Phosphine.....	5,000	k
8014-95-7.....	Osium (Fuming Sulfuric acid) [Sulfuric acid, mixture with sulfur trioxide] (1).	10,000	e
10285-87-3.....	Phosphorus oxychloride [Phosphoryl chloride].	5,000	k
10349-84-4.....	Chlorine dioxide [Chlorine oxide (ClO<INF>2</INF>)].	1,000	c
10102-43-9.....	Nitric oxide [Nitrogen oxide (NO)].	10,000	b
10294-34-5.....	Boron trichloride [Borane, trichloro-].	5,000	b
11463-39-3.....	Nickel carbonyl.....	1,000	b
13463-40-6.....	Iron, pentacarbonyl- [Iron carbonyl (Fe(CO)<INF>5</INF>), (TB-5-11)-].	2,500	b
19267-45-7.....	Diborane.....	2,500	b
24471-62-5.....	Toluene diisocyanate (unspecified isomer) [Benzene, 1,3-diisocyanatomethyl-] (1).	10,000	a

1) The mixture exemption in Sec. 68.115(b)(1) does not apply to the substance.

Note: Basis for listing:

- a Mandated for listing by Congress.
- c On EHS list, vapor pressure 10 mmHg or greater.
- c Toxic gas.
- d Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.
- e Toxicity of sulfur trioxide and sulfuric acid, potential to release sulfur trioxide, and history of accidents.

Table 3 to Sec. 68.130.--List of Regulated Flammable Substances 1) and Threshold Quantities for Accidental Release Prevention (Alphabetical Order--53 Substances)

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Acetaldehyde.....	75-07-0	10,000	g
Acetylene (Ethyne).....	74-86-2	10,000	f
Permethafluoroethylene (Ethene, bromotrifluoro-).	698-73-2	10,000	f
1,3-Butadiene.....	106-99-0	10,000	f
Butane.....	106-97-8	10,000	f
1-Butene.....	116-34-9	10,000	f
2-Butene.....	107-12-7	10,000	f
Butene.....	20167-67-3	10,000	f
[EHS 621]			
2-Butene-dia.....	699-18-1	10,000	f
2-Butene-trans [2-Butene, (E)].	624-84-6	10,000	f
Carbon oxysulfide [Carbon oxide sulfide (COS)].	443-98-1	10,000	f
Chlorine monoxide [Chlorine oxide].	7781-71-1	10,000	f
2-Chloropropylene [2-Propene, 2-chloro-].	507-28-2	10,000	g
1-Chloropropylene [1-Propene, 1-chloro-].	100-21-6	10,000	g
Cyanogen [Ethanedinitrile].....	460-10-6	10,000	f
Cyclopropane.....	75-10-5	10,000	f

Dichlorosilane [Silane, dichloro-].	4159-96-0	10,000	f
Diffluoroethane [Ethane, 1,1-difluoro-].	75-37-6	10,000	f
Dimethylamine [Methanamine, N-methyl-].	124-40-3	10,000	f
2,2-Dimethylpropane [Isobutane, 2,2-dimethyl-].	463-82-1	10,000	f
Ethane.....	74-84-0	10,000	f
Ethyl acetylene [1-Butyne].....	107-80-6	10,000	f
Ethylamine [Ethanimine].....	75-04-7	10,000	f
Ethyl chloride [Ethane, chloro-].	75-00-3	10,000	f
Ethylene [Ethene].....	74-85-1	10,000	f
Ethyl ether [Ethane, 1,1-oxybis-].	60-29-7	10,000	g
Ethyl mercaptan [Ethanethiol]..	75-09-1	10,000	g
Ethyl nitrate [Nitrous acid, ethyl ester].	109-95-5	10,000	f
Hydrogen.....	1333-74-0	10,000	f
Isobutane [Propane, 2-methyl]..	75-28-5	10,000	f
Isopentane [Butane, 2-methyl-].	74-79-4	10,000	g
Isoprene [1,3-Butadiene, 2-methyl-].	78-79-5	10,000	g
Isopropylamine [3-Propanamine].	75-31-3	10,000	g
Isopropyl chloride [Propane, 2-chloro-].	75-29-6	10,000	g
Methane.....	74-82-6	10,000	f
Methylamine [Methanamine].....	74-89-5	10,000	f
3-Methyl-1-butene.....	563-45-1	10,000	f
2-Methyl-1-butene.....	563-46-2	10,000	g
Methyl ether [Methane, oxybis-].	115-10-6	10,000	f
Methyl formate [Formic acid, methyl ester].	107-31-3	10,000	g
2-Methylpropene [1-Propene, 2-methyl-].	115-11-7	10,000	f
1,3-Pentadiene.....	504-60-9	10,000	f
Pentane.....	109-66-0	10,000	g
1-Pentene.....	129-67-1	10,000	g
2-Pentene, (E).....	546-04-8	10,000	g
2-Pentene, (Z).....	627-30-3	10,000	g
Propadiene [1,2-Propadiene]....	463-49-0	10,000	f
Propane.....	74-98-6	10,000	f
Propylene [1-Propene].....	115-07-1	10,000	f
Propyne [1-Propyne].....	74-99-7	10,000	f
Silane.....	7503-62-5	10,000	f
Tetrafluoroethylene [Ethene, tetrafluoro-].	116-14-3	10,000	f
Tetramethylsilane [Silane, tetramethyl-].	75-76-3	10,000	g
Trichlorosilane [Silane, trichloro-].	10025-79-2	10,000	g
Trifluorochloroethylene [Ethene, chlorotrifluoro-].	79-18-9	10,000	f
Trimethylamine [Methanamine, N,N-dimethyl-].	75-50-3	10,000	f
Vinyl acetylene [1-Buten-3-yne]	589-97-4	10,000	f
Vinyl chloride [Ethene, chloro-].	75-01-4	10,000	a, f
Vinyl ethyl ether [Ethene, ethoxy-].	159-92-2	10,000	g
Vinyl fluoride [Ethene, fluoro-].	75-00-5	10,000	f
Vinylidene chloride [Ethene, 1,1-dichloro-].	75-35-4	10,000	g
Vinylidene fluoride [Ethene, 1,1-difluoro-].	75-18-7	10,000	f
Vinyl methyl ether [Ethene, methoxy-].	107-06-5	10,000	f

1. A flammable substance when used as a fuel or held for sale as a fuel at a retail facility is excluded from all provisions of this part (see sec. 24.126).

Note: Means for listing:  
 <MP>= Mandated for listing by Congress.  
 <F>= Flammable gas.  
 <L>= Volatile flammable liquid.

Table 4 to Sec. 24.130.- List of Regulated Flammable Substances VII and Their Hold Quantities for Accidental Release Prevention [ICAP Index Order-93 Substances]

CAS No.	Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
60-29-2	Ethyl ether [Ethane, 1,1-dioxybis-]	60-29-2	10,000	f
74-82-8	Methane	74-82-8	10,000	f
74-84-3	Ethane	74-84-3	10,000	f
74-85-1	Ethylene [Ethene]	74-85-1	10,000	f
74-86-2	Acetylene [Ethyne]	74-86-2	10,000	f
74-99-3	Methylamine [Methanamine]	74-99-3	10,000	f
74-99-6	Propane	74-99-6	10,000	f
74-99-7	Propyne [1-Propyne]	74-99-7	10,000	f
75-00-3	Ethyl chloride [Ethane, chloro-]	75-00-3	10,000	f
75-01-4	Vinyl chloride [Ethene, chloro-]	75-01-4	10,000	a, f
75-02-5	Vinyl fluoride [Ethene, fluoro-]	75-02-5	10,000	f
75-04-7	Ethylamine [Ethanimine]	75-04-7	10,000	f
75-07-2	Acetaldehyde	75-07-2	10,000	g
75-08-1	Ethyl mercaptan [Ethanethiol]	75-08-1	10,000	g
75-19-4	Cyclopropane	75-19-4	10,000	f
75-28-5	Isobutane [Propane, 2-methyl-]	75-28-5	10,000	f
75-29-6	Isopropyl chloride [Propane, 2-chloro-]	75-29-6	10,000	g
75-31-0	Isopropylamine [2-Propanamine]	75-31-0	10,000	g
75-35-4	Vinylidene chloride [Ethene, 1,1-dichloro-]	75-35-4	10,000	g
75-37-6	Difluoroethane [Ethane, 1,1-difluoro-]	75-37-6	10,000	f
75-38-7	Vinylidene fluoride [Ethene, 1,1-difluoro-]	75-38-7	10,000	f
75-50-3	Trimethylamine [Methanamine, N, N-dimethyl-]	75-50-3	10,000	f
75-76-3	Tetramethylsilane [Silane, tetramethyl-]	75-76-3	10,000	g
78-78-4	Isopentane [Butane, 2-methyl-]	78-78-4	10,000	g
78-79-5	Isoprene [1,3-Butadiene, 2-methyl-]	78-79-5	10,000	g
79-38-9	Trifluoroethylene [Ethene, chlorotrifluoro-]	79-38-9	10,000	f
106-97-8	Butane	106-97-8	10,000	f
106-98-9	1-Butene	106-98-9	10,000	f
106-99-0	1,1-Butadiene	106-99-0	10,000	f
107-00-6	Ethyl acetylene [1-Butyne]	107-00-6	10,000	f
107-01-7	2-Butene	107-01-7	10,000	f
107-25-5	Vinyl methyl ether [Ethene, methoxy-]	107-25-5	10,000	f
107-31-3	Methyl formate [Formic acid, methyl ester]	107-31-3	10,000	g
109-06-0	Pentane	109-06-0	10,000	g
109-07-1	1-Pentene	109-07-1	10,000	g
109-02-2	Vinyl ethyl ether [Ethene, ethoxy-]	109-02-2	10,000	f
109-95-5	Ethyl nitrite [Nitrous acid, ethyl ester]	109-95-5	10,000	f
115-07-1	Propylene [1-Propene]	115-07-1	10,000	f
115-10-6	Methyl ether [Methane, oxybis-]	115-10-6	10,000	f
115-11-7	1-Methylpropene [1-Propene, 2-methyl-]	115-11-7	10,000	f
115-14-1	Tetrafluoroethylene [Ethene, tetrafluoro-]	115-14-1	10,000	f
124-41-2	Dimethylamine [Methanamine, N-methyl-]	124-41-2	10,000	f
460-10-1	Dipropene [Ethenediatriene]	460-10-1	10,000	f
460-03-0	Propylene 1,2-propylene]	460-03-0	10,000	f
460-08-1	Carbon oxysulfide [Carbon oxide sulfide (COS)]	460-08-1	10,000	f
460-02-1	2,2-Dimethylpropane [Propane, 2,2-dimethyl-]	460-02-1	10,000	f
504-61-3	1,3-Butadiene	504-61-3	10,000	f
507-04-2	2-Chloropropylene [1-Propene, 1-chloro-]	507-04-2	10,000	g
563-45-1	1-Methyl-1-butene	563-45-1	10,000	f
563-46-0	2-Methyl-1-butene	563-46-0	10,000	g
590-19-1	2-Butene-dia-	590-19-1	10,000	f
590-22-5	1-Chloropropylene [1-Propene, 1-chloro-]	590-22-5	10,000	g
598-12-1	Bromotrifluoroethylene [Ethene, bromotrifluoro-]	598-12-1	10,000	f
624-64-6	2-Butene-trans [2-Butene, (E)]	624-64-6	10,000	f
627-21-3	2-Pentene, (E)-	627-21-3	10,000	g
646-11-9	2-Pentene, (Z)-	646-11-9	10,000	f

689-97-4.....	Vinyl acetylene [1-Buten-3-yne].	689-97-4	10,000	t
1333-74-0.....	Hydrogen.....	1333-74-0	10,000	s
4109-96-0.....	Dichlorosilane (Silane, dichloro-).	4109-96-0	10,000	t
7791-21-1.....	Chlorine monoxide (Chlorine oxide).	7791-21-1	10,000	s
7803-62-5.....	Silane.....	7803-62-5	10,000	t
10025-78-2.....	Trichlorosilane (Silane, trichloro-).	10025-78-2	10,000	g
25167-67-3.....	Butene.....	25167-67-3	10,000	t

\*1 A flammable substance when used as a fuel or held for sale as a fuel at a retail facility is excluded from all provisions of this part (see Sec. 58.126).

Note: Basis for Listing:  
 <SUP>a</SUP><SUP>Mandated for listing by Congress.

[[Page 64]]

<SUP>f</SUP><SUP>Flammable gas.  
 <SUP>g</SUP><SUP>Volatile flammable liquid.

59 FR 2492, Jan. 11, 1994. Redesignated at 61 FR 31917, June 20, 1996.  
 as amended at 62 FR 45132, Aug. 25, 1997; 63 FR 245, Jan. 6, 1998; 65 FR 11250, Mar. 12, 2000]

**Attachment D**


**Copy of the Sales Order for HCL Acid**

**from the**

**Chemical Supplier**

**Shipping Address:**  
12522 Los Nietos Road  
Santa Fe Springs, CA 90670

**Contact Numbers:**  
Tel #: 562-844-7244  
Fax #: 562-803-0058



**SO4124089**  
05/03/07  
1

S  
O  
L  
O

Dirty Container Inc.  
2226 N. Rosemead Blvd.  
South El Monte, CA 91733  
USA

S  
H  
I  
P  
T  
O

Dirty Container Inc.  
2226 N. Rosemead Blvd.  
South El Monte, CA 91733  
USA

Net 30 Days

05/03/07  
Domestic Portal

Facility Contact: Suzanne Math

Phone:

Hours:

ITEM NO.	QUANTITY	UNIT	DESCRIPTION	DATE	STATUS	TANK NO.
----------	----------	------	-------------	------	--------	----------

(MS) HCl Hydrochloric Acid 31% 20 Baume. Gal-31%

CWT-31%



700 N/A 511  
GAL / LBS

Gal-31%

Tank No.- Tank Size - 0 Average Delivery - 768.8

FUEL Fuel Surcharge 1.00 Each

**Delivery Instructions**

**DRIVER: PLEASE DELIVER BEFORE NOON !!!**

*Jim Kama 5/3/07*



DATE: 5-2-07  
TIME IN: 5:50  
TIME OUT: 6:25  
TRAILER NO: 55

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TANK & SITE LOCATIONS CHECKED: YES/NO  
OWNER'S NAME: KEI RIGUE  
RECEIVER'S NAME: \_\_\_\_\_  
RECEIVER'S SIGNATURE: \_\_\_\_\_

CITY CONTAINER, INC.  
GENERAL ACCOUNT  
2226 N. ROSEMEAD BLVD.  
S. EL MONTE, CA 91738  
PH. (926) 464-1188

5019

DATE 11/27/07

18-68/1320  
241

PAY  
TO THE  
ORDER OF

SCAQAD

\$ 767.09

*Seven hundred sixty-seven and 09/100*

DOLLARS

**Bank of America**

Glendora  
115 W Foothill Blvd  
Glendora CA  
923 453-8400



*Joni Kama*

FOR Title V Revision Application

⑈005019⑈ ⑆122000661⑆ 02414⑈03337⑈

GUARDIAN OF SAFETY  
ALWAYS WEAR YOUR SEATBELT  
AND PLEASE DON'T DRINK AND DRIVE

**ATTACHMENT 3**  
**SCAQMD Forms**



Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91785
Tel: (909) 396-3385
www.aqmd.gov

Section I - Facility Information

- 1. Permit to be issued to (Business name of operator to appear on permit): Ditty Container, Inc.
2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD): 94529
3. This Certification is submitted with a (Check one): a. Title V Application (Initial, Revision or Renewal)
b. Supplement/Correction to a Title V Application
c. MACT Part 2
4. Is Form 500-C2 included with this Certification? Yes No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

- 1. For Initial, Permit Renewal, and Administrative Application Certifications:
a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.
i. except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.
ii. except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).
b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.
2. For Permit Revision Application Certifications:
a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.
3. For MACT Hammer Certifications:
a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)
b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Signature of Responsible Official: Tim Ditty
Date: 10-21-10
Phone: (626) 454-1182
Fax: (626) 454-4265
Title of Responsible Official: President
Address of Responsible Official: 2226 North Rosemeade Boulevard
City: South El Monte
State: CA
Zip Code: 91733

Acid Rain Facilities Only: Turn page over & complete Section III

**Acid Rain facilities must certify their compliance status of the devices subject to applicable requirements under Title IV by an individual who meets the definition of Designated (or Alternate) Representative in 40 CFR Part 72.**

**Section III - Designated Representative Certification Statement**

1. *For Acid Rain Facilities Only:* I am authorized to make this submission on behalf of the owners and operators of the affected source or affected units for which the submission is made. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment.

Signature of Designated Representative or Alternate

Date

Type or Print Name of Designated Representative or Alternate

Phone

Title of Designated Representative or Alternate

Fax

Address of Designated Representative or Alternate

City

State

Zip Code



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

**Section I - General Information**

1. Facility Name: Ditty Container, Inc.

Facility ID (6-Digit): 094529

**PROCEDURES FOR DETERMINING COMPLIANCE STATUS**

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements\*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.  
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.  
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements\*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. \*\*
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

\* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

\*\* Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (c)
<input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.2 (09/15/00)	<input type="checkbox"/> Rule 431.2(g)	<input type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3  N/A  See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b)   See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

<b>KEY ABBREVIATIONS:</b>	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1	Rev. 05/05 Page 2 of 2
---------------------------	--------------------------------------------	-----------------------------------------------	---------------------------------------------------------------------------	---------------------	---------------------------

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input checked="" type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input checked="" type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input checked="" type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input checked="" type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input checked="" type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(c) & (f) <input checked="" type="checkbox"/> Rule 429(d)  <input checked="" type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3  <input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	<b>AQMD Form</b>	<b>Rev. 05/05</b>
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	<b>500-C1</b>	<b>Page 3 of 3</b>

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (c)  <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7)  <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(c)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(c)	<input type="checkbox"/> Rule 1426(c) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input type="checkbox"/> Coating Operation, Adhesive Application Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1168 (01/07/05)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1168(f) & (g)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(c)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(c) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1125 (01/13/95)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1125(e)	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1125(c)(6)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(c) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)

**KEY ABBREVIATIONS:**

Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CCR = California Code of Regulations

**AQMD Form**  
**500-C1**

Rev. 05/05  
 Page 6 of 6

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Degreasers	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(e)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART II <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Internal Combustion Engines, Reciprocating	<input type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1 Page 10 of 10

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(c) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

<b>KEY</b>	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form Rev. 05/05
<b>ABBREVIATIONS:</b>	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1 Page 11 of 11

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO <sub>2</sub> Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4)  <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)  <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1  <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f)     <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input type="checkbox"/> Polyester Resin Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/09/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	<input type="checkbox"/> Rule 1166 (05/11/01)	<input type="checkbox"/> Rule 1166(e)	<input type="checkbox"/> Rule 1166(c)(1)(C)
	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)		
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(c)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)



**Section IV – SIP-Approved Rules That Are Not The Most Current AQMD Rules**

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input type="checkbox"/>
403	12/11/98	<input type="checkbox"/>	1166	07/14/95	<input type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input type="checkbox"/>
431.2	05/04/90	<input type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input type="checkbox"/>
1122	07/11/97	<input type="checkbox"/>	2010	05/11/01	<input type="checkbox"/>
1132	03/05/04	<input type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)**

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input checked="" type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input type="checkbox"/>
480	10/07/77	<input checked="" type="checkbox"/>	1404	04/06/90	<input type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

<b>Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)</b>					
1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
1147	12/5/08	<input checked="" type="checkbox"/>			<input type="checkbox"/>
1155	12/4/09	<input checked="" type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Rick Lee**

---

**From:** AECNO1@aol.com  
**Sent:** Wednesday, September 29, 2010 8:08 AM  
**To:** Rick Lee  
**Cc:** mark\_aec@sbcglobal.net; richard\_aec@sbcglobal.net  
**Subject:** Re: Ditty Container Inc (ID No. 94529)—Additional Compliance Plan, CAM

Good Morning Rick:

We are finalizing the CAM plan. We will have it reviewed by Mr. Tim Ditty and submit to the District this Friday (October 1). Should you have any questions, please give me a call. Thank you.

Sincerely,

Viji Sadasivan  
Senior Operations Manager



**Advanced Environmental Controls**  
Consulting and Engineering Services, Inc.

**20250 Acacia Street, Suite 210**  
**Newport Beach, CA 92660**  
**(949) 756-3160 (o)**  
**(949) 756-8220 (Direct Fax)**  
**(949) 795-4726 (Cell)**  
**AECNO1@aol.com**  
**www.advancedenvironmentalcontrols.com**

*This e-mail and any files transmitted with it may contain confidential and/or privileged information. If you are not the named addressee or otherwise authorized to receive this message, you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail in error and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited*

In a message dated 9/29/2010 8:00:31 A.M. Pacific Daylight Time, [rllee@aqmd.gov](mailto:rllee@aqmd.gov) writes:

Hi Viji,

Please let me know when the required CAM plan will be submitted.

Thanks,

Rick

**From:** aecno1@aol.com [mailto:aecno1@aol.com]  
**Sent:** Wednesday, September 22, 2010 3:02 PM  
**To:** Rick Lee  
**Subject:** Re: Ditty Container Inc (ID No. 94529)--Additional Compliance Plan, CAM

Hi Rick

We will prepare the CAM plan and submit to you. Thank you Rick

Sincerely,  
Viji

Sent from my Verizon Wireless BlackBerry

---

**From:** Rick Lee <rlee@aqmd.gov>  
**Date:** Wed, 22 Sep 2010 14:41:51 -0700  
**To:** Sadasivan, Viji<AECNO1@aol.com>  
**Cc:** Tim Ditty (doowah23@aol.com)<doowah23@aol.com>  
**Subject:** Ditty Container Inc (ID No. 94529)--Additional Compliance Plan, CAM

Hi Viji,

You have recently submitted a Rule 1146 compliance plan on behalf of your client, Ditty Container (ID No. 94529). In addition to this compliance plan, your client is also required to submit a CAM plan, which is to be processed while your client Title V facility is being renewed.

Please let me know if you have any questions regarding to the above or any other questions.

Thanks for your help,



**South Coast  
AIR QUALITY MANAGEMENT DISTRICT**  
21865 E. Copley Drive, Diamond Bar, CA 91765-4182  
(909) 396-2000 <http://www.aqmd.gov>



**Receipt Date: 11/17/2009 11:06:56 AM** **Receipt Number: 62481**

**Facility ID** 94529  
**Name** DITTY CONTAINER INC  
**Address** 2226 N ROSEMEAD BLVD

SOUTH EL MONTE, CA 91733 - 1520

**Payment Details**

Type	Check nbr	Amount	Check nbr	Amount	Amount
CASH	-	-	-	-	\$0.00
CHK	33612	\$1,918.59			
				<b>Checks Total:</b>	\$1,916.59
				<b>Total:</b>	\$1,916.59

**Comments** (1) APPL.- TITLE V

**Received By** AQMD Cashier

**Signature** \_\_\_\_\_

Duplicate Copy

]  
:



**A**DVANCED  
**E**NVIRONMENTAL  
**C**ONTROLS

CONSULTING AND ENGINEERING  
SERVICES, INC.

November 10, 2009

Permit Services  
**South Coast AQMD**  
21865 Copley Dr  
Diamond Bar, CA 91765

**Subject: Title V Permit Renewal Application**


**Ditty Container, Inc.**  
**2226 North Rosemead Blvd**  
**South El Monte, CA 91733**  
**Facility ID: 094529**

Dear Sir or Madam:

On behalf of Ditty Container, Inc., Advanced Environmental Controls, Consulting and Engineering Services, Inc. (AEC), is submitting the Title V permit renewal forms to the SCAQMD. Enclosed you will find the SCAQMD forms necessary for Title V permit renewal, as well as the initial Title V renewal application fee in the amount of \$1,916.59.

Should you have any questions or concerns, please do not hesitate to contact Mr. Richard Jarowski, Project Engineer, or myself at (949) 756-3160. Thank you.

Respectfully,

  
Viji C. Sadasivan  
Senior Operations Manager

c: Mr. Tim Ditty, President, Ditty Container, Inc.

0 10 11 11 11

9 NOV 17 AM 307

S. C. F. L. I. D. I.  
REVENUE RECEIVING



South Coast Air Quality Management District

**Form 400-CEQA**

**California Environmental Quality Act (CEQA) Applicability**

Mail Application To:  
P.O. Box 4944  
Diamond Bar, CA 91765

Tel: (909) 396-3385

[www.sqmd.gov](http://www.sqmd.gov)

The SCAQMD is required by state law, the California Environmental Quality Act (CEQA), to review discretionary permit project applications for potential air quality and other environmental impacts. This form is a screening tool to assist the SCAQMD in clarifying whether or not the project<sup>1</sup> has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document [CEQA Guidelines §15060(a)].<sup>2</sup> Refer to the attached instructions for guidance in completing this form.<sup>3</sup> For each Form 400-A application, also complete and submit one Form 400-CEQA. If submitting multiple Form 400-A applications for the same project at the same time, only one 400-CEQA form is necessary for the entire project. If you need assistance completing this form, contact Lori Inga at (909) 396-3109.

<b>FACILITY INFORMATION</b>	
Business Name of Operator to Appear on the Permit: Ditty Container, Inc.	Facility ID (6-Digit): 094529
Project Description: Title V Renewal Application	

<b>REVIEW FOR EXEMPTION FROM FURTHER CEQA ACTION</b>			
Check "Yes" or "No" as applicable			
	Yes	No	Is this application for:
A.	<input type="radio"/>	<input checked="" type="radio"/>	A CEQA and/or NEPA document previously or currently prepared that specifically evaluates this project? If yes, a permit cannot be issued until a Final CEQA document and Notice of Determination is submitted.
B.	<input type="radio"/>	<input checked="" type="radio"/>	A request for a change of permittee only (without equipment modifications)?
C.	<input type="radio"/>	<input checked="" type="radio"/>	Equipment certification or equipment registration (qualifies for Rule 222)?
D.	<input type="radio"/>	<input checked="" type="radio"/>	A functionally identical permit unit replacement with no increase in rating or emissions?
E.	<input type="radio"/>	<input checked="" type="radio"/>	A change of daily VOC permit limit to a monthly VOC permit limit?
F.	<input type="radio"/>	<input checked="" type="radio"/>	Equipment damaged as a result of a disaster during state of emergency?
G.	<input checked="" type="radio"/>	<input type="radio"/>	A Title V (i.e., Regulation XXX) permit renewal (without equipment modifications)?
H.	<input type="radio"/>	<input checked="" type="radio"/>	A Title V administrative permit revision?
I.	<input type="radio"/>	<input checked="" type="radio"/>	The conversion of an existing permit into an initial Title V permit?
If "Yes" is checked for any question above, your application does not require additional evaluation for CEQA applicability. Skip to page 2, "SIGNATURES" and sign and date this form.			

<b>REVIEW OF IMPACTS WHICH MAY TRIGGER CEQA</b>			
Complete Sections I-VI by checking "Yes" or "No" as applicable. To avoid delays in processing your application(s), explain all "Yes" responses on a separate sheet and attach it to this form.			
	Yes	No	Section I - General
1.	<input type="radio"/>	<input type="radio"/>	Has this project generated any known public controversy regarding potential adverse impacts that may be generated by the project? Controversy may be construed as concerns raised by local groups at public meetings; adverse media attention such as negative articles in newspapers or other periodical publications, local news programs, environmental justice issues, etc.
2.	<input type="radio"/>	<input type="radio"/>	Is this project part of a larger project?
Section II - Air Quality			
3.	<input type="radio"/>	<input type="radio"/>	Will there be any demolition, excavating, and/or grading construction activities that encompass an area exceeding 20,000 square feet?
4.	<input type="radio"/>	<input type="radio"/>	Does this project include the open outdoor storage of dry bulk solid materials that could generate dust? If Yes, include a plot plan with the application package.

<sup>1</sup> A "project" means the whole of an action which has a potential for resulting in physical change to the environment, including construction activities, clearing or grading of land, improvements to existing structures, and activities or equipment involving the issuance of a permit. For example, a project might include installation of a new, or modification of an existing internal combustion engine, dry-cleaning facility, boiler, gas turbine, spray coating booth, solvent cleaning tank, etc.

<sup>2</sup> To download the CEQA guidelines, visit <http://ceres.ca.gov/ceqa/law/state.html>.

<sup>3</sup> To download this form and the instructions, visit <http://www.sqmd.gov/ceqa> or <http://www.sqmd.gov/permit>

	Yes	No	
5.	<input type="radio"/>	<input type="radio"/>	<b>Would this project result in noticeable off-site odors from activities that may not be subject to SCAQMD permit requirements?</b> For example, compost materials or other types of greenwaste (i.e., lawn clippings, tree trimmings, etc.) have the potential to generate odor complaints subject to Rule 402 - Nuisance.
6.	<input type="radio"/>	<input type="radio"/>	<b>Does this project cause an increase of emissions from marine vessels, trains and/or airplanes?</b>
7.	<input type="radio"/>	<input type="radio"/>	<b>Will the proposed project increase the QUANTITY of hazardous materials stored aboveground onsite or transported by mobile vehicle to or from the site by greater than or equal to the amounts associated with each compound on the attached Table 1?*</b>
<b>Section III - Water Resources</b>			
8.	<input type="radio"/>	<input type="radio"/>	<b>Will the project increase demand for water at the facility by more than 5,000,000 gallons per day?</b> The following examples identify some, but not all, types of projects that may result in a "yes" answer to this question: 1) projects that generate steam; 2) projects that use water as part of the air pollution control equipment; 3) projects that require water as part of the production process; 4) projects that require new or expansion of existing sewage treatment facilities; 5) projects where water demand exceeds the capacity of the local water purveyor to supply sufficient water for the project; and 6) projects that require new or expansion of existing water supply facilities.
9.	<input type="radio"/>	<input type="radio"/>	<b>Will the project require construction of new water conveyance infrastructure?</b> Examples of such projects are when water demands exceed the capacity of the local water purveyor to supply sufficient water for the project, or require new or modified sewage treatment facilities such that the project requires new water lines, sewage lines, sewage hook-ups, etc.
<b>Section IV - Transportation/Circulation</b>			
10.			<b>Will the project result in (Check all that apply):</b>
	<input type="radio"/>	<input type="radio"/>	a. the need for more than 350 new employees?
	<input type="radio"/>	<input type="radio"/>	b. an increase in heavy-duty transport truck traffic to and/or from the facility by more than 350 truck round-trips per day?
	<input type="radio"/>	<input type="radio"/>	c. increase customer traffic by more than 700 visits per day?
<b>Section V - Noise</b>			
11.	<input type="radio"/>	<input type="radio"/>	<b>Will the project include equipment that will generate noise GREATER THAN 90 decibels (dB) at the property line?</b>
<b>Section VI - Public Services</b>			
12.			<b>Will the project create a permanent need for new or additional public services in any of the following areas (Check all that apply):</b>
	<input type="radio"/>	<input type="radio"/>	a. <b>Solid waste disposal?</b> Check "No" if the projected potential amount of wastes generated by the project is less than five tons per day.
	<input type="radio"/>	<input type="radio"/>	b. <b>Hazardous waste disposal?</b> Check "No" if the projected potential amount of hazardous wastes generated by the project is less than 42 cubic yards per day (or equivalent in pounds).
**REMINDER: For each "Yes" checked in the sections above, attach all pertinent information including but not limited to estimated quantities, volumes, weights, etc.**			
<b>SIGNATURES</b>			
I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT THIS FORM IS A SCREENING TOOL AND THAT THE SCAQMD RESERVES THE RIGHT TO CONSIDER OTHER PERTINENT INFORMATION IN DETERMINING CEQA APPLICABILITY.			
SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM:		TITLE OF RESPONSIBLE OFFICIAL OF FIRM:	
		President	
TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM:	RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER:	DATE Signed:	
Tim Ditty	(626) 4541-182	11-6-09	
SIGNATURE OF PREPARER, IF PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM:		TITLE OF PREPARER:	
		Senior Operations Manager	
TYPE OR PRINT NAME OF PREPARER:	PREPARER'S TELEPHONE NUMBER:	DATE Signed:	
Viji C. Sadasivan	(949) 7563-160	November 3, 2009	

THIS CONCLUDES FORM 400-CEQA. INCLUDE THIS FORM AND THE ATTACHMENTS WITH FORM 400-A.

\* Table 1 - Regulated Substances List and Threshold Quantities for Accidental Release Prevention can be found in the Instructions for Form 400-CEQA.



South Coast Air Quality Management District

Form 500-A2

**TITLE V Application Certification**

Mail Application To:  
P.O. Box 4944  
Diamond Bar, CA 91765  
Tel: (909) 396-3385  
[www.aqmd.gov](http://www.aqmd.gov)

**Section I - Facility Information:**

1. Permit to be issued to (Business name of operator to appear on permit):  
Ditty Container, Inc.
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): 094529
3. This Certification is submitted with a (Check one):  
 a.  Title V Application (Initial, Revision or Renewal)  
 b.  Supplement/Correction to a Title V Application  
 c.  MACT Part 2
4. Is Form 500-C2 included with this Certification?  Yes  No

**Section II - Responsible Official Certification Statement**

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

**1. For Initial, Permit Renewal, and Administrative Application Certifications:**

- a.  The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.  
 i.  except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.  
 ii.  except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).
- b.  The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.

**2. For Permit Revision Application Certifications:**

- a.  The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.

**3. For MACT Hammer Certifications:**

- a.  The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)
- b.  The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

  
 \_\_\_\_\_  
 Signature of Responsible Official  
 Tim Ditty  
 Type or Print Name of Responsible Official  
 President  
 Title of Responsible Official  
 2226 N Rosemead Blvd  
 Address of Responsible Official  
 South El Monte  
 City  
 CA  
 State  
 91733  
 Zip Code  
 11-6-09  
 Date  
 (626) 454-1182  
 Phone  
 (626) 454-4265  
 Fax

**Acid Rain Facilities Only: Turn page over & complete Section III**





South Coast Air Quality Management District

**Form 500-H (Title V)**

**Applicability Determination for Initial, Renewal, & Significant Permit Revision**

Mail Application To:  
P.O. Box 4944  
Diamond Bar, CA 91765  
Tel: (909) 396-3385  
[www.aqmd.gov](http://www.aqmd.gov)

This form is required as part of an initial, significant permit revision, or renewal Title V application. If your Title V facility has control devices in use, the CAM rule may apply. Follow the instructions on the reverse side of this form to determine whether your facility is subject to CAM requirements.

**Section I - CAM Status Summary for Emission Units**

1. Permit to be issued to (Business name of operator to appear on permit):

Ditty Container, Inc.

2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD):

094529

3. Based on the criteria in the instructions (check one and attach additional pages as necessary):

a.  The emission units identified below are subject to the CAM rule<sup>1</sup> and a CAM plan<sup>2</sup> is attached for each affected emissions unit:

b.  There are no emission units with control devices at this Title V facility that are subject to the CAM rule.

Emission Unit <sup>3</sup> Application, Permit or Device No.	Equipment Description <sup>4</sup>	Uncontrolled Emissions		Connected to Control Unit <sup>5</sup> Application, Permit or Device No.	Equipment <sup>4</sup> Description	Controlled Emissions	
		Pollutant	PTE <sup>5</sup> (tons/year)			Pollutant	PTE <sup>5</sup> (tons/year)

<sup>1</sup> For more detailed information regarding the CAM rule applicability, refer to Title 40, Chapter I, Part 64, Section 64.1 of the Code of Federal Regulations (40 CFR Part 64, Section 64.1). This also can be accessed via the internet at: [http://www.aqmd.gov/hara/cfr/waisidx\\_99/40cfr64\\_99.html](http://www.aqmd.gov/hara/cfr/waisidx_99/40cfr64_99.html).

<sup>2</sup> Only one CAM plan is required for a control device that is common to more than one emissions unit, or if an emissions unit is controlled by more than one control device similar in design and operation. If the control devices are not similar in design and operation, one plan is required for each control device.

<sup>3</sup> List all new and existing emission units and the connected control devices either by AQMD application, permit or device number. When the emission unit is new and has not yet been assigned an application number, leave this column blank.

<sup>4</sup> Provide a brief equipment description of the emission units and control devices by indicating equipment type, make, and model and serial numbers as appropriate.

<sup>5</sup> Potential to Emit



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

**Section I - General Information**

1. Facility Name: Ditty Container, Inc.

Facility ID (6-Digit): 094529

**PROCEDURES FOR DETERMINING COMPLIANCE STATUS**

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements\*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.  
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.  
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements\*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. \*\*
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

\* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

\*\* Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, $\geq$ 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.2 (09/15/00)	<input type="checkbox"/> Rule 431.2(g)	<input type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3  N/A  See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b)   See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

**EQUIPMENT/PROCESS**      **APPLICABLE REQUIREMENT**      **TEST METHOD**      **MRR REQUIREMENT**

Asphalt      See Manufacturing, Asphalt Processing & Asphalt Roofing      See Applicable Subpart

Asphalt Concrete/Batch Plants      40 CFR60 SUBPART I      See Applicable Subpart

Benzene Emissions, Maleic Anhydride      Rule 1173(i)      Rule 1173(i)

Plants, Ethylbenzene/Styrene Plants, Benzene      Rule 1176(h)      Rule 1176(h) & (g)

Storage Vessels, Benzene Equipment Leaks,      40 CFR61 SUBPART Y      See Applicable Subpart

& Coke By-Product Recovery Plants      40 CFR63 SUBPART R      See Applicable Subpart

Benzene Transfer Operations      Rule 1142(c)      Rule 1142(h)

Benzene Transfer Operations      40 CFR61 SUBPART BB      See Applicable Subpart

Benzene Transfer Operations      40 CFR63 SUBPART Y      See Applicable Subpart

Benzene Waste Operations      Rule 1176 (09/13/96)      Rule 1176(h) & (g)

Benzene Waste Operations      40 CFR61 SUBPART FF      See Applicable Subpart

Benzene Waste Operations      40 CFR63 SUBPART CC      See Applicable Subpart

Beryllium Emissions      40 CFR61 SUBPART C      See Applicable Subpart

Beryllium Emissions, Rocket Motor Firing      40 CFR61 SUBPART D      See Applicable Subpart

Boiler, < 5 Mmbtu/Hr (non-RECLAIM      Rule 1146.1 (05/13/94)      Rule 1146.1(d)

sources)      Rule 1146.2 (01/07/05)      N/A

Boiler, < 5 Mmbtu/Hr (non-RECLAIM      40 CFR63 SUBPART DDDD      See Applicable Subpart

sources)      Rule 1146.1 (05/13/94)      See Applicable Subpart

Boiler, < 5 Mmbtu/Hr (RECLAIM sources)      Rule 1146.1 (05/13/94) - excluding      Rule 1146.1(d)

NOx requirements      40 CFR63 SUBPART DDDD      See Applicable Subpart

Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM      Rule 218 (05/14/99)      AQMD TM 100.1

sources)      Rule 429 (12/21/90)      N/A

Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM      Rule 475 (08/07/78)      AQMD TM 5.1, 5.2, or 5.3

sources)      Rule 476 (10/08/76)      AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3

Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)      Rule 1146 (11/17/00)      Rule 1146(d)

40 CFR60 SUBPART D      Rule 1146 (11/17/00)      See Applicable Subpart

40 CFR60 SUBPART Da      Rule 1146 (11/17/00)      See Applicable Subpart

40 CFR60 SUBPART Dc      Rule 475 (08/07/78)      AQMD TM 5.1, 5.2, or 5.3

40 CFR63 SUBPART DDDD      Rule 476 (10/08/76)      AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3

Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)      Rule 475 (08/07/78)      AQMD TM 5.1, 5.2, or 5.3

NOx requirements      Rule 476 (10/08/76) - excluding      See Applicable Subpart

NOx requirements      Rule 1146 (11/17/00) - excluding      See Applicable Subpart

Rule 2011 (12/05/03) or      Rule 2011, App. A (12/05/03) or      Rule 1146(d)

Rule 2012 (12/05/03)      Rule 2012, App. A (12/05/03)      See Applicable Subpart

40 CFR60 SUBPART D      Rule 2012 (12/05/03)      See Applicable Subpart

40 CFR60 SUBPART Da      Rule 2012 (12/05/03)      See Applicable Subpart

40 CFR60 SUBPART Dc      Rule 2012, App. A (12/05/03)      See Applicable Subpart

40 CFR63 SUBPART DDDD      Rule 2012, App. A (12/05/03)      See Applicable Subpart

See Manufacturing, Asphalt Processing & Asphalt Roofing      See Applicable Subpart

Asphalt      See Manufacturing, Asphalt Processing & Asphalt Roofing      See Applicable Subpart

<b>KEY</b>	<b>Reg. = AQMD Regulation</b>	<b>App. = Appendix</b>	<b>CFR = Code of Federal Regulations</b>	<b>AQMD Form</b>
<b>ABBREVIATIONS:</b>	<b>Rule = AQMD Rule</b>	<b>AQMD TM = AQMD Test Method</b>	<b>CCR = California Code of Regulations</b>	<b>500-C1</b>
				<b>Rev. 05/05</b>
				<b>Page 3 of 3</b>

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

**EQUIPMENT/PROCESS**      **APPLICABLE REQUIREMENT**      **TEST METHOD**      **MRR REQUIREMENT**

<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDD	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e)
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or <input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDD	<input type="checkbox"/> Rule 2011, App. A (12/05/03) or <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart	<input type="checkbox"/> Rule 2011, App. A (12/05/03) or <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR63 SUBPART DDDD	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1135(e) See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR63 SUBPART DDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)	See Applicable Subpart	<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)	<input type="checkbox"/> AQMD Visible Emissions, AQMD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97) <input type="checkbox"/> Rule 1426 (05/02/03)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(c)	<input type="checkbox"/> Rule 1469(g), (j) & (k)
<input type="checkbox"/> Coating Operation, Adhesive Application Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)
<input type="checkbox"/> Operation	<input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1168 (01/07/05)	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1168(f) & (g)	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(e)

**KEY**

Reg. = AQMD Regulation

App. = Appendix

AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations

CCR = California Code of Regulations

AQMD Form

500-C1

Rev. 05/05  
Page 4 of 4

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1125 (01/13/95)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1125(e)	<input checked="" type="checkbox"/> Rule 109(c)  <input checked="" type="checkbox"/> Rule 1125(c)(6)

**KEY**  
**ABBREVIATIONS:**

Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CCR = California Code of Regulations

AQMD Form 500-C1  
 Rev. 05/05  
 Page 5 of 5

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)

**KEY ABBREVIATIONS:**

Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CCR = California Code of Regulations

**AQMD Form**  
**500-C1**

Rev. 05/05  
 Page 6 of 6

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c)  <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Degreasers	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

MRR REQUIREMENT	TEST METHOD	APPLICABLE REQUIREMENT	EQUIPMENT/PROCESS
<input type="checkbox"/> Rule 218(c) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(g)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> Fluid Catalytic Cracking Unit <input type="checkbox"/> Foundries, Iron and Steel <input type="checkbox"/> Friction Materials Manufacturing
<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Fugitive Emissions, Benzene <input type="checkbox"/> Fugitive Emissions, Chemical Plant
<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing <input type="checkbox"/> Plant
<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production <input type="checkbox"/> Facility
<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC

**KEY**

Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CCR = California Code of Regulations

AQMD Form  
 500-C1

## Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(c) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input checked="" type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

MRR REQUIREMENT	TEST METHOD	APPLICABLE REQUIREMENT	EQUIPMENT/PROCESS
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART ZZZZ	Internal Combustion Engines, Reciprocating
N/A	N/A	Rule 1112 (01/06/86)	Kiln, Cement Plant
N/A	N/A	Rule 1112.1 (02/07/86)	
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART F	Landfills
See Applicable Subpart	See Applicable Subpart	Rule 1150.1 (10/15/82)	
See Applicable Subpart	See Applicable Subpart	Rule 1150.1 (03/17/00)	
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART WW	
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART AAAA	
		See Manufacturing, Lead Acid Battery	Lead Acid Battery Manufacturing Plants
		Rule 1426 (05/02/03)	Lead Electropolishing Operation
See Applicable Subpart	See Applicable Subpart	N/A	Manufacturing, Asphalt Processing & Roofing
See Applicable Subpart	See Applicable Subpart	Rule 1108.1 (11/04/83)	
See Applicable Subpart	See Applicable Subpart	Rule 1108 (02/01/85)	
See Applicable Subpart	See Applicable Subpart	Rule 1108.1 (b)	
See Applicable Subpart	See Applicable Subpart	Rule 1108.1 (b)	
		40 CFR63 SUBPART LLLL	Manufacturing, Brick & Structural Clay Products
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART JJJJ	
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART KKKK	Manufacturing, Clay Ceramics
See Applicable Subpart	See Applicable Subpart	Rule 1141.1 (11/17/00)	Manufacturing, Coatings & Ink
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART HHHH	(SIC Code 2851)
See Applicable Subpart	See Applicable Subpart	Title 17 CCR 94500	Manufacturing, Consumer Product
See Applicable Subpart	See Applicable Subpart	Rule 1131 (06/06/03)	Manufacturing, Food Product
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART QQQQ	Manufacturing, Friction Materials
See Applicable Subpart	See Applicable Subpart	Rule 1117 (01/06/84)	Manufacturing, Glass
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART CC	
See Applicable Subpart	See Applicable Subpart	40 CFR61 SUBPART N	
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART NNNN	Manufacturing, Hydrochloric Acid
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART KK	Manufacturing, Lead-Acid Battery
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART AAAA	Manufacturing, Lime
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART SSS	Manufacturing, Magnetic Tape Industry
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART EE	Manufacturing, Miscellaneous Organic Chemical
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART FFFF	Manufacturing, Nitric Acid
See Applicable Subpart	See Applicable Subpart	Rule 218 (05/14/99)	
See Applicable Subpart	See Applicable Subpart	Rule 1159 (12/06/85)	
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART G	Manufacturing, Plywood & Composite Wood Products
See Applicable Subpart	See Applicable Subpart	Rule 1137 (02/01/02)	
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART DDD	Manufacturing, Polymer Industry
See Applicable Subpart	See Applicable Subpart	40 CFR60 SUBPART DDD	
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART W	
See Applicable Subpart	See Applicable Subpart	40 CFR63 SUBPART J	

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS		APPLICABLE REQUIREMENT		TEST METHOD		MRR REQUIREMENT	
<input type="checkbox"/>	Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94)	<input type="checkbox"/> Rule 1175(f)	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	<input type="checkbox"/> Rule 1175(c)
<input type="checkbox"/>	Manufacturing, Products Containing Halon	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Blends						
<input type="checkbox"/>	Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A	N/A	N/A	N/A
<input type="checkbox"/>	Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWW	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSS	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00)	<input type="checkbox"/> Rule 1141(d)	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	<input type="checkbox"/> Rule 1141(c)
<input type="checkbox"/>	Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f)	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/>	Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A	N/A	N/A	N/A
<input type="checkbox"/>	Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H	<input type="checkbox"/> AQMD TM 6.1 or 6.2	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Synthetic Organic Chemical	<input type="checkbox"/> 40 CFR60 SUBPART III	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Synthetic Organic Chemical Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A	N/A	N/A	N/A
<input type="checkbox"/>	Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/>	Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91)	<input type="checkbox"/> Rule 1142(e)	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	<input type="checkbox"/> Rule 1142(h)
<input type="checkbox"/>	Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART Y	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/>	Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART CB	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart

**KEY**  
**ABBREVIATIONS:**  
 Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CFR = California Code of Regulations

**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

**EQUIPMENT/PROCESS**      **APPLICABLE REQUIREMENT**      **TEST METHOD**      **MRR REQUIREMENT**

<input type="checkbox"/> 40 CFR60 SUBPART Ea	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Negative Air Machines/HEPA, Asbestos			
<input type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation			
<input type="checkbox"/> Nonmetallic Mineral Processing Plants			
<input type="checkbox"/> Rule 404 (02/07/86)			
<input type="checkbox"/> Rule 405 (02/07/86)			
<input type="checkbox"/> 40 CFR60 SUBPART OOO	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rule 1148 (11/05/82)			
<input type="checkbox"/> Rule 1148.1 (03/05/04)			
<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rule 1148.1 (g)			
<input type="checkbox"/> Rule 1148.1 (f)			
<input type="checkbox"/> Onshore Natural Gas Processing, SO <sub>2</sub> Emissions			
<input type="checkbox"/> Rule 444 (12/21/01)			
<input type="checkbox"/> Open Storage, Petroleum Coke			
<input type="checkbox"/> Rule 403 (04/02/04)			
<input type="checkbox"/> Rule 403.1 (04/02/04)			
<input type="checkbox"/> Rule 1158 (06/11/99)			
<input type="checkbox"/> Rule 403 (04/02/04)			
<input type="checkbox"/> Rule 403.1 (04/02/04)			
<input type="checkbox"/> Rule 1158(h)			
<input type="checkbox"/> Rule 1158(j)			
<input type="checkbox"/> Rule 403.1(f)			
<input type="checkbox"/> Rule 403(f)			
<input type="checkbox"/> Open Storage			
<input type="checkbox"/> Rule 403(d)(4)			
<input type="checkbox"/> Rule 403(d)(4)			
<input type="checkbox"/> Outer Continental Shelf Platform			
<input type="checkbox"/> 40 CFR55	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR55			
<input type="checkbox"/> Oven, Commercial Bakery			
<input type="checkbox"/> Rule 1153 (01/13/95)			
<input type="checkbox"/> Rule 477 (04/03/81)			
<input type="checkbox"/> Oven, Petroleum Coke			
<input type="checkbox"/> Rule 1153(h)			
<input type="checkbox"/> AQMD Visible Emissions, AQMD			
<input type="checkbox"/> TM 5.1, 5.2, or 5.3			
<input type="checkbox"/> See Applicable Subpart	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use			
<input type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries			
<input type="checkbox"/> Rule 218 (05/14/99)			
<input type="checkbox"/> Rule 465 (08/13/99)			
<input type="checkbox"/> Rule 468 (10/08/76)			
<input type="checkbox"/> Rule 469 (02/13/81)			
<input type="checkbox"/> Rule 1123 (12/07/90)			
<input type="checkbox"/> Rule 1189 (01/21/00)			
<input type="checkbox"/> 40 CFR60 SUBPART J	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART EEEF	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> 40 CFR63 SUBPART GGGG	See Applicable Subpart	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Title 13 CCR 2250			
<input type="checkbox"/> Rule 1173 (12/06/02)			
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions			

**KEY**      Reg. = AQMD Regulation      App. = Appendix      CFR = Code of Federal Regulations      AQMD Form      Rev. 05/05

**ABBREVIATIONS:**      Rule = AQMD Rule      AQMD TM = AQMD Test Method      CCR = California Code of Regulations      500-C1      Page 12 of 12



**Section II - Applicable Requirements, Test Methods, & MRR Requirements**

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	40 CFR63 SUBPART GGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	Rule 1166 (05/11/01) 40 CFR63 SUBPART GGGG	See Applicable Subpart	<input type="checkbox"/> Rule 1166(c)(1)(C) See Applicable Subpart
<input checked="" type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	Rule 1149 (07/14/95) 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	Rule 463 (05/06/05) 40 CFR63 SUBPART F	See Applicable Subpart	<input type="checkbox"/> Rule 463(c)(5) See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	40 CFR63 SUBPART HHH 40 CFR60 SUBPART Ka 40 CFR60 SUBPART Kb 40 CFR63 SUBPART R 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	Rule 1134 (08/08/97) 40 CFR63 SUBPART RRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	Rule 1134 (08/08/97) 40 CFR60 SUBPART GG 40 CFR63 SUBPART YYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	Rule 1123 (12/07/90) 40 CFR63 SUBPART YYY	See Applicable Subpart	<input type="checkbox"/> Rule 1123(c) See Applicable Subpart
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	Rule 464 (12/07/90) Rule 1176 (09/13/96) 40 CFR63 SUBPART F 40 CFR63 SUBPART G 40 CFR63 SUBPART H 40 CFR63 SUBPART I 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	Rule 464 (12/07/90) Rule 1176 (09/13/96) 40 CFR63 SUBPART I 40 CFR63 SUBPART H 40 CFR63 SUBPART G 40 CFR63 SUBPART F 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Woodworking Operations	Rule 1137 (02/01/02) Rule 1176 (09/13/96) 40 CFR63 SUBPART CC	See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart

**KEY**  
 ABBREVIATIONS: Reg. = AQMD Regulation  
 Rule = AQMD Rule

App. = Appendix  
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations  
 CFR = California Code of Regulations



**Section IV – SIP-Approved Rules That Are Not The Most Current AQMD Rules**

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input type="checkbox"/>
403	12/11/98	<input type="checkbox"/>	1166	07/14/95	<input type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input type="checkbox"/>
431.2	05/04/90	<input type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input type="checkbox"/>
1113	11/08/96	<input type="checkbox"/>	2005	04/20/01	<input type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input type="checkbox"/>
1122	07/11/97	<input type="checkbox"/>	2010	05/11/01	<input type="checkbox"/>
1132	03/05/04	<input type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

**Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)**

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input checked="" type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input type="checkbox"/>
480	10/07/77	<input checked="" type="checkbox"/>	1404	04/06/90	<input type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

**Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)**

1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>