

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	142907	Company Name:	Greif Industrial Packaging & Services LLC	
Equipment Location:	8250 Almeria Ave., Fontana, CA 92335			SIC Code: 3412
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:		
Application #(s):	518918	Application Submittal Date(s):	2/11/2011	
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:	
		(909) 396-3275	hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the business of manufacturing steel drums. The facility operates three spray booths, two ovens, and other supporting equipment. Volatile organic compound emissions from the spray booths and the ovens are vented to an air pollution control equipment regenerative thermal oxidizer.				
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal				
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance				
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>		<u>Emissions (lbs/yr):</u>
		Ammonia		181
		Benzene		0.08
		Formaldehyde		0.171
		Naphthalene		0.003
		PAHs		0.001
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____				
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> NOx 0.653 <input checked="" type="checkbox"/> PM 0.448		
		<input checked="" type="checkbox"/> CO 0.176 <input checked="" type="checkbox"/> SOx 0.003		
		<input checked="" type="checkbox"/> VOC 2.109 <input type="checkbox"/> Other: _____		
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 1)				
Comments:				