



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

November 26, 2008

Mr. Naro Kuch
Environmental Manager
Sierra Aluminum Company
2345 Fleetwood Drive
Riverside, CA 92509

Dear Mr. Kuch:

Subject: RECLAIM Facility Permit – Facility I.D. No. 085943

Please find attached the revised Title Page, Table of Contents, and Section D of your RECLAIM Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application Nos. 475466-475469. This permit revision includes the following new equipment:

Equipment	Appl. No.	Device No.	Process	Permit Type
Ageing Furnace	475466	D3	4	PO
Ageing Furnace	475467	D4	4	PO
Scrubber	475468	C88	5	PO
Sulfuric Acid Line	475469	D42-52, 87	1	PO

Please review the attached sections carefully. Insert the enclosed sections into your RECLAIM Facility Permit and discard the earlier version. Questions concerning changes to your permit should be directed to Ms. Monica Fernandez-Neild at 909.396.2202.

Sincerely,

Brian L. Yeh
Senior Manager
Chemical/Mechanical Operations

BLY:mfn
Enclosure

cc: Gerardo Rios, EPA Region IX